

DEPTH/FISH FINDERS, GPS SYSTEMS, RADARS, MAPS & ACCESSORIES

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Airmar	64
Angler's Pal	121
Dual	64
Faria	64,65
Garmin	65-81
Humminbird	81-98
Johnny Ray	121,122
Lowrance	98-113
Navionics	113-115
Norcross	115
RAM	122-125
Raymarine	115-119
Ritchie	125
Simrad	120,121
TH Marine	125
Uniden	121

Order numbers that are bolded and italicized represent new items for the year

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

DEPTH FINDERS/FISH FINDERS, GPS SYSTEMS & ACCESSORIES



Sensing Technology

NEW

AIRMAR® B60 THRU-HULL, TILTED ELEMENT TRANSDUCER

•Engineered for center-console & trailer boats •Depth & temperature •Low profile protrusion below the hull - no affect on your boats running performance •Boat size: Up to 25' •Usable shaft length: 2.70" •Max. depth range: 50kHz - 800' to 1200'; 200kHz - 400' to 700' •RMS power: 600 W •Frequency 50/200 kHz •Cone: 50 kHz - 45°; 200kHz - 12°



Order #	Mfg. #	Fits	Sugg. Ret.
5027280	B60-20-6G	Garmin (6-pin connector)	\$235.99
5027281	B60-12-6G	Garmin (6-pin connector)	235.99

AIRMAR® P66 TRANSOM MOUNT TRIDUCER® MULTISENSOR

•Lake & inshore all-around saltwater fishing for small to mid-size outboard boats •RMS power: 600 W •The 50 kHz & 200 kHz, oversized, ceramic element produces focused beams, highlighting detail in the water column & in the bottom structure •Incorporates a patented noise-suppression system •Depth, speed, & temperature(*) in one housing •Plastic kick-up bracket rotates up to protect the housing if struck from the front •Accommodates transom angles between 2° & 20° •Recessed waterflow channel protects paddlewheel •Transducer can be removed from bracket without the use of tools for easy service and storage •Boat size: Up to 40' •**NOTE:** (*) Depth & Temperature ONLY if purchased for Humminbird®



Order #	Mfg. #	Fits	Sugg. Ret.
5027058	P66-BL	Lowrance	\$200.99
5027061	P66-DST6G	Garmin (6-pin connector)	173.99
5027064	P66-DST8G	Garmin (8-pin connector)	173.99
DEPTH & TEMPERATURE ONLY			
5027067	P66-DTHB	Humminbird	202.99

NEW

AIRMAR® P79 IN-HULL MOUNT TRANSDUCER - DEPTH ONLY

•Lake & inshore all-around saltwater fishing for small to mid-size outboard boats •RMS power: 600 W. 50/200 kHz •Easily adjusts to hull deadrise angles up to 22° •This ensures that the beam is vertically oriented to receive echos, resulting in accurate depth readings •Unlike traditional "puck" type transducers, the P79 consists of a base that is bonded to the hull & filled w/liquid •Separate transducer then attaches to the base with a twist lock •The sound waves travel more efficiently through the liquid, giving the best possible performance •No holes to drill •Depth only •Recommended for solid fiberglass hulls •Epoxies to aluminum hulls under 0.125" thick •Recommended for planing-hull power boats, trailer boats, rigid inflatable boats (RIBS), & racing sailboats •No hull protrusions •Boat size: Up to 25'



Order #	Mfg. #	Fits	Sugg. Ret.
5027059	P79-BL	Lowrance	\$183.99
5027062	P79-6G	Garmin (6-pin connector)	183.99
5027065	P79-8G	Garmin (8-pin connector)	183.99
5027068	P79-HB	Humminbird	183.99

AIRMAR® P319 THRU-HULL LOW-PROFILE TRANSDUCER



•Depth only •For planing hull powerboats or sailboats •RMS power: 600 W. 50/200 kHz, dual-frequency, single-ceramic element in a low-profile housing •Good target detail in shallow-water at 200 kHz & good deep-water bottom tracking at 50 kHz •The nearly-flush design minimizes drag w/only 3/16" extending outside of the hull •Right angle cable exit offers low headroom and protection when transducer is stepped on •Included rubber washer allows tightening of the hull nut to irregular hull surfaces •Housings are ABYC H-27 compliant •Boat size: 25' & up

Order #	Mfg. #	Fits	Sugg. Ret.
5027057	P319-DT-BL	Lowrance	\$204.99
5027060	P319-DT-6G	Garmin (6-pin connector)	213.99
5027063	P319-DT-8G	Garmin (8-pin connector)	213.99
5027066	P319-DT-HB	Humminbird	213.99

CONNECTOR DESIGNATOR CHART

BL : Lowrance: HDS-5x, HDS-5, HDS-7, HDS-8, HDS-10, HD, LCX-17m, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X510C, X515C DF, X52, X59DF, BSM-1

6G: Garmin: GSD20, GSD21, GSD22, GSD24, 100, 100 Blue, 135, 160C, 160 Blue, 168S, 178, 178C, 182C, 185, 188C, 235, 238, 240, 240 Blue, 250, 250C, 292, 298, 300C, 320C, 340C, 392, 398, 400C, 420S, 421S, 430S, 431S, 440S, 441S, 450S, 451S, 492, 498, 500C, 520S, 521S, 525S, 526S, 530S, 531S, 535S, 536S, 540S, 541S, 545S, 546S, 550C, 550S, 551S, 555S, 556S, 720S, 740S, 3005, 3006, 3010C, 3205, 3206, 3210, 4008, 4012, 4208, 4212

8G: Garmin: GSD24

HB: Humminbird: 858c, 898c SI, 917c, 931c, 957c, 958c, 967c, 997c, 998c SI, 1157c, 1158c, 1197c, 1198c SI, (Not for 967 3D)



NEW

DUAL® XGPS150A UNIVERSAL BLUETOOTH GPS RECEIVER



•Supports both NMEA & Apple protocols •High sensitivity WAAS GPS receiver works w/most apps that require GPS •65 channel SkyTraq GPS chipset •Wirelessly connects to devices via Bluetooth - iPads (all models), iPod Touch, iPhone & Bluetooth enabled Smartphones, Tablets & Laptops (Android, Blackberry, Windows & OSX devices) •Bluetooth range: 33' •Rechargeable battery lasts up to 8.5 hrs. •USB charging via included USB cable •Non-slip dashboard pad •Adjustable strap to attach to arm or a backpack •Small & light: 2.25" square, 0.75" deep & weights only 1.8 oz. •Includes 12-28V adapter

Order #	Mfg. #	Sugg. Ret.
5027382	XGPS150A	\$99.99

Faria MARINE INSTRUMENTS

FARIA® TRANSMONTH MOUNTED DEPTH TRANSDUCER



•Low profile unit offers little drag and easy installation for dead rise angles up to 30° •Designed with a release bracket to protect against impact damage •Provides good high speed operations up to 55 knots

Order #	Mfg. #	Sugg. Ret.
5102415	SN0011	\$59.99



TRANSOM MOUNTED



IN HULL

WITH AMBIENT AIR TEMP./WATER TEMP.



WITH AMBIENT AIR TEMP./WATER TEMP.

**FARIA®
DEPTH SOUNDER**

- Depth range to 199'
- Reads depth in meters, fathoms, and feet
- Oversized backlit display
- Keel Off-set, Shallow, and Deep Water alarms
- Styles to match other Faria® instruments & gauges

Order #	Mfg. #	Style	Sugg. Ret.
TRANSOM MOUNTED TRANSDUCER			
5024989	12850	Euro	\$105.99
5024993	13750	Chesapeake Black SS	105.99
5024996	13850	Chesapeake White SS	105.99
IN HULL TRANSDUCER			
5024990	12851	Euro	122.99
5024997	13851	Chesapeake White SS	122.99
WITH AMBIENT AIR TEMP./WATER TEMPERATURE			
5024995	13752	Chesapeake Black SS	153.99
5024998	13852	Chesapeake White SS	153.99


**GARMIN®
echoMAP™ 50s**

- Chartplotter/fishfinder combination
- Crystal clear 5" VGA display (480x640 pixels) provides clear target separation, allows visibility day & night and has a user interface that anyone can navigate
- 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second
- Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating
- Allows for sonar recording - coordinates the timing of the sonar return in relation to the boat's position, so every one of the available 5000 waypoints will be accurate & precise (HD-ID tracking technology)
- Dual microSD™ card slots
- Includes worldwide basemap
- Supports AIS & DSC
- Audible alarms
- Tide tables & sun/moon information
- Dual frequency & dual beam sonar capable
- UltraScroll®
- See-thru® technology
- AutoGain Technology
- Adjustable depth line
- A-scope
- Bottom lock
- Water temperature log & graph
- Water temperature sensor
- Fish Symbol ID
- 200/77kHz
- 500W (RMS)/4000W (peak to peak)
- Maximum depth: 1900' fresh water/700' salt water (depth capacity is dependent on water bottom type & other water conditions)
- Wi-Fi connectivity
- 010-01095-00: with transom/trolling motor mount transducer
- 010-01095-01: w/out transducer
- 010-01096-00: with transom/trolling motor mount transducer - includes U.S. Lakes



- 010-01136-00: with transom/trolling motor mount transducer - includes U.S. BlueChart g2
- 010-01136-01: w/out transducer - includes U.S. BlueChart g2

Order #	Mfg. #	Sugg. Ret.
5027294	010-01095-00	\$499.99
5027295	010-01095-01	449.99
5027296	010-01096-00	549.99
5027297	010-01136-00	599.99
5027298	010-01136-01	549.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	\$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99


**GARMIN®
echoMAP™ 70s**

- Chartplotter/fishfinder combination
- Crystal clear 7" WVGA touchscreen display (800x480 pixels) provides clear target separation, allows visibility day & night and has a user interface that anyone can navigate
- Pinch to zoom feature
- 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second
- Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating
- Allows for sonar recording - coordinates the timing of the sonar return in relation to the boat's position, so every one of the available 5000 waypoints will be accurate & precise (HD-ID tracking technology)
- Dual microSD™ card slots
- Includes worldwide basemap
- Supports AIS & DSC
- Audible alarms
- Tide tables & sun/moon information
- Dual frequency & dual beam sonar capable
- Split screen zoom & sonar/GPS
- UltraScroll®
- See-thru® technology
- AutoGain Technology
- Adjustable depth line
- A-scope
- Bottom lock
- Water temperature log & graph
- Water temperature sensor
- Fish Symbol ID
- 200/77kHz
- 500W (RMS)/4000W (peak to peak)
- Maximum depth: 1900' fresh water/700' salt water (depth capacity is dependent on water bottom type & other water conditions)
- Wi-Fi connectivity
- 010-01104-00: with transom/trolling motor mount transducer
- 010-01104-01: w/out transducer
- 010-01105-00: with transom/trolling motor mount transducer - includes U.S. Lakes
- 010-01137-00: w/out transducer - includes U.S. BlueChart g2



Order #	Mfg. #	Sugg. Ret.
5027299	010-01104-00	\$1,049.99
5027300	010-01104-01	999.99
5027301	010-01105-00	1,099.99
5027302	010-01137-00	1,099.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	\$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99

 Trolling
Motors

 Audio/
Instruments

 Depth
Finders/GPS

 Vests/
Cushions

 Water
Sports

 Safety/
Optics

 Boat
Access.

 Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

 Trailers/
ATV Access.

Pumps

Electrical

Maintenance

 Controls/
Steering

 Motor
Access.

Camping

Cutlery

Trolling
Motors
Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



GARMIN® ECHO 100 FISHFINDER

•Excellent fish arch presentation & bottom tracking •4-inch diagonal display fishfinder w/100W of transmit power •Resolution: 256x160, FSTN •Displays 8-level grayscale •Powerful, yet simple user interface •Freq: 200 kHz •Freshwater depth: 600 ft. •Saltwater depth: 300 ft. 10V – 28V input •Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #		Sugg. Ret.
5026300	010-00950-00		\$79.99
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	\$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99

GARMIN® ECHO 150 FISHFINDER

•Excellent fish arch presentation & bottom tracking •4-inch diagonal display fishfinder w/200W of transmit power •Resolution: 256x160, FSTN •Displays 8-level grayscale •Powerful, yet simple user interface •Dual frequency capable •Freq: 200/80 kHz •Freshwater depth: 1300 ft. •Saltwater depth: 500 ft. 10V – 28V input •Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #		Sugg. Ret.
5026301	010-00951-00		\$99.99
ACCESSORIES			
5027041	010-10249-20	Dual Beam Transducer	\$69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99

NEW GARMIN® ECHO™ 150 PORTABLE BUNDLE

•Perfect for anglers who go from boat to boat, or who fish from small vessels, kayaks, canoes, docks or even through the ice •Bundle includes an echo 150 w/dual beam (200/77 kHz) transducer •Soft-sided carrying case w/rugged support arm & base holds and protects the echo 150 fishfinder, & includes a sealed AGM rechargeable battery w/smart charger, built-in transducer cable management and storage, suction cup transducer mount & float •Depth to 1500'



Order #	Mfg. #		Sugg. Ret.
5027303	010-00951-20		\$170.99
ACCESSORIES			
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	\$71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99

GARMIN® ECHO 300c FISHFINDER

•Excellent fish arch presentation & bottom tracking •3.5-inch diagonal TFT color display fishfinder w/300W of transmit power •Resolution: 320x240, QVGA •Displays 256 colors •Powerful, yet simple user interface •Dual frequency capable •Freq: 200/80 kHz •Freshwater depth: 1500 ft. •Saltwater depth: 600 ft. 10V – 28V input •Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #		Sugg. Ret.
5026302	010-00952-00		\$219.99
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	\$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027001	010-11681-00	Flush Mount Kit	8.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99
5027043	010-11677-00	Quick Release Mount	11.99



GARMIN® ECHO 200 FISHFINDER

- Excellent fish arch presentation & bottom tracking
- 5-inch diagonal display fishfinder w/300W of transmit power
- Resolution: 480x320, HVGA
- Displays 16-level grayscale
- Powerful, yet simple user interface
- Dual frequency capable
- Freq: 200/80 kHz
- Freshwater depth: 1500 ft.
- Saltwater depth: 600 ft.
- Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #	Type	Sugg. Ret.
5026303	010-00953-00		\$159.99
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	\$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99

GARMIN® ECHO 500c FISHFINDER

- Excellent fish arch presentation & bottom tracking
- 5-inch diagonal display fishfinder w/500W of transmit power
- Resolution: 320x234, QVGA
- Displays 256 colors
- Powerful, yet simple user interface
- Dual frequency capable
- Freq: 200/80 kHz
- Freshwater depth: 1900 ft.
- Saltwater depth: 700 ft.
- Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #	Type	Sugg. Ret.
5026304	010-00954-00		\$249.99
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	\$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99

GARMIN® ECHO 550c FISHFINDER

- Excellent fish arch presentation & bottom tracking
- 5-inch diagonal display fishfinder w/500W of transmit power
- Resolution: 640x480, VGA
- Displays 256 colors
- Powerful, yet simple user interface
- Dual frequency capable
- Freq: 200/80 kHz
- Freshwater depth: 1900 ft.
- Saltwater depth: 700 ft.
- Includes: Quick disconnect mount w/tilt & swivel; Power cable w/fuse; Transducer w/mounting bracket; Hardware; Trolling motor clamp



Order #	Mfg. #	Type	Sugg. Ret.
5026305	010-00955-00		\$349.99
ACCESSORIES			
5026914	010-10279-04	4-Pin Speed Sensor	\$29.99
5027041	010-10249-20	Dual Beam Transducer	69.99
5027428	010-10249-40	Dual Beam Transducer w/Depth & Temp.	71.99
5027413	010-10106-20	P32 Transom Mt. Triducer w/Depth/Speed/Temp	169.99
5027414	010-10217-21	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	189.99
5027415	010-10217-22	B619 Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	189.99
5027420	010-10218-21	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 12° Tilt	149.99
5027421	010-10218-22	P19 Plastic ThruHull Trnsd. w/Depth & Temp. 20° Tilt	149.99
5027419	010-10200-20	P72 In-Hull/Troll Mt. Trnsd. w/Depth & Temp.	89.99
5027002	010-11682-00	Flush Mount Kit	10.99
5027003	010-11617-10	Trans. Extension Cable (10')	35.99
5027042	010-11678-00	Power Cable	16.99



GARMIN® PORTABLE echo™ KIT

- Fits any model of Garmin® echo™ fishfinder
- Kit includes soft-sided carrying case w/rugged support arm & base, sealed AGM rechargeable battery w/smart charger, built-in transducer cable management & storage, suction cup transducer mount, foam float, & echo™ power cable



Order #	Mfg. #	Type	Sugg. Ret.
5027304	010-11849-00		\$129.99

GARMIN® GPS 152

- 12-parallel channel receiver w/database of American cities & nautical navigation aids
- Built-in memory
- Compatible with MapSource® Points of Interest CD & WAAS
- Waterproof case 4" x 5" x 2"
- Large 4" diagonal, high-contrast display
- 100x160 pixels
- Simple keypad at bottom makes entering information easy, without blocking view of display
- Includes: database, GA 29 low-profile remote marine antenna or internal GPS antenna, gimbal mount, power/data cable, owner's manual & quick reference guide



Order #	Mfg. #	Style	Sugg. Ret.
5026186	010-00909-00	Internal GPS Antenna, High-Sensitivity GPS Receiver, & built-in BNC connector	\$299.99

Order #	Mfg. #	Type	Sugg. Ret.
5001515	010-10052-04	GA 26C Low Profile Remote Automobile Antenna (Magnetic & Suction Mts. w/8' Cable & MCX Connector)	\$113.99
5022573	010-10083-00	Power/Data Cable (Bare Wire)	28.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery


GARMIN®
**GARMIN®
GPSMAP® 421S**

- Ultra-bright 4" diagonal QVGA display, 240x320 pixels – over 800 nits of brightness
- NMEA 2000 certified for seamless integration with the Garmin® marine lineup
- Preloaded worldwide marine basemap
- Compatible with GXM™ 51 for XM Satellite Radio and XM WX Satellite Weather
- Built-in high-sensitivity GPS receiver
- High-speed processor for fast screen redraws and smooth panning
- Streamlined user interface makes it simple to select modes and features
- Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card
- Optional BlueChart® g2 Vision cards provide marine chart detail and enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View
- Backlit keypad for easy operation in low light conditions
- GPSMAP® 421s:** Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency
- Depth: 1,500 feet/500 meters (dual frequency)
- Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance
- Patented transom/trolling mount transducer
- UltraScroll® high rep rate sonar provides lightning-fast screen updates
- AutoGain technology enhances target visibility
- See-Thru® technology: shows weak and strong returns simultaneously
- Water temperature log graphically records water temp data
- A-scope
- Whiteline
- Adjustable depth line helps gauge desired fishing levels and bottom clearance
- Split zoom display offers a closer look at fish targets and bottom structure
- 2X, 4X and bottomlock zoom
- Adjustable keel offset
- Alarms for fish size, shallow water, deep water and low battery


GARMIN®
GPSMAP® 441 & 441S

- Ultra-bright 4" diagonal QVGA display, 240x320 pixels – over 800 nits of brightness
- NMEA 2000 certified for seamless integration w/Garmin® marine lineup
- Preloaded worldwide marine basemap
- Compatible w/GXM 51 for XM Satellite Radio & XM WX Satellite Weather
- Built-in high-sensitivity GPS receiver
- High-speed processor for fast screen redraws & smooth panning
- Streamlined user interface makes it simple to select modes and features
- Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card
- Adding optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View
- Backlit keypad for easy operation in low light conditions
- GPSMAP® 441s:** Same features as listed above
- Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency
- Depth: 1,500 feet/500 meters (dual frequency)
- Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance
- Patented transom/trolling mount transducer
- UltraScroll™ high rep rate sonar provides lightning-fast screen updates
- AutoGain technology enhances target visibility
- See-Thru® technology: shows weak & strong returns simultaneously
- Water temperature log graphically records water temp data
- A-scope
- Whiteline
- Adjustable depth line helps gauge desired fishing levels & bottom clearance
- 2X, 4X & bottomlock zoom
- Adjustable keel offset
- Alarms for fish size, shallow water, deep water & low battery



Order #	Mfg. #	Style	Sugg. Ret.
5025944	010-00766-00	GPSMAP® 441	\$399.99
5025945	010-00766-01	GPSMAP® 441s w/DF Ducer	499.99
5025946	010-00766-02	GPSMAP® 441s w/o Ducer	439.99
ACCESSORIES (441s)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99

**GARMIN®
GPSMAP® 431 & 431S**

- Ultra-bright 4" diagonal QVGA display, 240x320 pixels – over 800 nits of brightness
- Preloaded w/charts for over 14,000 U.S. lakes & navigable rivers
- Built-in high-sensitivity GPS receiver
- High-speed processor for fast screen redraws & smooth panning
- Two NMEA 0183 I/O ports
- Streamlined user interface makes it simple to select modes & features
- Single SD memory card slot for Inland Lakes Vision cards, as well as saving waypoints, routes & tracks to a SD card
- Optional Inland Lakes Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View
- Backlit keypad for easy operation in low light conditions
- GPSMAP® 431s:** Same features as listed above
- Power output: 400 watts (RMS) 3200 watts (peak to peak), dual beam
- Depth: 900 feet/300 meters (dual beam)
- Includes a dual beam transducer 80kHz (45°), 200kHz (14°) for maximum freshwater performance
- Patented transom/trolling mount transducer
- UltraScroll® high rep rate sonar provides lightning-fast screen updates
- AutoGain technology enhances target visibility
- See-Thru® technology: shows weak & strong returns simultaneously
- Water temperature log graphically records water temp data
- Round flasher display model
- Whiteline
- Adjustable depth line helps gauge desired fishing levels & bottom clearance
- Split zoom display offers a closer look at fish targets & bottom structure
- 2X, 4X & bottomlock zoom
- Adjustable keel offset
- Alarms for fish size, shallow water, deep water & low battery


**GARMIN®
GPSMAP® 525 COLOR
GPS CHARTPLOTTERS
w/BUILT-IN MAPS**

- Feature high-resolution, super-bright, video quality 5" VGA displays, w/built-in worldwide satellite based imagery
- Options such as true 3D-view map presentation, both above and below the waterline, plus available Auto Guidance capability help simplify navigation
- Also, optional "real picture" aerial photo reference is available (via BlueChart® g2 Vision cards) to show harbors, boat slips and other significant landmarks in graphic detail
- An SD card slot makes it easy to plug in extra chart regions and features
- Plus, a built-in CANet™ bus lets you link to any compatible Garmin® sounder for live-action look at what's lurking beneath your boat
- The 525 has a worldwide satellite internal map
- The 535 is preloaded w/inland lake maps, and the 545 comes preloaded with US Coastal marine charts
- Includes internal antenna
- External antenna sold separately



Order #	Mfg. #	Style	Sugg. Ret.
5025269	010-00597-00	GPSMAP® 525	\$849.99
ACCESSORIES			
5025331	010-10447-05	Flush Mount Kit	\$29.99

GARMIN®**GPSMAP® 526S**

•Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration w/Garmin® marine lineup •Preloaded worldwide marine basemap •Compatible w/GXM™ 51 for XM Satellite Radio & XM WX Satellite Weather •Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws & smooth panning •Streamlined user interface makes it simple to select modes & features •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes & tracks to a SD card •Optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View & 3-D Fish Eye View •Backlit keypad for easy operation in low light conditions •Auto-dimming display •**GPSMAP® 526s**: Same features as listed above •Power output: 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr/500 watts (RMS) 4000 watts (peak to peak), dual frequency xdcr •Depth: 2,000 feet/600 meters (dual freq., 1kW xdcr), 1,500 ft (dual freq., 500 kW xdcr) •Choose dual frequency transducers of 50kHz (45°), 200kHz (10°) or 50kHz (19°), 200kHz (6°) for maximum saltwater performance •Patented transom/trolling mount transducer •UltraScroll® high rep rate sonar provides lightning-fast screen updates •AutoGain technology enhances target visibility •See-Thru® technology: shows weak & strong returns simultaneously •Water temperature log graphically records water temp data •A-scope •Whiteline •Adjustable depth line helps gauge desired fishing levels & bottom clearance •Split zoom display offers a closer look at fish targets & bottom structure •2X, 4X & bottomlock zoom •Adjustable keel offset •Alarms for fish size, shallow water, deep water & low battery



Order #	Mfg. #	Style	Sugg. Ret.
5025950	010-00772-01	GPSMAP® 526s w/DF Ducer	\$799.99
5025951	010-00772-02	GPSMAP® 526s w/o Ducer	739.99

NEW**GARMIN®**
GPSMAP® 527/527xs

•Easy visibility day or night w/large 5" diagonal VGA display, 480x640 pixels •User friendly interface •Built-in worldwide basemap •Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second •Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating •Dual microSD™ card slots •5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks •Supports AIS & DSC •Audible alarms •Tide table & sun/moon information •Wi-Fi connectivity •HD-ID tracking technology •Waterproof to IPX7 standards •Bluetooth® wireless technology •**GPSMAP® 527xs**: Same features as listed above •Dual frequency/dual beam sonar capable •Split screen zoom •Split screen sonar/GPS •UltraScroll® displays fish targets at higher boat speeds •See-thru® technology •AutoGain Technology •Whiteline •Adjustable depth line •A-scope •Bottom lock •Water temperature log & graph •Water temperature sensor included •Fish Symbol ID •Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)



Order #	Mfg. #	Style	Sugg. Ret.
5027284	010-01092-00	GPSMAP® 527	\$649.99
5027285	010-01092-01	GPSMAP® 527xs w/Ducer	749.99
5027286	010-01092-02	GPSMAP® 527xs w/out Ducer	689.99
ACCESSORIES (527xs)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0° Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	799.99

Order #	Mfg. #	Style	Sugg. Ret.
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99

GARMIN®
GPSMAP® 536 & 536S

•Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration with the Garmin® marine lineup •Preloaded with charts for over 14,000 U.S. lakes and navigable rivers •Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather •Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws and smooth panning •Streamlined user interface makes it simple to select modes and features •Single SD memory card slot for Inland Lakes Vision cards, as well as saving waypoints, routes and tracks to a SD card •Optional Inland Lakes Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View •Backlit keypad for easy operation in low light conditions •Auto-dimming display •**GPSMAP® 536S**: Same features as listed above •Get 1kW of digital sonar power using Garmin's offering of 1kW transducers •Power output: 400 watts (RMS) 3200 watts (peak to peak), dual beam xdcr/ 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdcr •Depth: 900 feet (dual beam), 2,000 feet/600 meters (dual freq., 1kW xdcr) •Includes a dual beam transducer 80kHz (45°), 200kHz (14°) for maximum freshwater performance •Patented transom/trolling mount transducer •UltraScroll® high rep rate sonar provides lightning-fast screen updates •AutoGain technology enhances target visibility •See-Thru® technology: shows weak and strong returns simultaneously •Water temperature log graphically records water temp data •Round flasher display mode (in dual beam mode) and A-scope (with 1kW xdcr) •Whiteline •Adjustable depth line helps gauge desired fishing levels and bottom clearance •Split zoom display offers a closer look at fish targets and bottom structure •2X, 4X and bottomlock zoom •Adjustable keel offset •Alarms for fish size, shallow water, deep water and low battery



Order #	Mfg. #	Style	Sugg. Ret.
5025940	010-00773-00	GPSMAP® 536	\$699.99
5025941	010-00773-01	GPSMAP® 536S w/DB Ducer	799.99

GARMIN®
GPSMAP® 541 & 541S

•Large, ultra-bright 5" diagonal QVGA display, 234x320 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration with the Garmin® marine lineup •Preloaded worldwide marine basemap •Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather •Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws and smooth panning •Streamlined user interface makes it simple to select modes and features •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card •Optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View •Backlit keypad for easy operation in low light conditions •**GPSMAP® 541S**: Same features as listed above •Power output: 500 watts (RMS) 4000 watts (peak to peak), dual frequency •Depth: 1,500 feet/500 meters (dual frequency) •Use a dual frequency transducer 50kHz (45°), 200kHz (10°) for maximum saltwater performance •Patented transom/trolling mount transducer •UltraScroll® high rep rate sonar provides lightning-fast screen updates •AutoGain technology enhances target visibility •See-Thru® technology: shows weak and strong returns simultaneously •Water temperature log graphically records water temp data •A-scope •Whiteline •Adjustable depth line helps gauge desired fishing levels and bottom clearance •Split zoom display offers a closer look at fish targets and bottom structure •2X, 4X and bottomlock zoom •Adjustable keel offset •Alarms for fish size, shallow water, deep water and low battery



Order #	Mfg. #	Style	Sugg. Ret.
5025937	010-00762-00	GPSMAP® 541	\$559.99
5025938	010-00762-01	GPSMAP® 541S w/DF Ducer	699.99
5025939	010-00762-02	GPSMAP® 541S w/o Ducer	639.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

GARMIN®

GPSMAP® 546 & 546S



- Brilliant, crisp 5" diagonal VGA display, 480x640 pixels – over 800 nits of brightness •NMEA 2000 certified for seamless integration with the Garmin® marine lineup
- Preloaded worldwide marine basemap •Compatible with GXM 51 for XM Satellite Radio and XM WX Satellite Weather
- Built-in high-sensitivity GPS receiver •High-speed processor for fast screen redraws and smooth panning
- Streamlined user interface makes it simple to select modes and features •Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card
- Adding optional BlueChart® g2 Vision cards provide enhanced navigation features like Auto Guidance, satellite imagery, 3-D Mariner's Eye View and 3-D Fish Eye View
- Backlit keypad for easy operation in low light conditions
- Auto-dimming display
- GPSMAP® 546s: Same features as listed above
- Power output: 1000 watts (RMS) 8000 watts (peak to peak), 1kW xdrcr •500 watts (RMS) 4000 watts (peak to peak), dual frequency xdrcr
- Depth: 2,000 feet / 600 meters (dual freq., 1kW xdrcr), 1,500 ft (dual freq., 500 kW xdrcr)
- Choose dual frequency transducers of 50kHz (45°), 200kHz (10°) or 50kHz (19°), 200kHz (6°) for maximum saltwater performance
- Patented transom/trolling mount transducer
- UltraScroll® high rep rate sonar provides lightning-fast screen updates
- AutoGain technology enhances target visibility
- See-Thru® technology: shows weak and strong returns simultaneously
- Water temperature log graphically records water temp data
- A-scope
- Whiteline
- Adjustable depth line helps gauge desired fishing levels and bottom clearance
- Split zoom display offers a closer look at fish targets and bottom structure
- 2X, 4X and bottomlock zoom
- Adjustable keel offset
- Alarms for fish size, shallow water, deep water and low battery

Order #	Mfg. #	Style	Sugg. Ret.
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0° Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer	
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	299.99
			82.99

GARMIN®

GPSMAP® 620 & GPSMAP® 640



- Elements of the GPSMAP® 5000 series marine chartplotters combined w/elements of the popular nüvi® series for use on the road - all in one easy-to-use device
- Large 5.2" diagonal WVGA touchscreen display (800x480 pixels)
- High sensitivity GPS receiver
- Waterproof: IPX7 submersible
- Preloaded with worldwide satellite imagery
- Fully compatible w/BlueChart® g2 Vision® cartography
- Supports NMEA 0183 interface for data such as depth, temp, water speed, wind
- Includes: Lithium-Ion battery pack, marine mount with power/data cable, AC charger, USB cable, protective cover, owners manual, quick reference guide & installation instructions

•GPSMAP® 620: Preloaded w/worldwide satellite imagery

•GPSMAP® 640: Preloaded with BlueChart® g2 marine cartography of the coastal U.S. (including Alaska, Hawaii and the Bahamas), worldwide satellite basemap, and City navigator NT road maps for North America. Also includes an automotive mount w/vehicle power cable & an automotive friction mount

Order #	Mfg. #	Model	Sugg. Ret.
5025874	010-00696-00	GPSMAP® 620	\$699.99
5025875	010-00696-40	GPAMAP® 640	799.99

NEW

GPSMAP® 547/547xs



- Easy visibility day or night w/large 5" diagonal VGA display, 480x640 pixels
- User friendly interface
- Built-in worldwide basemap
- Preloaded U.S. Lakes and U.S. BlueChart g2
- Super-fast 10Hz GPS/GLO/NASS receiver refreshes position & heading up to 10x per second
- Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating
- Dual microSD™ card slots
- 5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks
- Supports AIS & DSC
- Audible alarms
- Tide table & sun/moon information
- Wi-Fi connectivity
- HD-ID tracking technology
- Sonar recording
- Waterproof to IPX7 standards
- Bluetooth® wireless technology
- GPSMAP® 547xs: Same features as listed above
- Dual frequency/dual beam sonar capable
- Split screen zoom
- Split screen sonar/GPS
- UltraScroll® displays fish targets at higher boat speeds
- See-thru® technology
- AutoGain Technology
- Whiteline
- Adjustable depth line
- A-scope
- Bottom lock
- Water temperature log & graph
- Water temperature sensor included
- Fish Symbol ID
- Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Style	Sugg. Ret.
5027287	010-01093-00	GPSMAP® 547	\$749.99
5027288	010-01093-01	GPSMAP® 547xs w/Ducer	849.99
5027289	010-01093-02	GPSMAP® 547xs w/out Ducer	789.99
ACCESSORIES (547xs)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	1,149.99

GARMIN®

GPSMAP® 720 & 720s



- Stand-alone touchscreen chartplotter that brings a level of functionality to your vessel
- Featuring a 7" display, it puts all the information you need right at your fingertips
- Preloaded with a worldwide basemap and accepts additional map data for greater flexibility
- Accepts radar input and offers full NMEA 2000® connectivity for greater convenience when adding extra sensors
- High-sensitivity GPS receiver for superior satellite tracking & quicker acquisition times
- Intuitive touchscreen interface
- Flexible brightness levels for daytime readability along with low-light dimming during night use
- Widescreen display that's rugged and waterproof
- Built-in radar port can be interfaced with GMR™ marine radar systems (sold separately)
- WVGA display is 800x480 pixels
- SD™ card slot
- 3000 waypoints, 100 routes
- Supports AIS & DSC. Audible alarms
- Tide tables
- Waterproof IPX7
- Includes: Top & bottom snap covers, bail mount w/built-in cable management, knobs, flush mount gasket & hardware, threaded power/data cable, protective cover & documentation
- GPSMAP® 720s: Comes standard with a 1 kW capable sonar transceiver which can help define fish targets & underwater structures as far down as 2000 ft. when used with a 1kW transducer

Order #	Mfg. #	Model	Sugg. Ret.
5026896	010-00835-00	GPSMAP® 720	\$999.99
5026897	010-00835-01	GPSMAP® 720s	1,099.99
ACCESSORIES (720s)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99



**GARMIN®
GPSMAP® 721/721xs**

- Easy visibility day or night w/large 7" diagonal, multi-touch touchscreen WVGA display, 800x480 pixels
- User friendly interface
- Built-in worldwide basemap
- Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second
- Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating
- Dual microSD™ card slots
- 5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks
- Supports AIS & DSC
- Audible alarms
- Tide table & sun/moon information
- Wi-Fi connectivity
- HD-ID tracking technology
- Sonar recording
- Waterproof to IPX7 standards
- Bluetooth® wireless technology
- GPSMAP® 721xs:** Same features as listed above
- Dual frequency/dual beam sonar capable
- Split screen zoom
- Split screen sonar/GPS
- UltraScroll® displays fish targets at higher boat speeds
- See-thru® technology
- AutoGain Technology
- Whiteline
- Adjustable depth line
- A-scope
- Bottom lock
- Water temperature log & graph
- Water temperature sensor included
- Fish Symbol ID
- Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Style	Sugg. Ret.
5027290	010-01101-00	GPSMAP® 721	\$1,499.99
5027291	010-01101-01	GPSMAP® 721xs w/out Ducer	1,599.99
ACCESSORIES (721xs)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0° Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99

**GARMIN®
GPSMAP® 740**

- Extra-wide panoramic display, system brings fully menu-driven touchscreen control & radar interface to a compact standalone chartplotter format
- Ideal for small to mid-sized vessels
- Standalone device that does not offer support for the Garmin Marine Network
- 7" WVGA color display & built-in high-sensitivity GPS receiver
- Unprecedented extremes of brightness for daytime readability w/super low-level dimming for optimum night vision
- Full NMEA 2000 connectivity for engine, fuel, wind, autopilot & other data monitoring
- Plus, a standard radar port lets you connect with any Garmin GMR series marine radar for target scanning on your chartplotter
- As an added safety option, XM WX™ Satellite Weather for U.S. waters can be accessed via a GXM™ 51 antenna/receiver (sold separately)
- Touchscreen chartplotters offer a full complement of sailing-specific wind gauges
- These digital gauges are customizable & stunning to view in color
- Gauges can act as the only source of wind data or work in conjunction with existing gauges
- And for easy installation, the information is brought in via NMEA 0183 or NMEA 2000 connectivity
- Built-in digital elevation model (DEM) worldwide basemap, which can easily be upgraded w/optional BlueChart® g2 or g2 Vision® cards for expanded coverage of specific regions
- Also comes preloaded with detailed offshore maps for all U.S. coastal areas, including Alaska & Hawaii, plus the Bahamas

Order #	Mfg. #	Model	Sugg. Ret.
5026181	010-00835-02	GPSMAP® 740	\$1,099.99

Order #	Mfg. #	Model	Sugg. Ret.
ACCESSORIES (740s)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99


**GARMIN®
GPSMAP® 741/741xs**

- Easy visibility day or night w/large 7" diagonal, multi-touch touchscreen WVGA display, 800x480 pixels
- User friendly interface
- Built-in worldwide basemap
- Preloaded U.S. Lakes and U.S. BlueChart g2
- Super-fast 10Hz GPS/GLONASS receiver refreshes position & heading up to 10x per second
- Displays constant & fluid on-screen location & proves to be incredibly accurate when marking waypoints & navigating
- Dual microSD™ card slots
- 5000 waypoints, 100 routes, & track log has 50,000 points; 50 saved tracks
- Supports AIS & DSC
- Audible alarms
- Tide table & sun/moon information
- Wi-Fi connectivity
- HD-ID tracking technology
- Sonar recording
- Waterproof to IPX7 standards
- Bluetooth® wireless technology
- GPSMAP® 741xs:** Same features as listed above
- Dual frequency/dual beam sonar capable
- Split screen zoom
- Split screen sonar/GPS
- UltraScroll® displays fish targets at higher boat speeds
- See-thru® technology
- AutoGain Technology
- Whiteline
- Adjustable depth line
- A-scope
- Bottom lock
- Water temperature log & graph
- Water temperature sensor included
- Fish Symbol ID
- Max depth: 2000' salt water (depth capacity is dependent on water bottom type & other water conditions)

Order #	Mfg. #	Style	Sugg. Ret.
5027292	010-01102-00	GPSMAP® 741	\$1,599.99
5027293	010-01102-01	GPSMAP® 741xs w/out Ducer	1,699.99
ACCESSORIES (741xs)			
5027416	010-10982-21	B60 Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	299.99
5027417	010-11939-21	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	1,149.99
5027418	010-11939-22	B175M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	1,149.99
5027422	010-11636-20	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 0° Tilt	799.99
5027423	010-11636-21	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 12° Tilt	799.99
5027424	010-11636-22	B75M Bronze ThruHull Trnsd. w/Depth & Temp. 20° Tilt	799.99
5027584	010-10192-21	P66 Plastic Trans. Mt. Triducer w/Depth/Speed/Temp	160.99
5027363	010-11928-20	TM150M Plastic Tran. Mt. Trnsd. w/Depth & Temp.	299.99
5027583	010-10272-10	Plastic Transom Mt. Transducer w/Depth & Temp.	82.99


www.ellettbrothers.com

 Trolling
Motors

 Audio/
Instruments
Depth
Finders/GPS

 Vests/
Cushions
Water
Sports

 Safety/
Optics
Boat
Access.
Mooring/
Docking

 Hardware
Lighting

Boat Seats

Boat Covers

Fuel

 Trailers/
ATV Access.

Pumps

Electrical

 Maintenance
Controls/
Steering

Motor

Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

GARMIN®**GPSMAP® 4210**

- Includes GPS 17x NMEA 2000 - high sensitivity, WAAS-enabled, 12 parallel channel GPS sensor
- Streamlined user interface offers easy selection of functions and features
- Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card which can be shared w/others
- Backlit keypad
- Alphanumeric keypad for easy data entry
- Supports optional wireless remote control
- Auto-dimming display
- 3 built-in network ports for connection to Garmin® radar, GSD 22 sounder, or another MFD
- Compatible w/all Garmin® Marine Network peripherals
- 2 video inputs for onboard cameras - supports PAL & NTSC video signals
- 1 SVGA PC monitor video output
- 4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC
- One NMEA 2000 port. Alarms for anchor drag, arrival, off-course, proximity waypoint, clock, low battery voltage and GPS accuracy
- Waterproof: IPX7 - submersible
- Power down backup of settings: customer settings are not lost when the unit is turned off
- Dimensions: 13.4" Wx8.9" Hx4.2" D
- **GPSMAP® 4210:** Flush-mountable case design
- Preloaded worldwide satellite imagery & BlueChart® g2 marine cartography of the coastal US including Alaska, Hawaii & the Bahamas
- Preloaded w/ Explorer charts covering the Bahamas
- Will support optional GDL 30/30A XM WX receiver

Order #	Mfg. #	Type	Sugg. Ret.
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

**GARMIN®
GPSMAP® 5208 & 5212**

- Features an unprecedented touchscreen interface, along with preloaded BlueChart® g2 maps of the U.S. coast & a screen that makes navigation as easy as pointing your finger
- By connecting to the Garmin Marine Network, you can add sonar, radar & weather
- For even more advanced features, you can add the optional BlueChart® g2 Vision card
- Features highly-detailed BlueChart® g2 marine cartography of the coastal United States, including Alaska, Hawaii & the Bahamas
- For other areas, the unit has a worldwide basemap with high-quality satellite images in place of more traditional maps
- With the SD card slot, you can add additional maps without having to connect to a computer
- Large screen displays crisp, high-resolution graphics so you can easily see where you're going
- To keep tabs on your engine room or other area of your boat, you can also connect a live video feed with the video input/output options
- The unit connects easily to the high-speed Garmin Marine Network, so you can interface with additional MFDs & add remote sensors
- Once connected, you can share information between the unit & other chartplotters on your boat
- You can also add high-powered radar, sonar, & XM satellite weather & radio to your system

GPSMAP® 5208: 6.7" Wx5" H - 8.4" diagonal**GPSMAP® 5212:** 9.3" Wx7.1" H - 12.1" diagonal

Order #	Mfg. #	Style	Sugg. Ret.
5025254	010-00593-01	GPSMAP® 5208	\$2,989.99
5025256	010-00594-01	GPSMAP® 5212	3,599.99

Order #	Mfg. #	Type	Sugg. Ret.
5024388	010-00351-00	GMS 10 Network Port Expander	\$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop	
		Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

**GARMIN®
GPSMAP® 4208 & 4212**

- Includes WAAS-enabled, 12 parallel channel GPS sensor with 30' cable length
- Streamlined user interface offers easy selection of functions and features
- Preloaded w/worldwide satellite imagery & highly detailed BlueChart® g2 marine cartography of the Coastal US, including Alaska, Hawaii and the Bahamas
- This data provides detailed coastlines, shaded depth contours, navaids, port plans, wrecks, restricted areas and tide & current information
- Preloaded w/Explorer charts covering the Bahamas
- View weather overlays such as NEXRAD weather radar & forecasts, current conditions, wind direction, wave direction, wave height, buoy data, lightning, county warnings and much more with the optional GDL® 30 or GDL 30A
- Design has "flat panel" look when flush mounted
- Single SD memory card slot for BlueChart® g2 Vision cards, as well as saving waypoints, routes and tracks to a SD card which can be shared w/others
- Backlit keypad
- Auto-dimming display
- 3 built-in network ports for connection to Garmin® radar, GDL 30/30, GSD 22 sounder, or another MFD
- Compatible w/all Garmin® Marine Network peripherals
- 2 video inputs for onboard cameras - supports PAL & NTSC video signals
- 1 VGA (4008) or 1 XGA (4012) PC monitor video output
- 4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC
- Supports NMEA 2000
- Alarms for anchor drag, arrival, off-course, proximity waypoint, clock, low battery voltage and GPS accuracy
- Waterproof: IPX7 - submersible
- Power down backup of settings: customer settings are not lost when the unit is turned off
- **GPSMAP® 4208:** 11.2" Wx7" Hx4.6" D
- **GPSMAP® 4212:** 14.8" Wx9.5" Hx4.6" D

NEW**GARMIN®
GPSMAP® 6208 & 6212**

- G Motion™ technology gives you blazing-fast map redraw & refresh rates, so you'll have near real-time data to guide you
- Connects to your network providing system integration so you can interface w/additional MFDs & add remote sensors
- Interfaces w/radar, sonar & other sensors
- Pre-loaded BlueChart® g2 coastal U.S. maps
- Easily add maps using the SD™ card slot w/out having to connect to a computer
- Keep tabs on your engine room or other areas of your boat when you connect a live video feed with the video input & output options
- Choose a range of brightness options — from sunlight-readable to low-light conditions
- Fusion® audio system integration
- Access iPod®/iPhone® menus; browse playlists, artists & songs
- Control audio sources for SiriusXM, DVD, iPod/iPhone, Aux, USB and AM/FM
- 4 NMEA 0183 inputs and 2 NMEA 0183 outputs; 2 video inputs for onboard cameras, 1 PC monitor video output - supports both AIS & DSC
- Supports NMEA 2000
- Waterproof: IPX7 - submersible
- **GPSMAP® 6208:** VGA display. Unit dim.: 11.5" x 7.4" x 5.9"
- **GPSMAP® 6212:** XGA display. Unit dim.: 15" x 9.9" x 5.9"

Order #	Mfg. #	Style	Sugg. Ret.
5027406	010-00750-01	GPSMAP® 6208	\$2,499.99
5027405	010-00751-01	GPSMAP® 6212	2,999.99

Order #	Mfg. #	Type	Sugg. Ret.
5024388	010-00351-00	GMS 10 Network Port Expander	\$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop	
		Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

NEW

GARMIN®

GPSMAP® 7212 & 7215

- Integrated touchscreen XGA display
- G Motion™ technology gives you blazing-fast map redraw & refresh rates, so you'll have near real-time data to guide you
- Preloaded BlueChart® g2 coastal U.S. maps
- Easily add maps using the SD™ card slot w/out having to connect to a computer
- Keep tabs on your engine room or other areas of your boat when you connect a live video feed with the video input & output options
- Choose a range of brightness options — from sunlight-readable to low-light conditions
- Access iPod®/iPhone® menus; browse playlists, artists & songs
- Control audio sources for SiriusXM, DVD, iPod/iPhone, Aux, USB and AM/FM
- 4 NMEA 0183 inputs and 2 NMEA 0183 outputs; 2 video inputs for onboard cameras, 1 PC monitor video output - supports both AIS & DSC
- Supports NMEA 2000
- Waterproof: IPX7 - submersible
- **GPSMAP® 7212:** Unit dim.: 13.3" x 9.9" x 5.8"
- **GPSMAP® 7215:** Unit dim.: 15.5" x 11.8" x 5.9"



Order #	Style	Sugg. Ret.
5027404	GPSMAP® 7212	\$3,499.99
5027269	GPSMAP® 7215	5,999.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	\$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

NEW

GARMIN®

GPSMAP® 8000 SERIES MFD

- Fully integrated multi-touch MFD
- Bright touchscreen display w/pinch to zoom & other multi-touch controls
- Anti-glare & LED backlighting
- Auto-dimming provides outstanding visibility at night
- Switch all monitors in sync to a custom preset mode w/SmartMode™
- Integrates sonar technologies, autopilot, connectivity, apps, engine data & more
- External GPS19x smart antenna w/10 Hz GPS/GLONASS receiver updates position & heading 10 times per second
- Low-profile flush mount or smooth flat mount
- Includes BlueChart® g2 U.S. coastal maps
- 4 NMEA 0183 inputs and 2 NMEA 0183 outputs - supports both AIS & DSC
- Supports NMEA 2000
- Waterproof: IPX7 - submersible
- **GPSMAP® 8208:** SVGA display. Unit dim.: 10.9" x 16" x 7.5" x 4.9" / 16"
- **GPSMAP® 8212:** XGA display. Unit dim.: 13.1" x 9.7" x 3.8"
- **GPSMAP® 8215:** XGA display. Unit dim.: 15.7" x 12.1" x 3.11" / 16"



Order #	Mfg. #	Style	Sugg. Ret.
5027400	010-01016-01	GPSMAP® 8208	\$4,199.99
5027401	010-01017-01	GPSMAP® 8212	4,999.99
5027397	010-01018-01	GPSMAP® 8215	6,999.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5024388	010-00351-00	GMS 10 Network Port Expander	\$268.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

Order #	Mfg. #	Model	Sugg. Ret.
5026194	010-00864-00	GPSMAP® 78	\$249.99
5026195	010-00864-01	GPSMAP® 78S	349.99
5026196	010-00864-02	GPSMAP® 78SC	449.99

GARMIN®

GPSMAP® 62/62S/62ST/62SC

- Handheld GPSMAP® 62 navigator comes standard w/2.6" sunlight-readable 65K color screen that supports BirdsEye™ Satellite imagery (subscription required) & Custom Maps
- Rugged & waterproof design
- Features the quad helix antenna for unparalleled reception, built-in basemap w/shaded relief, & high-sensitivity WAAS-enabled GPS receiver w/ HotFix®
- 1.7GB of onboard memory for downloading Garmin's wide array of detailed topographic, marine & road maps
- Supports (paperless) geocaching GPX files for downloading geocaches & details straight to your unit
- Includes GPSMAP® unit, wrist strap, USB cable, & quick start manual
- Wt.: 9.2 ounces
- Power source: 2 - AA batteries (not included; NiMH or lithium recommended)
- Battery life: 20 hours
- Dimensions: 2.4" x 6.3" x 1.4" D
- **NOTE:** **GPSMAP® 62S** includes standard features w/addition of 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w-compatible units
- **GPSMAP® 62ST** includes standard features w/addition of preloaded topographic maps, 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface, & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w-compatible units
- **GPSMAP® 62SC** includes 5 MP autofocus camera, barometric altimeter, 3-axis electronic compass, wireless data sharing, Worldwide basemap, high-sensitivity GPS receiver, color display, microSD card slot



Order #	Mfg. #	Model	Sugg. Ret.
5026198	010-00868-00	GPSMAP® 62	\$299.99
5026199	010-00868-01	GPSMAP® 62S	349.99
5026200	010-00868-02	GPSMAP® 62ST	449.99
5026800	010-00868-20	GPSMAP® 62SC	399.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026815	010-10851-11	Vehicle Power Cable	\$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount (sc & stc)	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN®

GPSMAP® 78/78S/78SC

- Handheld, marine-friendly GPSMAP® 78 navigator comes standard w/2.6" LCD sunlight-readable color display that supports BirdsEye™ Satellite imagery (subscription required) & Custom Maps
- Floatable, rugged & waterproof design
- Features built-in basemap, built-in microSD card slot, high-sensitivity WAAS-enabled GPS receiver w/ HotFix® & dedicated MOB (Man Over Board) button
- 1.7GB of onboard memory for downloading Garmin's wide array of detailed maps
- Supports (paperless) geocaching GPX files for downloading geocaches & details straight to your unit
- Includes GPSMAP® unit, wrist strap, USB cable, & quick start manual
- Wt.: 7.7 ounces
- Power source: 2 - AA batteries (not included; NiMH or lithium recommended)
- Battery life: 20 hours
- Dimensions: 2.6" x 6.0" x 1.2" D
- **NOTE:** **GPSMAP® 78S** includes standard features w/addition of 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w-compatible units
- **GPSMAP® 78SC** includes standard features w/addition of preloaded BlueChart® g2 coastal charts and a worldwide basemap w/imagery, 3-axis tilt-compensated electronic compass, barometric altimeter, high speed USB interface, & the ability to wirelessly share routes, tracks, waypoints, & geocaching between w-compatible units



Order #	Mfg. #	Model	Sugg. Ret.
5026194	010-00864-00	GPSMAP® 78	\$249.99
5026195	010-00864-01	GPSMAP® 78S	349.99
5026196	010-00864-02	GPSMAP® 78SC	449.99

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



GARMIN® GPS 72H™

- Lightweight, waterproof handheld GPS that floats
- Features high-sensitivity GPS w/large greyscale LCD display for simple operation & rock-solid performance
- Acquires satellites quickly & tracks your location in challenging conditions
- IPX7 waterproof rating
- Save up to 500 favorite locations in memory to point you in the right direction (No street or terrain maps)
- NMEA 0183 compatible
- Transfer data to the device by connecting to computers via USB
- Includes built-in celestial data, including sunrise/sunset times & hunting/fishing calendar
- Powered by (2) AA batteries (not included)
- Battery life: 18 hours
- Wt.: 7.7 ounces
- Dimensions: 2.7"x6.2"x1.2"
- Includes wrist strap, owner's manual on disk & quick start manual

Order # Mfg. # Sugg. Ret.
5026581 010-00840-01 \$149.99

Order # Mfg. # Type Sugg. Ret.
ACCESSORIES

5022468	010-10300-00	Marine Mount	\$39.99
5001511	010-10085-00	Vehicle Power Cable	26.99
5024880	010-10165-00	PC Interface w/Vehicle Power Cable	44.99



GARMIN® MONTANA™ 650t

- Uses map data to display your "full track view" so you know what you're up against
- Logs everything (waypoints, tracks, caches, etc.) on your calendar so you can review (or brag) about your accomplishments later
- Changes to "night mode" automatically so your eyes stay focused even when the sun goes down
- Includes a QWERTY keyboard so you can find what you need and take notes faster
- Helps you keep your bearings straight by letting you to lock your screen to keep it from shifting directions (portrait to landscape or vice versa)
- Includes a 5 MP camera; each photo automatically is geotagged with the location of where it was taken
- Includes TOPO U.S. 100K maps as well as other mapping options such as TOPO 24K, BlueChart® g2, BirdsEye Satellite Imagery and Custom Maps
- Shares waypoints, tracks, routes and geocaches wirelessly with other compatible Garmin GPS users
- Locates your position quickly & precisely and maintains it even in heavy cover and deep canyons
- Includes a built-in 3-axis tilt-compensated electronic compass and barometric altimeter
- Features a one-of-a-kind dual battery system; you can use the rechargeable lithium-ion pack or traditional AA batteries. Supports geocaching GPX files for downloading geocaches and details straight to your unit
- Waterproof to IPX7 standards

Order # Mfg. # Sugg. Ret.
5026812 010-00924-02 \$599.99

Order # Mfg. # Type Sugg. Ret.
ACCESSORIES

5026815	010-10851-11	Power Cable	\$27.99
---------	--------------	-------------	---------



GARMIN® OREGON® 550t

- 3.2 megapixel auto-focus digital camera with automatic geotagging and 4x zoom
- 3-axis tilt-compensated electronic compass and barometric altimeter
- High-speed USB for faster map and photo transfers with your computer
- Improved 3" sunlight-readable, color, touchscreen display
- High-sensitivity GPS receiver with HotFix™ for improved performance and reception
- 850 MB of internal memory for map data and photos
- MicroSD™ card slot for optional mapping and data storage
- Built-in basemap with DEM (digital elevation model) data
- Wirelessly share routes, tracks, waypoints and geocaches between units
- Easy-to-use, touchscreen interface, 400 x 240 pixels (H x W)
- Unit dimensions: 4.5" x 2.3" x 1.4" (H x W x D)
- Waterproof standard: IEC 60529 IPX7
- Interface: USB and NMEA 0183
- Up to 16 hours of battery life, battery type: 2 AA (2 NiMH batteries and battery charger included); NiMH or Lithium recommended
- Weight: 6.8 oz. with batteries

•Oregon® 550t: Preloaded U.S. Topo 100K

Order # Mfg. # Style Sugg. Ret.
5025959 010-00697-11 Oregon® 550t \$599.99

Order # Mfg. # Type Sugg. Ret.

5026895	010-11031-00	Marine/Cart Mount	\$26.99
---------	--------------	-------------------	---------

GARMIN® eTREX® 10

- Retains the core functionality, rugged construction, affordability & long battery life that made eTrex the most dependable GPS device available
- Enhanced 2.2" monochrome display is easy to read in any lighting situation
- Durable & waterproof
- Supports geocaching GPX files for downloading geocaches & details straight to your unit
- Stores & displays key information, including location, terrain, difficulty, hints and descriptions, which means no more manually entering coordinates
- High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons
- First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously
- GLONASS is a system developed by the Russian Federation that will be fully operational in 2012
- When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS
- And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone
- Uses 2 AA batteries (not included)
- Waterproof to IPX7 standards



Order # Mfg. # Sugg. Ret.
5026807 010-00970-00 \$119.99

Order # Mfg. # Type Sugg. Ret.

5026815	010-10851-11	Vehicle Power Cable	\$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® eTREX® 20


- Redesigned ergonomics, an easier-to-use interface, paperless geocaching & expanded mapping capabilities add up to serious improvements
- Enhanced 2.2" 65K color, sunlight readable display
- Lets you load TOPO 24K maps and hit the trail, plug in BlueChart® g2 preloaded cards for a day on the water or City Navigator NT® map data for turn-by-turn routing on roads
- Also supports BirdsEye™ Satellite Imagery (subscription required), that lets you download satellite images to your device and integrate them with your maps
- High-sensitivity, WAAS-enabled GPS receiver & HotFix® satellite prediction, locates your position quickly & precisely and maintains its GPS location even in heavy cover & deep canyons
- First-ever consumer-grade receiver that can track both GPS & GLONASS satellites simultaneously
- GLONASS is a system developed by the Russian Federation that will be fully operational in 2012
- When using GLONASS satellites, the time it takes for the receiver to "lock on" to a position is (on average) approximately 20% faster than using GPS
- And when using both GPS and GLONASS, the receiver has the ability to lock on to 24 more satellites than using GPS alone
- Supports geocaching GPX files for downloading geocaches and details straight to your unit
- Uses 2 AA batteries (not included)
- Waterproof to IPX7 standards



Order # Mfg. # Sugg. Ret.
5026808 010-00970-10 \$199.99

Order # Mfg. # Type Sugg. Ret.

5026815	010-10851-11	Vehicle Power Cable	\$27.99
5026817	010-11343-00	Recharg. NiMH Battery Kit	24.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99



Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

**GARMIN®
GSD 22**

- Powerful remote sounder that plugs directly into Garmin® Marine Network for use w/network chartplotters - or into the Garmin® CANet™ for use w/292/392/492 series chartplotters
- Ultrascroll™ technology keeps the display scrolling at live-action speeds, while unit's digital design & up to 2kW of transmit power (depending on transducer used) provide extraordinary target definition & deep water performance
- Transmit power & receiver gain automatically adjust to produce shallow water performance
- Dual frequency (200/50 kHz) & works w/everything from standard 500W transom mount transducer to heavy-duty 2kW thru-hull or in-hull transducers
- Reaches depths to 5,000 feet
- **Note:** Does not include transducer



Electrical

Order # Mfg. # 5024876 010-00397-00 Sugg. Ret. \$449.99

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**GARMIN®
RINO® 655t**

- 5-watt FRS/GMRS radio & a 2.6" glove-friendly color touchscreen GPS, preloaded TOPO 100K maps, barometric altimeter, 3-axis compass, NOAA weather radio & 5 MP camera
- Uses HotFix® and a high sensitivity receiver & quad helix antenna to acquire satellites
- Offers an improved base map with Digital Elevation Model
- Offers improved mapping support w/access to TOPO U.S. 24K, BirdsEye Satellite Imagery, Garmin® Custom Maps, City Navigator NT®, BlueChart® g2 & more (sold separately)
- Offers a 2.6" glove-friendly color touchscreen, barometric altimeter, 3-axis electronic compass & 5 MP autofocus camera, which automatically geotags photos
- Allows you to send unit-to-unit text messages to other Rino users via radio signals as well as share your waypoints, tracks, routes & geocaches wirelessly
- Track 2,000 points of information per contact
- Track manager makes it easy for you to maintain and review who you've been tracking
- Rino time stamps and records the notes you receive from contacts for later review, or forwarding
- Built-in NOAA weather radio
- Radio supports Specific Area Message Encoding, which allows you to see National Weather Service warnings & watches displayed county-by-county on the map screen
- High speed USB & NMEA 0183 compatible
- 22 channels. Squelch codes: 38 (CTCSS); 83 (DCS). Range up to 2 miles over FRS; up to 20 miles over GMRS

Order # Mfg. # 5026800 010-00928-02 Sugg. Ret. \$599.99



GARMIN® ASTRO® 320 GPS BASED DOG TRACKING SYSTEM

•Includes the redesigned Garmin® Astro® 320 - a full featured, premium handheld GPS device - and a DC™ 40 wireless receiver •2.6" color display •Enhanced mapping •Improved, easy-to-use interface •Wireless unit-to-unit data transfer •Astro® 320: Supports TOPO U.S. 24K & 100K maps, BirdsEye™ Satellite Imagery, City Navigator® and Garmin Custom Maps •Up to 30% increased range w/ redesigned antenna (included) •Vibration alerts •3-axis electronic compass •Customizable settings for dog tracklogs •Compatible with any Garmin DC™ series transmitter •Waterproof with a tough, rugged exterior •DC™ 40: Integrated GPS antenna •Connects to any standard 1" collar •Improved charging contacts •Dog position updates every 5, 10, 30 or 120 seconds •Battery life of between 17-48 hours, depending on position & update rate •Collar Lock lets you create a 4-digit PIN number that prevents others from seeing your dog's whereabouts •Sports an innovative LED-charging indicator that's been redesigned to prevent clogging •Bundle includes: Astro® 320 handheld, DC™ 40 wireless transmit collar, extended range antenna, carrying case, carabiner clip case, AC adapter for DC™ 40 and manuals



Order #	Mfg. #	Model	Sugg. Ret.
5026802	010-00976-10	Unit Only (no collar)	\$499.99
5026803	010-00976-00	Bundle (w/collar)	649.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026814	010-10856-30	Ext. Long Range Antenna	\$26.99
5026817	010-11343-00	Rechargeable NiMH Battery Kit	24.99
5026815	010-10851-11	Vehicle Power Cable	27.99
5026894	010-11602-00	Auto Friction Mount	44.99
5026895	010-11031-00	Marine/Cart Mount	26.99

GARMIN® ASTRO® PREMIER TRACKING SYSTEM

•Unique dog tracking system pinpoints your dog's position & shows you exactly where he is on a vivid color screen •Interface streamlines what is displayed by allowing dogs that are outside the current zoom level to have their location notated in the display's margin •User also can choose the amount of each dog's tracklog displayed, or toggle it off completely, to avoid cluttering the map •Innovative features include enhanced map drawing capabilities, BirdsEye Satellite Imagery compatibility (subscription required), vibration-based alerts & a 3-axis electronic compass •Compatible w/every DC series dog collar •DC™50: High-sensitivity, top-mounted GPS & GLONASS-enabled receiver that works w/the Astro® 320 handheld •Braided SS VHF antenna •Improved battery life of 26 to 54 hours, depending on update rate •Innovative bark detection technology •Durable, adjustable 1" polyurethane collar •Dog position updates every 5-, 10-, 30- or 120-seconds •9 mile range depending on terrain •Collar Lock prevents unauthorized Astro users from tracking your dog •Tough, rugged & waterproof to 33' •In the box: Astro 320 handheld w/5" standard antenna, 13" long range antenna for Astro, DC™ 50 transmitter w/22.5" long range antenna attached to collar, 18.5" standard antenna for DC™ 50, AC adapter, carrying case, belt clip, USB cable & manuals




Order #	Mfg. #	Type	Sugg. Ret.
5027426	010-01133-00	Astro® Bundle	\$599.99

NEW

GARMIN® DC™ 50

DOG TRACKING COLLAR

•High-sensitivity, top-mounted GPS & GLONASS-enabled receiver that works w/the Astro® 320 handheld •Braided SS VHF antenna •Improved battery life of 26 to 54 hours, depending on update rate •Innovative bark detection technology •Durable, adjustable 1" polyurethane collar •Dog position updates every 5-, 10-, 30- or 120-seconds •9 mile range depending on terrain •Collar Lock prevents unauthorized Astro users from tracking your dog •Tough, rugged & waterproof to 33' •In the box: DC™ 50 transmitter w/22.5" long range antenna attached to collar, 18.5" standard antenna, AC adapter, vehicle charging adapter, charging cable & quick start manual



Order #	Mfg. #		Sugg. Ret.
5027425	010-01133-10		\$229.99

GARMIN®

DC™ 40

DOG TRACKING COLLAR

•High-sensitivity GPS receiver & VHF antenna into an all-in-one transmitter that works w/Astro® 220 & Astro® 320 •Durable, one-inch orange polyurethane collar that fits most e-collar receivers - eliminating the need to put two separate collars on a dog •Extend the battery life of the DC 40 by changing the position transmit rate from 5 to 10, 30, or 120 seconds, enabling the DC 40 to work up to 17-48 hours in the field on one charge



Order #	Mfg. #	Model	Sugg. Ret.
5026190	010-11484-00	DC 40 Collar	\$249.99
REPLACEMENT DOG COLLAR TRANSMITTER			
5025364	010-10805-00	DC 20 Transmitter	214.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

GARMIN® MAGNETIC MOUNT ANTENNA

•Powerful remote antenna magnetically mounts to a vehicle and connects to the Astro™ 220 so you can track your dogs with Astro™ while driving



Order #	Mfg. #		Sugg. Ret.
5025362	010-10931-00		\$38.99

GARMIN® ALPHA™ 100 GPS TRACK & TRAIN SYSTEM

•Combines proven Garmin® GPS dog tracking technology w/Tri-Tronics® electronic dog training •Easy-to-use, integrated handheld system allows you to track & train your dogs in the field within 9-mile range •Equipped w/BirdsEye Satellite Imagery •At-A-Glance Dog Stats feature displays your dog's state (moving or on-point/treed), distance from Alpha device, total distance traveled, speed & update rate & updates their position every 2.5 secs. to help them avoid hazards •Pinpoint up to 20 dogs or hunters' exact positions on glove-friendly 3" color touchscreen even when they are out of sight •Preloaded w/100K U.S. TOPO maps •System includes Alpha™ 100 handheld, Rechargeable user-replaceable Li-ion pack, Belt clip, Extended range antenna, TT™ 10 dog collar w/orange strap, Charge clip, AC adapter, Vehicle power cable, Split adapter cable, USB cable, Short & long contact point set w/wrench & non-stim plug, Durable field bag & Manuals



Order #	Mfg. #		Sugg. Ret.
5027093	010-01041-00		\$799.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



GARMIN® ALPHA™ 100

GPS TRACK & TRAIN HANDHELD

- Combines proven Garmin® GPS dog tracking technology w/Tri-Tronics® electronic dog training
- Easy-to-use, integrated handheld device allows you to track & train your dogs in the field within 9-mile range
- Equipped w/BirdsEye Satellite Imagery
- At-A-Glance Dog Stats feature displays your dog's state (moving or on-point/treed), distance from Alpha device, total distance traveled, speed & update rate & updates their position every 2.5 secs. to help them avoid hazards
- Pinpoint up to 20 dogs or hunters' exact positions on glove-friendly 3" color touch-screen even when they are out of sight
- 4.0GB built-in memory w/500MB available for user storage
- Preloaded w/100K U.S. TOPO maps
- Accepts microSD™ card (not included)
- Wt.: 8.8 oz.
- Size: 2.5" x 6.5" x 1.5"
- Includes Alpha™ 100 handheld, Rechargeable user-replaceable Li-ion pack, Belt clip, Extended range antenna, AC adapter, Vehicle power cable, Split adapter cable & USB cable



Order # Mfg. # Sugg. Ret.
5027094 010-01041-20 \$599.99

GARMIN® TT™ 10 GPS TRACK & TRAIN DOG COLLAR

- Rugged, replaceable black collar strap w/high-sensitivity GPS tracker that uses 18 levels of momentary or continuous stimulation plus LED beacons & audible tones activated from the Alpha™ 100 device (sold separately)
- Waterproof to 10m (33ft.)
- Uses braided steel VHF antenna to send position data to the Alpha™ 100 device
- Wt.: 7 oz.
- Includes rechargeable Li-ion battery
- NOTE: Not compatible w/Astro®



Order # Mfg. # Sugg. Ret.
5027095 010-01041-40 \$299.99



GARMIN® REPLACEMENT COLLAR STRAPS for TT™ 10

- Rugged & waterproof
- Polyurethane-coated 1" nylon collar features nickel-plated buckle & collar keeper w/holes spaced to fit most dogs

Order #	Mfg. #	Color	Sugg. Ret.
5027104	010-11892-00	Orange	\$19.99
5027105	010-11892-01	Black	19.99
5027106	010-11892-02	Red	19.99
5027107	010-11892-04	Blue	19.99
5027108	010-11892-06	Green	19.99
5027109	010-11892-10	Orange	19.99

GARMIN® ANTI-GLARE SCREEN PROTECTORS for ALPHA™ 100

- Reduces sunlight glare, minimizes fingerprint smudges & protects against scratches on the Alpha™ 100 display screen
- 3-Pack

Order # Mfg. # Sugg. Ret.
5027103 010-11828-05 \$15.99

GARMIN® VEHICLE POWER CABLE for ALPHA™ 100

- 12V adapter power cable for in-vehicle charging of the Alpha™ 100 handheld device
- Plugs into any standard cigarette lighter receptacle



Order # Mfg. # Sugg. Ret.
5027096 010-11872-00 \$14.99

GARMIN® AC ADAPTER CABLE for ALPHA™ 100 & TT™ 10

- Adapter cable powers & recharges the Alpha™ 100 & TT™ 10 devices
- Plugs into any standard U.S. wall outlet



Order # Mfg. # Sugg. Ret.
5027097 010-11873-00 \$14.99

GARMIN® CHARGING CLIP for TT™ 10

- Simply snap the TT™ 10 dog collar into this device when not in use to recharge battery
- Power cable (sold separately) is plugged into mini USB port on side of charging clip



Order # Mfg. # Sugg. Ret.
5027098 010-11828-00 \$13.99

GARMIN® SPLIT ADAPTER CABLE for ALPHA™ 100 & TT™ 10

- Allows you to recharge the Alpha™ 100 & TT™ 10 devices at the same time
- Charge both devices from one cigarette lighter receptacle or single AC adapter



Order # Mfg. # Sugg. Ret.
5027099 010-11828-01 \$16.99

GARMIN® CONTACTS KIT for TT™ 10

- Kit includes short & long contact points, non-stim plug & wrench
- Contact points can be removed from the TT™ 10 dog collar & replaced w/points sized appropriately for the dog's coat



Order # Mfg. # Sugg. Ret.
5027102 010-11828-04 \$18.99

GARMIN® REPLACEMENT LI-ION BATTERY for ALPHA™ 100 & TT™ 10

Order # Mfg. # Sugg. Ret.
5027101 010-11828-03 \$39.99



GARMIN® FIELD BAG for ALPHA™ 100 & TT™ 10

- Zippered field bag is made w/black & gray polyester
- Inside mesh pocket is big enough to house multiple Alpha™ 100 handheld devices, TT™ 10 dog collars & associated accessories



Order # Mfg. # Sugg. Ret.
5027100 010-11828-02 \$32.99

NEW**GARMIN®
LAKES**

- microSD™/SD™ card •See detailed shoreline, shaded depth contours, coastlines, streams & channels on your compatible device •This mapping product covers more than 17,000 freshwater lakes, reservoirs & rivers throughout the continental U.S.
- Includes Safety Shading so you can input & shade minimum depth
- Displays high-definition shoreline & bathymetry on select lakes
- Displays interstates, highways & general roads •Provides data on tide predictions stations •Displays boat ramps, fuel stations, marinas, campgrounds & fishing locations (where available)

Order #	Mfg. #	Sugg. Ret.
5027305	010-C1073-00	\$99.99

**NEW****GARMIN®
LAKEVU™ HD**

- microSD™/SD™ card •With maps of more than 17,000 U.S. lakes – many with 1' contours throughout – this HD-mapping product brings new levels of detail to your chartplotter •Contains more than 400 HD lakes with 1' contours throughout to help you pinpoint the best places to find fish •Displays points of interests, including docks, designated fishing areas, campgrounds, boat ramps, marinas & bridges •Shows interstates, highways & general roads •Shows underwater features, such as riverbeds, bridges, roads, fish attractors & potential hazards •Offers Safety Shading, which lets you input & shade a minimum depth to help you avoid running aground

Order #	Mfg. #	Sugg. Ret.
5027407	010-C1087-00	\$149.99

**NEW****GARMIN®
LAKEVU™ HD ULTRA**

- microSD™/SD™ card •Get everything available w/LakeVu HD maps plus Auto Guidance, Depth Range Shading, Dynamic Lake Level adjustments, satellite imagery & 3-D perspectives above & below the waterline •Enables Auto Guidance, which automatically generates the safest path to any part of the lake •Displays true 3-D views above & below the waterline (FishEye & MarinerEye) while satellite photos provide enhanced situational awareness •Allows you to adjust maps based on current water levels using the Dynamic Lake Level setting •Pinspoints best fishing spots w/high-resolution Depth Range Shading, which allows you to view your target depth at a glance

•**Northeast:** Features detailed coverage of thousands of freshwater lakes, rivers & reservoirs throughout Connecticut, Delaware, Indiana, Kentucky, Maine, Maryland, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island, Vermont, Virginia and West Virginia

•**Southeast:** Features detailed coverage of thousands of freshwater lakes, rivers & reservoirs throughout Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee

Order #	Mfg. #	Type	Sugg. Ret.
5027408	010-C1090-00	Northeast	\$149.99
5027409	010-C1092-00	Southeast	149.99

**GARMIN®
BLUECHART® g2 VISION**

- BlueChart® g2 Vision SD cards enhance the pre-loaded maps on your chartplotter and add a whole new dimension of exceptional features such as: High Resolution Satellite Imagery, Aerial Reference Photography, Mariner's Eye View, Fish Eye View, Auto Guidance and Fishing Charts •Includes tides, currents, marine services, coastal roads and points of interest •If your chartplotter is BlueChart® g2 Vision compatible, all you have to do is select the coverage region you need •Compatible with the following units: (All GPSMAP®) 4008, 4012, 420, 420S, 4208, 4212, 430, 430S, 430SX, 430X, 440, 440S, 440SX, 440X, 450, 5008, 5012, 520, 5208, 520S, 5212, 525, 525S, 530, 530S, 535, 535S, 540, 540S, 545, 550, 555



Order #	Mfg. #	Description	Sugg. Ret.
5025516	010-C0708-00	Norfolk-Charleston	\$299.99
5025517	010-C0709-00	Charleston-Jacksonville	299.99
5025518	010-C0710-00	Jacksonville-Key West	299.99
5025521	010-C0730-00	Southern Bahamas	299.99
5025524	010-C0733-00	Southern Gulf of Mexico	299.99
5025522	010-C0741-00	Mid-Atlantic	428.99

NEW**GARMIN®
BLUECHART® g2**

- Pre-programmed data cards compatible with the following units: Astro®, (All) Colorado® 300, 400c, 400i, 400t; Dakota® 20; echoMAP™ 50s, 70s; eTrex® 20, 30, Legend® HCx, Vista® HCx; (All) GPSMAP® 192C, 198C Sounder, 2106, 2110, 2206, 2210, 278, 292, 298 Sounder, 3006C, 3010C, 3205, 3206, 3210, 376C, 378, 392, 396, 398 Sounder, 4008, 4010, 4012, 420/420s, 4208, 421, 4210, 4212, 421s, 430/430s, 431, 431s, 440/440s, 441, 441s, GPSMAP® 478, 492, 495, 498 Sounder, 5008, 5012, 5015, 520/520s, 5208, 521, 5212, 5215, 521s, 525/525s, 526, 526s, 527, 527xs, 530/530s, 531, 531s, 535/535s, 536, 536s, 540/540s, 541, 541s, 545/545s, 546, 546s, 547, 547xs, 6008, 6012, 60CSx, 60Cx, 62, 620, 6208, 6212, 62s, 62sc, 62st, 62stc, 640, 7012, 7015, 720, 720s, 721, 7212, 7215, 721xs, 740, 740s, 741, 741xs, 76CSx, 76Cx, 78, 78s, 78sc, 8008 MFD, 8012 MFD, 8015 MFD, 8208 MFD, 8212 MFD, 8215 MFD, 8500 Black Box, 8530 Black Box; Montana® 600, 600t Camo, 650, 650t; Monterra™; nüvi® 500, 550; Oregon® 200, 300, 400c, 400i, 400t, 450, 450t, 550, 550t, 600, 600t, 650, 650t; Rino® 520HCx, 530HCx, 650



Order #	Mfg. #	Description	Sugg. Ret.
5027259	010-C1018-20	US All & Canadian West Coast	\$160.99

**GARMIN®
BLUECHARTS™**

- Pre-programmed data cards compatible with the following units: GPSMAP® 172C/178C, GPSMAP® 176/176C, GPSMAP® 182/182C, GPSMAP® 188/188C Sounder, GPSMAP® 196, GPSMAP® 2006/2006C, GPSMAP® 2010/2010C, GPSMAP® 232, GPSMAP 238 SOUNDER, GPSMAP® 279C/296, GPSMAP® 3006C/3010C

Order #	Mfg. #	Type	Sugg. Ret.
5023115	MUS011R	Southwest Fla.	\$299.99

**GARMIN®
GMS 10 NETWORK
PORT EXPANDER**

- Allows you to connect multiple MFD's and sensors to the Garmin® Marine Network and gain the benefit of Ethernet-like data transfer speeds up to 10 times faster than some competitive systems •Specifically designed to withstand the corrosive marine environment •All connections are totally waterproof, and sealed covers keep harmful moisture away from unused data ports



Order #	Mfg. #	Sugg. Ret.
5024388	010-00351-00	\$268.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance



GARMIN® NMEA 2000® NETWORK UPDATER

•Provides the convenience of updating Garmin® products & NMEA 2000 accessories that do not have an SD™ card slot •Simply download the software update to an SD card & insert the card into the network updater •Using a simple plug & play installation, the network updater easily & temporarily connects to your NMEA 2000 network •Includes Network Updater & T-connector



Order #	Mfg. #	Sugg. Ret.
5026197	010-11480-00	\$79.99

GARMIN® GMR 18HD & 24HD HIGH DEFINITION MARINE RADAR SCANNERS



•State-of-the-art Digital Signal Processing offers up to 8 times better resolution, providing sharper imagery & improved target separation •Automatic pulse rate design optimizes pulse width & repetition rates for each range selected •Backward compatible w/any Garmin® network MFD •"Plug-n-play" network compatible •Dual rotation speed: 24/30 RPM •Receiver down converter noise figure: less than 5 db •Supports MARPA w/optional heading sensor for collision avoidance •100 knot wind performance •Input voltage: 10.5-35 VDC •Waterproof IEC 60529 IPX-7 •Two-year warranty •**GMR 18 HD:** 18" diameter radome, 8.9" high; Beam width: 5.0° horizontal, 25° vertical •**GMR 24 HD:** 24" diameter radome, 9.8" high; Beam width: 3.6° horizontal, 25° vertical

Order #	Mfg. #	Model	Power	Range	Sugg. Ret.
5025658	010-00572-02	18 HD	4kW	36nm	\$1,279.99
5025645	010-00572-03	24 HD	4kW	48nm	2,133.99

GARMIN® GXM 51 XM SATELLITE RECEIVER/ANTENNA



•Delivering U.S. graphical weather data directly to a compatible Garmin chartplotter, this sleek, watertight XM satellite receiver/antenna offers easy plug-and-play installation with NMEA 2000 network connectivity •Integrated all-in-one design means there is no remote "black box" to install •Can be powered directly through the NMEA 2000 bus, so no separate power connection is required •In addition to conventional pole or surface mounting, the unit can also be installed on the underside of many fiberglass decks, using the included under-deck mount •More than 20 different types of weather information (including NEXRAD, lightning, wave heights, water temps, wind data, and more) can be accessed from your chartplotter

GARMIN® GPS ACCESSORIES

Order #	Mfg. #	Description	Sugg. Ret.
ANTENNA			
5022386	010-10052-05	GA 27C Low Profile Remote Automobile Antenna. Runs on a lower voltage so battery drain is minimized. Comes with two mounting options: a magnetic mount for the outside of your vehicle or boat, and a suction mount to hold the antenna in place against the inside of your windshield or window. With 8ft. of cable nad MCX connector. Size: 2.75" Lx2" Wx0.75" H.	\$85.99
BRACKET - MOUNTING			
5002163	010-10122-00	Bicycle mount kit - GPS-II	28.99
5002166	010-10044-00	Flush mount kit - GPSMAP-205, GPSMAP-210, GPSMAP-220	45.99
5022575	010-10246-00	Flush mount kit - FishFinder 240	24.99
5024518	K00-00104-00	Flush mount kit - 2006C	11.99
5024205	010-10447-02	Flush mount kit - 178C Sounder	35.99
5024903	010-10447-04	Flush mount kit - 298C Sounder	24.99

screen (depending on the XM WX package selected) •Plus, with a subscription, you can even use the GXM 51 to enjoy over 170 channels of quality audio entertainment via XM Satellite Radio

Order #	Mfg. #	Type	Sugg. Ret.
5026169	010-00753-00		\$699.99
ACCESSORIES			
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	\$25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

GARMIN® GA 30 PASSIVE MARINE GPS ANTENNA



•External antenna •Robust, easy to mount, passive GPS antenna packaged in a low-profile waterproof housing •In addition to conventional pole or surface mounting, the antenna can also be attached to the underside of many fiberglass decks, using the under-deck mount •Direct replacement of the GA 29 •Provides GPS information to the following compatible Garmin chartplotters & connects using a BNC connector: GPS 152, GPSMAP® 400 & 500 series •Includes: antenna, antenna cable (10m), pole mount, surface mount, under-deck mount, mounting hardware & installation instructions

Order #	Mfg. #	Sugg. Ret.
5026171	010-00872-00	\$69.99

GARMIN® GHP 10 MARINE AUTOPILOT SYSTEM CORE PACK



•Standard configuration includes: GHC 10 helm control display, Electronic Control Unit (ECU), Course Control Unit (CCU), Shadow Drive, CCU/ECU interconnect cable, Buzzer, ECU power cable, NMEA 2000 drop cable, NMEA 2000 T-connector

Order #	Mfg. #	Sugg. Ret.
5025878	010-00705-00	\$1,999.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5002502	010-10117-02	Black Nylon Carry Case	\$14.99
5027074	010-11076-00	NMEA 2000 Backbone/ Drop Cable (2m)	25.99
5027070	010-11079-00	NMEA 2000 Power Cable (2m)	18.99
5027000	010-11078-00	NMEA 2000 T-Connector	20.99
5027072	010-11080-00	NMEA 2000 Terminator, Male	10.99
5027073	010-11081-00	NMEA 2000 Terminator, Female	10.99

continued next page

**GARMIN®
GPS ACCESSORIES**

continued from previous page

Order #	Mfg. #	Description	Sugg. Ret.
5022383	010-10267-00	Handlebar mount bracket. Snap your device into a secure handlebar mount and it's ready to ride. Mount fits up to a 1" diameter bar and is perfect for your bike, motorcycle or ATV. Include hardware and instructions. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® H, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® H, eTrex®, eTrex® H	20.99
CABLES			
5022657	010-10145-00	Power data - All sounders- 2006, 2010, 18 Pin	21.99
5025512	010-10918-00	Fishfinder/Sounder Power/Data Cable (Not for use w/Chartplotters)	24.99
5026276	010-10550-00	Marine Network Cable - 6 ft.	28.99
5022379	010-10203-00	Vehicle Power Cable. 12 volt adapter. Etrex H.	45.99
5022658	010-10208-00	Vehicle Power Cable. Use this power cable as another option for powering your fishfinder or GPS unit. Plugs into any standard cigarette lighter receptacle. Also works with the PC interface cable.	26.99
CARRY CASES			
5022382	010-10314-00	Save your device from some of the scuffs and scrapes it could pick up in the line of duty. Features clear vinyl lens and holes for operating buttons so you can use your eTrex® and view the display. Includes velcro flap closure, belt clip and lanyard connection. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	16.99
CIGARETTE LIGHTER ADAPTER			
5002113	010-10084-00	GPS-38, GPS-40	45.99
FLUSH MOUNT KITS			
5024878	010-10447-01	Mount your Fishfinder 120 flush on your bulkhead or cabin wall. Simply press the side clips to release the unit so you can take it with you.	24.99
5025542	010-10447-03	Flush mount your compatible device into a flat panel. Includes hardware, installation instructions and a template. Compatible With: Fishfinder 400C, GPSMAP® 420/420S, GPSMAP® 421/421S, GPSMAP® 430/430S, GPSMAP® 431/431S, GPSMAP® 440/440S, GPSMAP® 441/441S.	24.99
HOLSTER			
5022796	010-10309-00	Rugged holder protects your device and keeps it securely at your side. Compatible With: eTrex Camo®, eTrex Legend®, eTrex Legend® C, eTrex Legend® Cx, eTrex Legend® H, eTrex Legend® HCx, eTrex Summit®, eTrex Summit® HC, eTrex Venture®, eTrex Venture® Cx, eTrex Venture® HC, eTrex Vista®, eTrex Vista® C, eTrex Vista® Cx, eTrex Vista® H, eTrex Vista® HCx, eTrex®, eTrex® H	25.99
TRANSDUCERS			
5002509	010-10200-00	200kHz, 14° plastic, trolling motor w/ depth & temp. Used w/ FishFinder 160/240, & GPSMAP 185 Sounder	84.99
5024200	010-10435-00	200kHz, 20°, plastic, transom/trolling motor mount, depth, temp - FishFinder 80 or 120, 18 Pin	110.99
5002510	010-10249-00	200kHz, 14° plastic, transom w/ depth & temp. Used w/ FishFinder 160/240, GPS 125, & GPSMAP 185 sounder, 18 Pin	80.99
5022387	010-10183-02	200/50kHz, 15/45 bronze thru-hull, depth, temp, speed, 18 Pin	262.99
5022412	010-10192-01	200/50kHz, 14/45 plastic, transom, depth,temp, speed, 18 Pin	181.99
5024138	010-10272-00	200/50kHz, 15/45 plastic, transom, depth,temp, 18 Pin	129.99
5023098	010-10327-00	200/50kHz, 12/45, plastic, adjustable, in-hull mount transducer - GPS 188C, 18 Pin	99.99
TRANSDUCER ACCESSORIES			
5025311	010-10717-00	Temp. Probe for GSD 22	63.99
5023140	010-10715-00	10' extension cable for transducers	72.99


HUMMINBIRD® PIRANHAMAX SERIES

FEATURES: Easy One-Touch™ control accesses full set of advanced features - Fish ID+, fish alarms, depth alarms, zoom and more • Water temp included • Ultra-compact size mounts almost anywhere • Built marine tough & waterproof • Made in the USA


**HUMMINBIRD®
PIRANHAMAX™ 143**

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •4" diagonal, 160Vx128H 4 level grayscale •Single beam 200kHz/20° @ 10db •800W peak-to-peak •100 watts RMS •Depth to 600' •Tilt mount

Order #	Mfg. #	Sugg. Ret.
5027124	408940-1	\$69.99
ACCESSORIES		
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer \$79.99

Order #	Mfg. #	Type	Sugg. Ret.
5023001	710164-1	XP 9 20 - Puck. Transducer	69.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023003	710166-1	XTH 920 - Brnz. Thru-Hull Transducer	249.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5025706	740106-1	MS PM - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2009-2012)	29.99
5027159	740133-1	IDMK PM2 - In Dash Mt. Kit	29.99
5025707	740101-1	MKH 4 - Mounting Knobs	17.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1	UC 7 - Unit Cover (Neoprene)	19.99

Ellett Brothers
Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery



HUMMINBIRD® PIRANHAMAX™ 153

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •4" diagonal, 160Vx128H 4 level grayscale •Dual beam 200kHz/20° @ 10db, 83kHz/60° @ 10db •800W peak-to-peak •100 watts RMS •Depth to 600' •Tilt mount

Order # Mfg. # Model Sugg.Ret.
5027125 408830-1 PiranahaMAX™ 153 \$79.99

Order # Mfg. # Type Sugg.Ret.
ACCESSORIES

5025112 710198-1 XNT 9 20 T - Transom Mt. Transducer \$79.99
5023001 710164-1 XP 9 20 - Puck Transducer 69.99
5025127 740093-1 MHX XNT - Transom Mt. Hardware 19.99
5022742 710160-1 XTM 9 20 T - Troll. Mtr. Transducer 79.99
5023003 710166-1 XTH 920 - Brnz. Thru-Hull Transducer 249.99
5025355 710167-1 XTH 9 20 P - Plastic Thru-Hull Trans. 139.99
5025706 740106-1 MS PM - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2009-2012) 29.99
5027159 740133-1 IDMK PM2 - In Dash Mt. Kit 29.99
5025707 740101-1 MKH 4 - Mounting Knobs 17.99
5001081 730000-1 TS W - Trans. Mt. Speed/Temp Sensor 69.99
5024241 730021-1 SW - Trans. Mt. Speed Sensor 44.99
5001080 730010-1 TG W - Transom Mt. Temp Sensor 44.99
5001023 720002-1 PC 10 - 6' Power Cable 19.99
5001079 720003-1 EC W10 - 10' Trans. Extension Cable 34.99
5001180 720003-2 EC W30 - 30' Trans. Extension Cable 49.99
5025708 780016-1 UC 7 - Unit Cover (Neoprene) 19.99



HUMMINBIRD® PIRANHAMAX™ 175

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •4" diagonal, 240Vx160H 16 level grayscale •Dual beam 200kHz/28° @ 10db, 455kHz/16° @ 10db •1600W peak-to-peak •200 watts RMS •Temp. Depth to 600' •Tilt & swivel mount

•408640-1: PiranahaMAX™ 175

•408650-1: PiranahaMAX™ 175 PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included.

Order # Mfg. # Model Sugg.Ret.
5027128 408640-1 PiranahaMAX™ 175 \$99.99
5027129 408650-1 PiranahaMAX™ 175 PT 149.99

Order # Mfg. # Type Sugg.Ret.
ACCESSORIES

5027152 710236-1 XNT 9 28 T - Transom Mt. Transducer \$79.99
5027155 710246-1 XTM 9 28 T - Trolling Mtr. Transducer 79.99
5027153 710244-1 XP 9 28 - Puck Transducer 69.99
5027154 710245-1 XP 9 28 T - Puck Transducer w/Temp. 89.99
5027160 740131-1 MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later) 29.99
5027159 740133-1 IDMK PM2 - In Dash Mt. Kit 29.99
5027162 740132-1 MKH 6 - Mounting Knobs 19.99
5001081 730000-1 TS W - Trans. Mt. Speed/Temp Sensor 69.99
5024241 730021-1 SW - Trans. Mt. Speed Sensor 44.99
5001080 730010-1 TG W - Transom Mt. Temp Sensor 44.99
5001023 720002-1 PC 10 - 6' Power Cable 19.99
5001079 720003-1 EC W10 - 10' Trans. Extension Cable 34.99
5001180 720003-2 EC W30 - 30' Trans. Extension Cable 49.99
5025708 780016-1 UC 7 - Unit Cover (Neoprene) 19.99



HUMMINBIRD® PIRANHAMAX™ 165

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •4" diagonal, 240Vx160H 8 level grayscale •Single beam 200kHz/20° @ 10db •800W peak-to-peak •100 watts RMS •Depth to 800' •Tilt & swivel mount

•408620-1: PiranahaMAX™ 165

•408630-1: PiranahaMAX™ 165 PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included

Order # Mfg. # Model Sugg.Ret.
5027126 408620-1 PiranahaMAX™ 165 \$89.99
5027127 408630-1 PiranahaMAX™ 165 PT 139.99

Order # Mfg. # Type Sugg.Ret.
ACCESSORIES

5027152 710236-1 XNT 9 28 T - Transom Mt. Transducer \$79.99
5027155 710246-1 XTM 9 28 T - Trolling Mtr. Transducer 79.99
5027153 710244-1 XP 9 28 - Puck Transducer 69.99
5027154 710245-1 XP 9 28 T - Puck Transducer w/Temp. 89.99
5027160 740131-1 MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later) 29.99
5027159 740133-1 IDMK PM2 - In Dash Mt. Kit 29.99
5027162 740132-1 MKH 6 - Mounting Knobs 19.99
5001081 730000-1 TS W - Trans. Mt. Speed/Temp Sensor 69.99
5024241 730021-1 SW - Trans. Mt. Speed Sensor 44.99
5001080 730010-1 TG W - Transom Mt. Temp Sensor 44.99
5001023 720002-1 PC 10 - 6' Power Cable 19.99
5001079 720003-1 EC W10 - 10' Trans. Extension Cable 34.99
5001180 720003-2 EC W30 - 30' Trans. Extension Cable 49.99
5025708 780016-1 UC 7 - Unit Cover (Neoprene) 19.99



HUMMINBIRD® PIRANHAMAX™ 176i

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •4" diagonal, 240Vx160H 16 level grayscale •Dual beam 200kHz/28° @ 10db, 455kHz/16° @ 10db •1600W peak-to-peak •200 watts RMS •Temp. Depth to 600' •Internal GPS will let you mark your waypoints, see your track, view Course over Ground and get your GPS speed •Tilt & swivel mount

•408670-1: PiranahaMAX™ 176i

•408680-1: PiranahaMAX™ 176i PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included

Order # Mfg. # Model Sugg.Ret.
5027130 408670-1 PiranahaMAX™ 176i \$129.99
5027131 408680-1 PiranahaMAX™ 176i PT 179.99

Order # Mfg. # Type Sugg.Ret.
ACCESSORIES

5027152 710236-1 XNT 9 28 T - Transom Mt. Transducer \$79.99
5027155 710246-1 XTM 9 28 T - Trolling Mtr. Transducer 79.99
5027153 710244-1 XP 9 28 - Puck Transducer 69.99
5027154 710245-1 XP 9 28 T - Puck Transducer w/Temp. 89.99
5027160 740131-1 MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later) 29.99
5027159 740133-1 IDMK PM2 - In Dash Mt. Kit 29.99
5027162 740132-1 MKH 6 - Mounting Knobs 19.99
5001081 730000-1 TS W - Trans. Mt. Speed/Temp Sensor 69.99
5024241 730021-1 SW - Trans. Mt. Speed Sensor 44.99
5001080 730010-1 TG W - Transom Mt. Temp Sensor 44.99
5001023 720002-1 PC 10 - 6' Power Cable 19.99
5001079 720003-1 EC W10 - 10' Trans. Extension Cable 34.99
5001180 720003-2 EC W30 - 30' Trans. Extension Cable 49.99
5025708 780016-1 UC 7 - Unit Cover (Neoprene) 19.99





HUMMINBIRD® PIRANHAMAX™ 195c

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •3.5" diagonal, 320Vx240H 256 color •Dual beam 200kHz/28° @ 10db, 455kHz/16° @ 10db •1600W peak-to-peak •200 watts RMS •Temp. Depth to 600' •Tilt & swivel mount



Order #	Mfg. #	Sugg. Ret.
5027132	408700-1	\$169.99
ACCESSORIES		
5027152	710236-1 XNT 9 28 T - Transom Mt. Transducer	\$79.99
5027155	710246-1 XTM 9 28 T - Trolling Mtr. Transducer	79.99
5027153	710244-1 XP 9 28 - Puck Transducer	69.99
5027154	710245-1 XP 9 28 T - Puck Transducer w/Temp.	89.99
5027160	740131-1 MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99
5027159	740133-1 IDMK PM2 - In Dash Mt. Kit	29.99
5027162	740132-1 MKH 6 - Mounting Knobs	19.99
5001081	730000-1 TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1 SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1 TG W - Transom Mt. Temp Sensor	44.99
5001023	720002-1 PC 10 - 6' Power Cable	19.99
5001079	720003-1 EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2 EC W30 - 30' Trans. Extension Cable	49.99
5025708	780016-1 UC 7 - Unit Cover (Neoprene)	19.99

HUMMINBIRD® PIRANHAMAX™ 196i

•Unlocking the power of Fish ID+™, fish alarms, depth alarms & zoom has never been simpler, with easy-to-use interface •3.5" diagonal, 320Vx240H 256 color •Dual beam 200kHz/28° @ 10db, 455kHz/16° @ 10db •1600W peak-to-peak •200 watts RMS •Temp. Depth to 600' •Internal GPS will let you mark your waypoints, see your track, view Course over Ground and get your GPS speed •Tilt & swivel mount



•408730-1: Piranhamax™ 196i
•408740-1: Piranhamax™ 196i PT - Portable unit w/softshell carry case, suction cup transducer, 12v battery & charger included

Order #	Mfg. #	Model	Sugg. Ret.
5027133	408730-1	Piranhamax™ 196i	\$199.99
5027134	408740-1	Piranhamax™ 196i PT	249.99
ACCESSORIES			
5027152	710236-1 XNT 9 28 T - Transom Mt. Transducer	\$79.99	
5027155	710246-1 XTM 9 28 T - Trolling Mtr. Transducer	79.99	
5027153	710244-1 XP 9 28 - Puck Transducer	69.99	
5027154	710245-1 XP 9 28 T - Puck Transducer w/Temp.	89.99	
5027160	740131-1 MS PM2 - Swivel Base & Gimbal Mt. Hdwe. (PMAX Series 2013 & later)	29.99	
5027159	740133-1 IDMK PM2 - In Dash Mt. Kit	29.99	
5027162	740132-1 MKH 6 - Mounting Knobs	19.99	
5001081	730000-1 TS W - Trans. Mt. Speed/Temp Sensor	69.99	
5024241	730021-1 SW - Trans. Mt. Speed Sensor	44.99	
5001080	730010-1 TG W - Transom Mt. Temp Sensor	44.99	
5001023	720002-1 PC 10 - 6' Power Cable	19.99	
5001079	720003-1 EC W10 - 10' Trans. Extension Cable	34.99	
5001180	720003-2 EC W30 - 30' Trans. Extension Cable	49.99	
5025708	780016-1 UC 7 - Unit Cover (Neoprene)	19.99	

HUMMINBIRD® 300 SERIES

•FEATURES: 320Vx240H diagonal display. DualBeam PLUS™ sonar •Coverage of 60° or 20° @10db •Operating frequency 83kHz -200kHz •Power output 2400 watts peak-to-peak, 300 watts RMS •1000' depth capability •Target separation 2-1/2" •Temperature included in transducer •10-20 VDC power input •Tilt & Swivel Quick Disconnect Mount System or in-dash •Transducer mounting: transom mount or inside hull



HUMMINBIRD® FISHFINDER 345c PT

•320Vx240H, 3.5" color LCD •Temp included •Speed capable •DualBeam 83 kHz/60° & 200 kHz/20° •300 watts RMS •2400 watts peak-to-peak •Soft sided case •Suction cup transducer replaces transom transducer •Integral tackle box storage •Gel-cell battery & charger included

Order #	Mfg. #	Sugg. Ret.
5025967	407700-1	\$329.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026216	740116-1 RAM Auto Quick Disconnect		
5026217	740117-1 RAM Auto Quick Disconnect	\$99.99	
5025112	710198-1 XNT 9 20 T - Transom Mt. Transducer	79.99	
5025127	740093-1 MHX XNT - Transom Mt. Hardware	19.99	
5022742	710160-1 XTM 9 20 T - Troll. Mtr. Transducer	79.99	
5023001	710164-1 XP 9 20 - Puck Transducer	69.99	
5023003	710166-1 XTH 920 - Brnz. Thru-Hull Transducer	249.99	
5001081	730000-1 TS W - Trans. Mt. Speed/Temp Sensor	69.99	
5024241	730021-1 SW - Trans. Mt. Speed Sensor	44.99	
5001080	730010-1 TG W - Transom Mt. Temp Sensor	44.99	
5001079	720003-1 EC W10 - 10' Trans. Extension Cable	34.99	
5001180	720003-2 EC W30 - 30' Trans. Extension Cable	49.99	
5001023	720002-1 PC 10 - 6' Power Cable	19.99	
5022996	740077-1 MS M - Quick Disconnect Mt. System	34.99	
5025133	740086-1 IDMK 300 - In-Dash Mount Kit	39.99	

HUMMINBIRD® 346c DI

•320Vx240H, 256 color display •Down Imaging® and exclusive SwitchFire™ Sonar •Down Imaging®: 455kHz/75° @-10db; 800kHz/45° @-10db •DualBeam PLUS™ w/ SwitchFire™: 200kHz/28° @-10db; 455kHz/16° @-10db •Depth 250' (DI), 600' •4000 watts peak-to-peak, 500 watts RMS •Quick disconnect mount



Order #	Mfg. #	Sugg. Ret.
5027135	409020-1	\$249.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026284	710226-1 XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	\$154.99	
5026285	710225-1 XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99	
5027156	710243-1 XPTH 9 DI T - Plastic Thru Hull Trans. (30' cable & hardware)	199.99	
5025127	740093-1 MHX XNT - Transom Mt. Hardware	19.99	
5001079	720003-1 EC W10 - 10' Trans. Extension Cable	34.99	
5001180	720003-2 EC W30 - 30' Trans. Extension Cable	49.99	
5001023	720002-1 PC 10 - 6' Power Cable	19.99	
5001081	730000-1 TS W - Trans. Mt. Speed/Temp Sensor	69.99	
5024241	730021-1 SW - Trans. Mt. Speed Sensor	44.99	
5001080	730010-1 TG W - Transom Mt. Temp Sensor	44.99	
5022996	740077-1 MS M - Quick Disconnect Mt. System	34.99	
5025133	740086-1 IDMK 300 - In-Dash Mount Kit	39.99	
5026216	740116-1 RAM Auto Quick Disconnect	99.99	
5026217	740117-1 RAM Auto Quick Disconnect	99.99	
5027167	780018-1 UC-4A - Hard Unit Cover	19.99	

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery


**HUMMINBIRD®
386ci DI COMBO**

•320Vx240H, 256 color, 3.5" display •Down Imaging® and exclusive SwitchFire™ Sonar •Internal GPS & built-in UniMap™ •Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography •Down Imaging®: 455kHz/75° @-10db; 800kHz/45° @-10db •DualBeam PLUS™ w/SwitchFire™: 200kHz/29° @-10db; 455kHz/16° @-10db •Temp. GPS Speed •Depth 250' (DI), 600' •4000 watts peak-to-peak, 500 watts RMS •Quick disconnect mount


**HUMMINBIRD®
386ci COMBO PT**

•320Vx240H, 256 color, 3.5" display •Internal GPS & built-in UniMap™ •Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography •DualBeam PLUS™ w/SwitchFire™: 200kHz/20° @-10db; 83kHz/60° @-10db •Temp. GPS Speed •Depth 1500' •4000 watts peak-to-peak, 500 watts RMS •Includes soft side portable case, battery, charger & suction cup transducer •Quick disconnect mount



Order # Mfg. # Sugg. Ret.
5027138 409040-1 \$449.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	\$154.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025133	740086-1	IDMK 300 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect	99.99
		ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect	99.99
		Windshield Mount	99.99
5027167	780018-1	UC-4A - Hard Unit Cover	19.99

**HUMMINBIRD®
386ci COMBO**

•320Vx240H, 256 color, 3.5" display •Internal GPS & built-in UniMap™ •Single SD card slot lets you upgrade to LakeMaster™ or Navionics® cartography •DualBeam PLUS™ w/SwitchFire™: 200kHz/20° @-10db; 83kHz/60° @-10db •Temp. GPS speed •Depth 1500' •4000 watts peak-to-peak, 500 watts RMS •Quick disconnect mount


**HUMMINBIRD®
398ci SI COMBO**

•320Vx240H, 3.5" display w/LED backlight •Side Imaging® & Down Imaging® sonar w/4000 watts PTP power output •Precision internal GPS chartplotting w/built-in UniMap™ cartography with a card slot for optional maps and saving waypoints •Tilt & Swivel Quick Disconnect mounting system


HUMMINBIRD® 500 SERIES

•**FEATURES:** Ultra high-contrast, high-definition displays •Sensitive technology allows tracking of jig to over 70' & separate targets within 2-1/2" •Sonar Echo Enhancement™ •Accelerated Real Time Sonar operates at up to 40x per second •All models include temp & are speed capable •One-Touch 2x, 4x, 6x or 8x split-screen zoom instantly enhances bottom detail to distinguish fish from structure •X-Press™ menus •Fully adjustable backlight for night fishing •Design perfect for in-dash or Tilt & Swivel Quick Disconnect Mounting System.=

**HUMMINBIRD®
FISHFINDER 561**

•Features Dual Beam PLUS w/Switchfire™ Sonar that has selectable 20° & 60° beams •The wide beam spots fish over wider areas & the narrow beam provides better bottom definition •5" display (12-level grayscale) •Pixel Matrix: 320Vx320H •Sonar Frequency: 200/83kHz •Sonar Coverage: 20°/60° @ -10db •Depth Capability: 800 ft. •Power Output: 2000 Watts (Peak-to-Peak)



Order # Mfg. # Sugg. Ret.
5026864 408460-1 \$149.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5001023	720002-1	PC 10 - 6' Power Cable	\$19.99
5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	79.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99

continued next page

HUMMINBIRD® FISHFINDER 561

continued from previous page

Order #	Mfg. #	Type	Sugg. Ret.
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5025983	780010-1	UC 3 - Unit Cover	19.99

HUMMINBIRD®

561 DI

- 320Vx320H, 12 level grayscale 5" display
- Down Imaging® and exclusive SwitchFire™ Sonar
- Down Imaging®: 455kHz/75° @-10db; 800kHz/45° @-10db
- DualBeam PLUS™ w/ SwitchFire™: 200kHz/28° @-10db; 455kHz/16° @-10db
- Depth 250' (DI), 600' •4000 watts peak-to-peak, 500 watts RMS
- Quick disconnect mount •Clamshell packaging



Order #	Mfg. #	Sugg. Ret.
5027139	408980-1	\$199.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	\$154.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99

HUMMINBIRD®

571 HD DI

- High Definition 640Vx320H, 16 level grayscale 5" display
- Down Imaging® and exclusive SwitchFire™ Sonar
- Down Imaging®: 455kHz/75° @-10db; 800kHz/45° @-10db
- DualBeam PLUS™ w/ SwitchFire™: 200kHz/28° @-10db; 455kHz/16° @-10db
- Temp. Depth 250' (DI), 600' •4000 watts peak-to-peak, 500 watts RMS
- Quick disconnect
- 408960-1: 571 HD DI - Clamshell packaging
- 408970-1: 571 HD DI PT - Includes soft side portable case, battery, charger & suction cup transducer



Order #	Mfg. #	Model	Sugg. Ret.
5027140	408960-1	571 HD DI	\$249.99
5027141	408970-1	571 HD DI PT	299.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	\$154.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5022995	780007-1	UC-M - Unit Cover	19.99

HUMMINBIRD® 581i HD DI COMBO

- High Definition 640Vx320H, 16 level grayscale 5" display
- Down Imaging® and exclusive SwitchFire™ Sonar
- Down Imaging®: 455kHz/75° @-10db
- DualBeam PLUS™ w/ SwitchFire™: 200kHz/28° @-10db; 455kHz/16° @-10db
- Temp. GPS Speed
- Depth 250' (DI), 600' •2400 watts peak-to-peak, 300 watts RMS
- Quick disconnect mount
- Clamshell packaging



Order #	Mfg. #	Sugg. Ret.
5027142	408990-1	\$299.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026284	710226-1	XNT 9 DI T - Transom Mt. Transducer (w/20' cable & hardware)	\$154.99
5026285	710225-1	XIH 9 DI T - Puck Transducer (15' cable & epoxy)	159.99
5027156	710243-1	XPTH 9 DI T - Platic Thru Hull Trans. (30' cable & hardware)	199.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5026216	740116-1	RAM Auto Quick Disconnect ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect Windshield Mount	99.99
5022995	780007-1	UC-M - Unit Cover	19.99

NEW

HUMMINBIRD® 600 SERIES

- 678c HD: 2D Sonar; Color 5" 640x480, Fishfinder, DualBeam, Temp
- 678c HD DI: 2D/DI Sonar; Color 5" 640x480, Fishfinder, Down Imaging, Temp
- 678c HD XD: XD Sonar; Color 5" 640x480, Fishfinder, DualBeam(200/50kHz), Temp
- 688ci HD Combo: 2D GPS Combo; Color 5" 640x480, Internal GPS, DualBeam, Temp/GPS Speed
- 688ci HD DI Combo: 2D/DI GPS Combo; Color 5" 640x480, Internal GPS, Down Imaging, Temp/GPS Speed
- 688ci HD XD Combo: XD GPS Combo; Color 5" 640x480, Internal GPS, DualBeam(200/50kHz), Temp/GPS Speed
- 698ci HD SI Combo: 2D/DI/SI GPS Combo; Color 5" 640x480, Internal GPS, Side Imaging, Temp/GPS Speed
- 698ci HD SI KVD Combo: 2D/DI/SI GPS Combo; Color 5" 640x480, Internal GPS, Side Imaging, Temp/GPS Speed, KVD Edition



Order #	Mfg. #	Model	Sugg. Ret.
5027430	409410-1	678c HD	\$349.99
5027431	409430-1	678c HD DI	399.99
5027432	409420-1	678c HD XD	399.99
5027433	409440-1	688ci HD Combo	499.99
5027434	409460-1	688ci HD DI Combo	599.99
5027435	409450-1	688ci HD XD Combo	599.99
5027436	409470-1	698ci HD SI Combo	799.99
5027549	409470-1KVD	698ci HD SI KVD Combo	699.99

Ellett Brothers

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Boat
Hardware

Boat
Lighting

Boat
Seats

Boat
Covers

Fuel

Trailers/
ATV
Access.

Pumps

Electrical

Maintenance

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**HUMMINBIRD® 700 SERIES**

- **FEATURES:** Professional grade technology
- Unmatched 640Vx640H pixel clarity of the 5" diagonal screen provides unbelievable color & contrast
- See crystal clear images of everything under the water
- Three "soft key" preset buttons make switching between favorite views a snap, & dual card slots provide top-notch flexibility on the water
- Built-in UniMap™ makes you at home on any lake, river or coastline
- Check weather changes that impact the bite w/ WeatherSense® barometric pressure monitor, or look for fish & structures anywhere you can cast a line with Wireless Sonar Link
- Use HumminbirdPC™ to keep internal software on cutting edge & save waypoints, routes, & track safely on your PC
- Mount the 700 Series in-dash, or use the Tilt & Swivel Quick Disconnect Mounting System
- **FEATURES IN COMBO UNITS:** Includes UniMap™ of USA inland lakes, rivers & coastal areas
- 50 channel GPS
- Full-screen chart, sonar-chart split & 3D highway navigation screens
- Precise trolling grids & waypoint targets
- Tidal graphs & port services information with Navionics® Gold/HotMaps®
- Save 3000 waypoints, 50 tracks with 20,000 points each & 50 routes

**HUMMINBIRD®****718**

- 320Vx320H, high resolution, 5" FSTN LCD 16-level grayscale display
- DualBeam PLUS™ sonar - 200kHz/20°@10db, 83kHz/60°@10db
- 2400W peak-to-peak power
- 300 watts (RMS)
- Depth capability: 1000'
- Water temp. included, speed capable
- GPS ready, expandable, & upgradeable fishing system
- Quick disconnect mount
- Waypoints: 750
- Tracks: 10 w/2,000 each

Order # Mfg. # Model Sugg. Ret.
5025688 407380-1 \$199.99

Order # Mfg. # Type Sugg. Ret.
ACCESSORIES

5025112	710198-1	XNT 9 20 T - Transom Mt. Transducer	\$79.99
5025127	740093-1	MHX XNT - Transom Mt. Hardware	19.99
5022742	710160-1	XTM 9 20 T - Troll. Mtr. Transducer	79.99
5023001	710164-1	XP 9 20 - Puck Transducer	69.99
5026216	740116-1	RAM Auto Quick Disconnect	
		ATV handlebar Mount	99.99
5026217	740117-1	RAM Auto Quick Disconnect	
		Windshield Mount	99.99
5026223	740120-1	MBCC 700E Mounting System	
		Cable Collector	19.99
5025355	710167-1	XTH 9 20 P - Plastic Thru-Hull Trans.	139.99
5001081	730000-1	TS W - Trans. Mt. Speed/Temp Sensor	69.99
5024241	730021-1	SW - Trans. Mt. Speed Sensor	44.99
5001080	730010-1	TG W - Transom Mt. Temp Sensor	44.99
5001079	720003-1	EC W10 - 10' Trans. Extension Cable	34.99
5001180	720003-2	EC W30 - 30' Trans. Extension Cable	49.99
5001023	720002-1	PC 10 - 6' Power Cable	19.99
5022996	740077-1	MS M - Quick Disconnect Mt. System	34.99
5025132	740084-1	IDMK 700 - In-Dash Mount Kit	39.99
5025983	780010-1	UC 3 - Unit Cover	19.99

**PRICES SUBJECT TO
CHANGE WITHOUT NOTICE**

new**HUMMINBIRD®
800 SERIES**

- Internal GPS
- Higher speed processors
- Updated cosmetics & cursor key
- iPilot Link compatibility
- 360 Imaging compatibility (SI model)
- Lakemaster/Navionics compatibility
- **859ci HD Combo:** GPS/Sonar Combo; 7" 480x800 Color, Dual-Beam, Temp/GPS Speed
- **859ci HD DI Combo:** GPS/Sonar Combo; 7" 480x800 Color, Down Imaging, Temp-Speed
- **859ci HD XD Combo:** GPS/Sonar Combo; 7" 480x800 Color, Dual-Beam (200/50 kHz), Temp/GPS Speed
- **899ci HD SI Combo:** GPS/Sonar Combo; 7" 480x800 Color, Side Imaging, Temp-Speed



Order #	Mfg. #	Model	Sugg. Ret.
5027437	409120-1	859ci HD Combo	\$599.99
5027438	409140-1	859ci HD DI Combo	699.99
5027472	409130-1	859ci HD XD Combo	949.99
5027439	409150-1	899ci HD SI Combo	999.99

new**HUMMINBIRD®
900 SERIES**

- Internal GPS
- Higher speed processors
- Updated cosmetics & cursor key
- iPilot Link compatibility
- All models can receive SI and 360 Imaging via Ethernet
- 360 Imaging compatibility (SI model)
- Lakemaster/Navionics compatibility
- **959ci HD Combo:** GPS/Sonar Combo; 8" 480x800 Color, Dual-Beam, Temp-Speed
- **959ci HD DI Combo:** GPS/Sonar Combo; 8" 480x800 Color, Down Imaging, Temp-Speed
- **959ci HD XD Combo:** GPS/Sonar Combo; 8" 480x800 Color, Dual-Beam (200/50 kHz), Temp-Speed
- **999ci HD SI Combo:** GPS/Sonar Combo; 8" 480x800 Color, Side Imaging, Temp-Speed
- **999ci HD SI KVD Combo:** GPS/Sonar Combo; 8" 480x800 Color, Side Imaging, Temp-Speed, KVD Edition



Order #	Mfg. #	Model	Sugg. Ret.
5027440	409160-1	959ci HD Combo	\$999.99
5027441	409180-1	959ci HD DI Combo	1,099.99
5027473	409170-1	959ci HD XD Combo	1299.99
5027442	409190-1	999ci HD SI Combo	1,499.99
5027443	409190-1KVD	999ci HD SI KVD Combo	1,499.99

new**HUMMINBIRD®
1100 SERIES**

- Internal GPS
- Higher speed processors
- Updated cosmetics & cursor key
- iPilot Link compatibility
- All models can receive SI and 360 Imaging via Ethernet
- 360 Imaging compatibility (SI model)
- Lakemaster/Navionics compatibility
- **1159ci HD Combo:** GPS/Sonar Combo; 10.4" 600x800 Color, Dual-Beam, Temp-Speed
- **1159ci HD DI Combo:** GPS/Sonar Combo; 10.4" 600x800 Color, Down Imaging, Temp-Speed
- **1159ci HD XD Combo:** GPS/Sonar Combo; 10.4" 600x800 Color, DualBeam (200/50 kHz), Temp-Speed
- **1199ci HD SI Combo:** GPS/Sonar Combo; 10.4" 600x800 Color, Side Imaging, Temp-Speed
- **1199ci HD SI KVD Combo:** GPS/Sonar Combo; 10.4" 600x800 Color, Side Imaging, Temp-Speed, KVD Edition



Order #	Mfg. #	Model	Sugg. Ret.
5027445	409200-1	1159ci HD Combo	\$1,699.99
5027446	409220-1	1159ci HD DI Combo	1,799.99
5027474	409210-1	1159ci HD XD Combo	1999.99
5027447	409230-1	1199ci HD SI Combo	2,299.99
5027448	409230-1KVD	1199ci HD SI KVD Combo	2,299.99



HUMMINBIRD® ICE™ SERIES

- Extreme-temperature LCD technology instantly finds and reports the lake bottom, setting the flasher scale automatically
- Choose color palettes to see what's down there

HUMMINBIRD® ICE 35

- 3-Color Flasher • 526 segment • 2X Dynamic Zoom magnifies your view of a specific depth range
- Rotate the dial to change the area you're zooming into, while you're viewing it
- Selectable dual frequency: 240kHz/19° @ 3db, 455kHz/9° @ 3db
- Depth to 200' • 800 watts peak-to-peak
- 100 watts RMS • 7Ah battery included

Order #	Mfg. #	Sugg. Ret.
5027150	407020-1	\$299.99



HUMMINBIRD® ICE 597ci HD COMBO

- High Definition 5" display • 640Vx640H, 256 color • DualBeam PLUS™ w/SwitchFire™: 200kHz/20° @ 10db, 455kHz/60° @ 10 db
- Internal precision GPS UniMap™ • 2X Dynamic Zoom magnifies your view of a specific depth range
- Rotate the dial to change the area you're zooming into, while you're viewing it
- Target line • Depth: 1000' • Single SD card slot • Upgradeable software
- Includes 12VDC battery & carry case • Quick disconnect mount

Order #	Mfg. #	Sugg. Ret.
5027151	408930-1	\$649.99



ICE-45 FLASHER

- Patent-Pending backlit LCD display, 4 depth scales (20', 40', 80', 200') in manual mode, 7 depth scales in auto mode (20', 40', 60', 80', 100', 120', 200') are automatically adjusted on the LCD for a very clean, easy to read display
- 3-color fiber-optic flasher display delivers excellent sunlight readability, 1800 watts peak-to-peak power, 10 step interference rejection, 4 backlit keypad control buttons
- Dual beam transducer 455 kHz/ 9°, 240 kHz/ 19°
- Battery voltage indicator on LCD • "Shuttle" mount with built-in gimbal bracket, soft sided carrying bag, 7AH battery with charger

Order #	Mfg. #	Sugg. Ret.
5026445	407030-1	\$399.99



ICE 345C

- Brilliant 256 Color TFT 320V x 240H 3.5" display and advanced DualBeam sonar with 2400 Watts PTP power output, all in a soft-sided carry case
- Gel Cell Battery and charger included (not included with Metric/International versions of this product)
- Sonar: DualBeam PLUS with Switchfire 200 kHz / 20° @ -10db 83 kHz / 60° @ -10db
- Depth: 1000 ft. • Power Output: 300 Watts (RMS) • 2400 Watts (Peak-to-Peak)
- Warranty: Two Year

Order #	Mfg. #	Sugg. Ret.
5026470	407870-1	\$329.99



HUMMINBIRD® ICE 386ci COMBO

- 320Vx240H, 3.5" display w/LED backlight • 256 color TFT
- DualBeam PLUS™ sonar w/2400 watts Peak-to-Peak power output • 200kHz/20° @ -10db; 83kHz/60° @ -10db • Depth to 1500'
- Precision internal GPS chartplotting w/built-in UniMap™ cartography with a card slot for optional maps and saving waypoints
- Tilt & Swivel Quick Disconnect mounting system

Order #	Mfg. #	Sugg. Ret.
5027449	409390-1	\$449.99



Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

HUMMINBIRD® FISHIN' BUDDY® PORTABLE FISHFINDERS

- For use on a boat, a dock or even a float tube
- Ergonomic clamp mount design can be used nearly everywhere, with no rigging or wiring, or even a transducer to mount
- One-Touch® control for access to all the advanced features, and even Selective Fish ID+®
- Six AA batteries supply all the power you need for hours of enjoyment



HUMMINBIRD® 140c & 120 FISHIN' BUDDY®

- Sonar: Single beam down/side • 200kHz/34° @ -10db, 455kHz/10° @ -10db
- Power output: 1000 watts peak-to-peak, 125 watts RMS • Depth: 240' down, 120' side • Temp. included
- **140c Fishin' Buddy®:** Display: 3-1/2" diagonal, 320Vx240H, 256 Color TFT • Shaft length: 24"-40" telescopic pole
- **120 Fishin' Buddy®:** Display: 4" diagonal, 240Vx160H, FSTN LCD, 8 level grayscale • Shaft length: 24" fixed pole

Order #	Mfg. #	Model	Sugg. Ret.
5025408	407180-1	140c Fishin' Buddy	\$269.99
5025406	407120-1	120 Fishin' Buddy	169.99

Boat Covers

HUMMINBIRD® 110 FISHIN' BUDDY®

- Display: 4" diagonal, 160Vx128H, FSTN LCD, 4 level grayscale
- Sonar: Single beam down 200kHz/34° @ -10db
- Shaft length: 24" fixed pole • Power output: 1000 watts peak-to-peak, 125 watts RMS

• Depth: 240' down • Temp. Included

Order #	Mfg. #	Sugg. Ret.
5025405	407110-1	\$119.99

Boat Covers

Boat Covers

Boat Covers

Boat Covers

HUMMINBIRD® FISHIN' BUDDY ACCESSORIES

Order #	Mfg. #	Description	Sugg. Ret.
5025410	780013-1	Carrying Case	\$49.99
5025411	740095-1	Mounting Bracket	49.99
5025412	740096-1	Float Tube Strap	39.99

Boat Covers

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**NEW****HUMMINBIRD®
360 IMAGING™ BOW MOUNT**

•Gives a detailed, 360™ view of the underwater world from the front of a boat •Up to 300' beam width enables you to see areas virtually impossible to reach w/other types of sonar •4 beam speed settings •See up to 150' in front of the sonar pod, either in 360 mode or by isolating the sweep area •Mark waypoints - the exact location will be stored in your unit's memory & is viewable on GPS cartography •Customize the display by adjusting colors based on water conditions; adjust sensitivity for the best returns •View 360 Imaging™ side-by-side w/SwitchFire™ or GPS cartography •Easily mounted on select bow mount (cable steer) trolling motors via Quick Release Mounting Bracket •Integral 8' power & Ethernet cable attached •Additional 3' power & 20' Ethernet cable for quick disconnect •GPS receiver & heading sensor included

Order #	Mfg. #	Sugg. Ret.
5027455	409250-1	\$1,499.99

**HUMMINBIRD®
AS 360SSI - 360 IMAGING**

•Provides a complete around-the-boat, underwater image with same sharp detail anglers have come to know with Side Imaging® technology •With a single sweep, 360 Imaging has the ability to cover a 300' diameter circle (70,685 sq. ft.) •Ability to mark waypoints anywhere on the 360 Imaging screen •Audio alert is given when boat nears a waypoint within casting range •Capable of recording video & screen captures •8 color palettes •4 sonar speed settings •Specific area can be selected & zoomed in on •**NOTE:** This DOES NOT replace your standard transducer, it enhances your product •Must use standard transducer in order to have a digital depth reading •Also requires a mounting bracket (not included)

Order #	Mfg. #	Sugg. Ret.
5027015	408310-1	\$1,999.99

**HUMMINBIRD®
INTERLINK™ NETWORK
CONNECTION**

•Share GPS position, waypoints, routes and your current track between two Humminbird® Fishing Systems in real time •Mark a waypoint at the console, and it's instantly available on the second unit •Daisy chain InterLink™ with other system modules and you'll have a network that lets you share digital data around the boat



Order #	Mfg. #	Sugg. Ret.
5025130	406820-1	\$199.99

**HUMMINBIRD®
WEATHERSENSE™
BAROMETRIC
PRESSURE MONITOR**

•(AS BP) Simple plug & play operation •Full-screen access. •Easy-to-understand barometer 12 hr. trend •Internal battery & smart monitoring system independently logs past 12 hours of information even if Matrix™ System is not plugged in •Tracks barometric pressure in real time, unit displays information on sonar screen



Order #	Mfg. #	Sugg. Ret.
5023106	405130-1	\$119.99

**HUMMINBIRD®
GPS RECEIVER**

•Precision GPS/WAAS receiver provides fast position fixes accurate within 2.5 meters •Provides more accurate position fixes than the industry standard GPS •Dimension: 3.25" diameter, 1.5" high & comes with 20' cable and has a 1"-14 thread count stem mountable with an optional antenna stem (antenna stem not included).



Order #	Mfg. #	Sugg. Ret.
5027165	408920-1	\$149.99
WITH HEADING SENSOR		
5027166	408400-1	199.99

**HUMMINBIRD®
HDR 650 IN-DASH
DIGITAL DEPTH GAUGE**

•Waterproof digital depthsounder •1-1/4" Diagonal, backlit LCD display •Single beam sonar •Sonar coverage: 20' @ -10db •Sonar frequency: 200kHz. Depth capability: 700 feet •Interchangeable black & white face plate & bezel



Order #	Mfg. #	Transducer	Sugg. Ret.
5026202	407860-1	Transom	\$109.99

**HUMMINBIRD®
LAKEMASTER® ENHANCED
LAKE CARTOGRAPHY PACKAGES**

•ProMap hi-definition lake cartography packages specifically for Humminbird® GPS fishfinders •Synchronize the depth contours & shorelines w/ actual water levels of lakes, reservoirs, & rivers •Select & highlight a particular depth range to easily target productive water & stay in the bite zone •Easy-to-see shading highlights shallow water areas on an adjustable range from 0-15 feet




Order #	Mfg. #	Region	Sugg. Ret.
iPILOT® LINK™ COMPATIBLE			
FRESHWATER SERIES			
5027210	600021-1	Minnesota	\$124.99
5027211	600009-1	Mid South (TX/OK/AR/LA)	124.99
5027212	600023-1	Southeast (FL/GA/AL/MS/TN)	124.99
5027213	600017-1	Great Plains	124.99
5027214	600013-1	Dakotas/Nebraska	124.99
5027215	600015-1	Great Lakes (MN/IN/OH/KY)	124.99
5027216	600025-1	Wisconsin	124.99
5027217	600027-1	Woods/Rainy Lake	124.99
5027218	600011-1	CA/NV/AZ	124.99

PC NOT INCLUDED**HUMMINBIRD®
LAKEMASTER® CONTOUR ELITE™**

•Bring trip planning into the information age •Unique software lets you access high-definition LakeMaster® lake data on your PC •Advanced features combine with a user-friendly interface to let you search by fish species, by key fishing structures, or design a custom search •3D Viewer: high definition data in 3 dimensions •Rotate around a structure to see all the angles & features under the lake's surface •Search Results: Search for specific species based on season, weather, & water conditions •Results are highlighted in red & can be downloaded to your Humminbird® fishfinder

Order #	Mfg. #	Region	Sugg. Ret.
iPILOT® LINK™ COMPATIBLE			
FRESHWATER SERIES			
5027221	600022-1	Minnesota	\$149.99
5027222	600010-1	Mid South (TX/OK/AR/LA)	149.99
5027223	600024-1	Southeast (FL/GA/AL/MS/TN)	149.99
5027224	600018-1	Great Plains	149.99
5027225	600014-1	Dakotas/Nebraska	149.99
5027226	600016-1	Great Lakes	149.99
5027227	600026-1	Wisconsin	149.99
5027228	600028-1	Woods/Rainy Lake	149.99
5027229	600012-1	CA/NV/AZ	149.99



HUMMINBIRD® ENCLOSED RADAR

•Rugged, enclosed radome easily connects to your Humminbird® Ethernet Network •Includes enclosed radar antenna, ethernet connection, 33' cable, & software upgrades specifically for compatible Humminbird® head units: **1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, & 858c DI** •Software upgrade syncs Humminbird® head unit to the radar & gives additional viewing options & functions •Radar View shows radar data on full screen of your control head •Chart/Radar Combo View (GPS Required) shows chart info & radar on split-screen visual •Radar delivers accurate target detection at both long & short ranges •Features adjustable VRM & EBL functions for precise range & bearing information for any target •Shaded target intensity helps users judge weather severity & differentiate between large & small vessels •MARPA Not Supported •Water Resistance: IPX6 •RADAR SPECS (per model) - @* AS 21RD4KW, @* AS 12RD2KW: Wind Force: 100 knots relative •Preheat Times: 120 sec. @*, 90 sec. @* •Max. Pulse Length: 1.0 uSec/500/Hz @*, 0.8 uSec/550/Hz @* •Rotation: 24rpm @*, 30rpm @* •Beamwidth Horizontal: 9410+/-30 MHz @*, 9445+/-30 MHz @* •Beamwidth Vertical: 25° •Transmit Freq.: 24rpm @*, 30rpm @* •IF Center Freq.: 60 MHz •Sidelobes: better than -20dB •Noise Figure: 6.0dB or less @*, 10dB or less @* •Power Consumption: 45W or less @*, 30W or less @* •**NOTE:** 5-Port Ethernet Switch - AS ETH 5PS (optional - not included) is recommended for building an ultimate fishing system by linking multiple Humminbird® head units, sharing transducers, adding an NMEA 2000® network, & connecting your radar

Order #	Mfg. #	Type	Peak Output	Sugg.Ret.
MODEL AS 12RD2KW				
5026930	408550-1	12" Radome	2kW	\$1,499.99
MODEL AS 21RD4KW				
5026931	408560-1	21" Radome	4kW	2,199.99

NEW

HUMMINBIRD® SC 110 AUTOPILOT

•Premier system incorporating proven steering technology know-how adapted from over 30 years of experience •Featuring robust & precise steering control algorithms, a flux-gate compass, a built-in rate gyro & its state-of-the-art multi-sensor technology performs flawlessly, whatever the sea's conditions •Intuitive keys, menus & a tactile rotary control knob make user interface quick & easily accessible w/simple, straightforward commands to make quick course directions or setting adjustments •Easily viewed on a full-color sunlight-viewable 3.5" LED backlit display (QVGA 320Vx240H) •Ideal for retrofit vessels large & small, thanks to 30 Amps of available continuous pumpset power, the system can support up to 2 independent chartplotters for navigating to waypoints or saved routes, or can be configured to accept wind input for sailing vessels •Key features include Rotating knob for route/wind/menu adjust •Dedicated course



change buttons •Data protocol NMEA0183 •Quick setup wizard •NMEA0183 input - 3 to connect 2 chart plotters, wind systems & external compass •Multiple compass support •Tiller option, supports up to 2 •30 Amp MAX current output to the pump •Supports constant running & reversing pumpsets •Supports up to 2 control heads •Gimbal Mount option •Output for analog rudder indicator •Protective suncover standard •Multi-sensor mode - use w/GPS or w/ linear feedback •Integrated on-board rate gyro •3 Pre-programmed turn patterns •Advance navigation algorithms support the following modes: **AUTO**: Holds the boat on its existing course; **NAV**: Runs a route or direct-to a waypoint from your chartplotter; **WIND**: Auto Track & Gybe change and prevent, requires input from your wind sensor; **AUTO TRACK**: Holds existing course & compensates for leeway & drift; **DODGE**: Use tiller or control buttons to temporarily deviate course, then returns to previous course; **FOLLOW UP**: User encoder knob to steer the vessel; **POWER STEER**: Use keys to steer the vessel •Also has compass calibration mode •Heading bargraph •Cross track error bargraph (XTE) •Rudder position bargraph •**700052-1**: SC 110 Autopilot System kit includes Autopilot 3.5" color TFT display, Course Computer w/Fluxgate Compass & Rate Gyro, brushless Rudder Feedback Unit and 30m cable, rotary knob & push button controls •**700053-1**: SC 110 Autopilot System kit includes Autopilot 3.5" color TFT display, Course Computer w/Fluxgate Compass & Rate Gyro, and 30m cable, rotary knob & push button controls •**409100-1**: SC 110 Autopilot Control Head includes 3.5" color TFT display w/rotary knob & push button controls

Order #	Mfg. #	Type	Sugg.Ret.
5027457	700052-1	System Kit	\$2,199.99
5027458	700053-1	System Kit w/o Rudder Feedback Unit	1,999.99
5027459	409100-1	Control Head Unit	599.99
ACCESSORIES			
5027460	408180-1	SCP 110 Course Computer	\$1,099.99
5027461	408150-1	FB 30 Rudder Feedback Unit	299.99
5027462	408210-1	FXC 110 Fluxgate Compass	259.99
5027463	408080-1	TC 110 Joystick Control	329.99
5027464	408340-1	HHRP 11-12 Hydraulic Autopilot Pump - 12 VDC	789.99
5027465	408350-1	HHRP 17-12 Hydraulic Autopilot Pump - 12 VDC	789.99
5027466	720077-1	SCP Cable 30 - 30 Meter Cable for FB 30 & FXC 110	99.99
5027467	740137-1	SC BK1 Autopilot Gimbal Mounting Bracket w/Knobs & Washers	59.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Ellett.Link
The Retailers Connection

www.ellettbrothers.com


Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

::: STEP 1: Find your model group number.

HUMMINBIRD MODELS

GROUP	1	2	3	4	5	6	7	8	9	
1158c, 117c 958c HD, 957c, 937c, 931c, 917c 858c HD, 858c 788c HD, 788c ² , 778c HD, 777c ² , 768c HD, 767c, 757c, 747c, 728, 727, 718, 717 5976 HD, 597c HD, 596c HD, 596c, 595c, 587c HD, 587c, 586c HD, 586c, 586c 386c, 385c, 383c, 365, 363, 345c, 343c, 325, 323 161c PiranhaMAX® 190c, 170, 160, 153, 150, 143, 230PT HIR-E50, ** HIR-E10, **	737 Matrix 37, 35 PiranhaMAX 180°* OPTIONAL: 1158c SI, 1197c SI, 157c, 998c HD SI, 998c SI, 997c SI, 958c HD, 958c SI, 957c, 917c 898c HD SI, 898c SI, 898c HD, 898c 798c HD SI, 798c SI, 788c HD, 788c SI, 778c, 777c ² , 768, 767, 737, 727 Matrix 97, 87c, 67	737 Matrix 37, 35 PiranhaMAX 180°* OPTIONAL: 1158c SI, 1197c SI, 157c, 998c HD SI, 998c SI, 997c SI, 958c HD, 958c SI, 957c, 917c 898c HD SI, 898c SI, 898c HD, 898c 798c HD SI, 798c SI, 788c HD, 788c SI, 778c, 777c ² , 768, 767, 737, 727 Matrix 97, 87c, 67	798c SI HD, 798c SI, 797c ² SI, 598c HD SI Combo 1198c SI Combo, 1197c SI Combo 998c HD SI Combo, 998c SI Combo, 997c SI Combo 898c SI Combo, 898c HD SI Combo	1158c DI Combo 958c HD DI Combo, 958c DI Combo 858c DI Combo, 857c DI Combo 581HD DI Combo, 571HD DI, 561DI	788c HD DI Combo 597c HD DI Combo, 596c HD DI, 587c HD DI, 570c HD DI, 561DI 385c DI Combo, 385c DI Combo, 346c DI, 345c DI	788c HD DI Combo 597c HD DI Combo, 596c HD DI, 587c HD DI, 570c HD DI, 561DI 385c DI Combo, 385c DI Combo, 346c DI, 345c DI	8	9	8	9
XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	XTM-9-20-T XAP-9-20	
XNT-9-180-T XHS-7W	XNT-9-180-T See Hardware Chart to the Right	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	XNT-9-180-T XHS-7W	
XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	
XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	
XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	
XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	

::: STEP 2: Select a transducer type available for your group number.

GROUP	1	2	3	4	5	6	7	8	9
									
Transom Transducer	Trolling Motor Transducer	Puck (Shoot Thru-Hull) Transducer	Bronze Thru-Hull Transducer	Trolling Motor Transducer	Transom Transducer	Trolling Motor Transducer	Transom Transducer	Transom Transducer	Transom Transducer
Mount the transom (back of the boat)	Mount on most trolling motors.	Mount to inside of most single-layer fiberglass hulls using slow-ture epoxy.	Ideal for large boats and boats with in-board motors.	Mount on most trolling motors.	Mount the transom (back of the boat)	Mount on most trolling motors.	Mount the transom (back of the boat)	Mount the transom (back of the boat)	Mount the transom (back of the boat)
Available on many models, the impact release feature pivots transducer out of the way if struck by an object.	Low-profile shape reduces drag and hang-ups on weeds.	(Core) fiberglass, metal or wood hulls not acceptable.	Not recommended for trailer boats. Professional installation recommended.	Low-profile shape reduces drag and hang-ups on weeds.	Available on many models, the impact release feature pivots transducer out of the way if struck by an object.	Low-profile shape reduces drag and hang-ups on weeds.	Available on many models, the impact release feature pivots transducer out of the way if struck by an object.	Low-profile shape reduces drag and hang-ups on weeds.	Low-profile shape reduces drag and hang-ups on weeds.
20 ft cable and hardware included	15 ft cable and hardware included	15 ft cable and epoxy included	30 ft cable and hardware included	20 ft cable and hardware included	20 ft cable and hardware included	20 ft cable and hardware included	20 ft cable and hardware included	20 ft cable and hardware included	20 ft cable and hardware included
XNT-9-20-T XNT-9-20	XTM-9-20-T XAP-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20	XNT-9-20-T XNT-9-20
XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90	XNT-9-QB-90-T XNT-9-QB-90
XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T	XNT-9-SI-180-T XHS-9-HDSI-180-T
XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T	XNT-9-DI-T XNT-9-DI-T
XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20	XPT-9-20-T XTH-9-20

*XTM-9-20-T is also available as part of a dual beam Trolling Motor Station Kit (DBK2) - see Unit Mounts and Hardware chart on page 54.

Airmar® Saltwater Transducers

You now have the flexibility to link your Humminbird® FishFinder with an Airmar® saltwater transducer. These durable transducers are only available through your Humminbird dealer. You'll find six of the many transducers available listed to the right. Talk to your dealer or visit www.airmarstechnology.com.



8 FFE55, ICE45, ICE35


9 PiranhaMAX 77c, 195c, 175, 165

*Not speed capable. ** Not speed and temp capable.

AIRMAR®
TECHNOLOGY CORPORATION

STEP 3: Select transducer mounting hardware.

SEE PAGE 53 FOR TRANSDUCER CABLES

	Ice Transducer	This DualBeam transducer can be used as a replacement or to convert any portable unit into an ice-ready fishfinder.		Transom Transducer Mounting Hardware	Mounting hardware for transom mount transducers. Kits include all mounting brackets, hardware and cable clamps required for installation.		Trolling Motor Transducer Mounting Adapters Kits	Mounting hardware kit adapts our standard transom mount transducers for use on the trolling motor. Kits include all mounting brackets, hardware and wire ties required for installation.		Portable Transducer Mounting Hardware	For use with portable transducers. Includes all hardware and suction cup.		Ice Transducer Mounting Kit	Transducer mounting hardware and float for XI 9.19 and XI 9.20 ice transducers.		Kayak Transducer Mounting Kit	Transducer mounting hardware for installation in a kayak. Kit includes surfare preparation products in addition to a transducer cradle and adhesive products.																																																																																																																																																																																																																																																																																																																																																																																							
	Plastic Thru-Hull Transducer	Economic alternative to bronze transducer. Mounts on thinner hulls such as aluminum.		XFM-9-20-P	XI-9-20		MHX XNT or MHX XNTF	AD XTM 9		MHX XNPT	(Used with XI 9.20 Only)		MHX ICE	(Used with XI 9.20 Only)		MHX XMK																																																																																																																																																																																																																																																																																																																																																																																								
	XPTH-9-QB-90-T	—		XI-9-20	—		MHX HS	AD STM 7		MHX PT	—		MHX ICE	—		MHX XMK DI																																																																																																																																																																																																																																																																																																																																																																																								
	XPTH-9-HDSI-180-T	—		XI-9-20	—		MHX XNT or MHX XNTF	AD XTM 9		MHX XNPT	(Used with XI 9.20 Only)		MHX ICE	—		MHX XMK DI																																																																																																																																																																																																																																																																																																																																																																																								
	XPTH-9-QD1-T	—		XI-9-19	—		MHX HS	AD STM 7		MHX XNPT	—		MHX ICE	—		MHX XMK DI																																																																																																																																																																																																																																																																																																																																																																																								
	Airmar® P319	—		XI-9-19	—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—		—	<img alt="Airmar P117 transducer" data-bbox="6140

Humminbird Accessories

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



Transducer Adaptor Cable
AD 629



Transducer Adaptor Cable
AD 926



Transducer Adaptor Cable
AS SI LRY



Transducer Adaptor Cable
AS SI DBY



Transducer Extension Cables
EC W10 (10 ft) EC W30 (30 ft)

Description	Allows older model, previously installed transducers to connect to newer model Humminbird® units, greatly simplifying the installation process.	Enables many current transducers to function with older model fishfinders that no longer have replacement transducers available.	Splits Side Imaging® source signal into left and right output for two Side Imaging transducers. A second Side Imaging transducer will need to be purchased.	Continuously splits the Side Imaging® Signal and the Dual Beam Signal. This allows a separate Dual Beam transducer to be installed in another location without using a switch.	Add extra length to standard transducer cable. Available in two lengths, cable plugs into existing transducer and your fishfinder.
Application 1	Adapts transducer model XT-6-20 (N525, 2000X) to work with PiranhaMAX 15, 20, Fishfinder 565, Matrix 17, 27, 57, 77, 97, 87	Older 2 pin transducer models XT-6-20 and XH-6-24 can be replaced with new 7 pin XNT-9-20.	Use with 598c HD SL, 757c SL, 798c HD SL, 798c SL, 898c HD SL, 898c SL, 997c SL, 998c HD SL, 1198c SL and 1197c SL Side Imaging transducers.	Use with 598c HD SL, 797c SL, 798c HD SL, 798c SL, 898c HD SL, 898c SL, 997c SL, 998c HD SL, 1198c SL and 1197c SL Side Imaging transducers.	Use with 1100, 900, 800, 700, 500, 300 Series™, Matrix and PiranhaMAX Models.
Application 2	Adapts transducer model XT-6-DB-74 (Wide 2000, Legend 1000Deep, 2000Deep, 3000Deep) to work with 931cDF and 937cDF for full DualBeam capabilities.	Older 2 pin transducer models XT-6-DB-74 can be replaced with new 7 pin XT-9-DB-74-1.	—	—	—



Ethernet Cable
**AS EC 2E (2 ft) AS EC 10E (10 ft)
AS EC 15E (15 ft) AS EC 20E (20 ft)
AS EC 30E (30 ft)**



Ethernet Extension Cable
AS ECX 30E (30 ft)



Ethernet Adaptor Cable
AS EC QDE



Temperature Adaptor Cable
AS TY



Temperature & Speed Extension Cable
EC TS10 (10 ft)



Advanced Accessory System Extension Cable
AS EC 10 (10 ft)

Description	Quickly set up an Ethernet connection between two Humminbird® Ethernet capable units. Available in four lengths.	A 30' cable that allows you to extend the length of your Ethernet cables.	Allows Ethernet connection to Ethernet-ready 700 HD Series™ units.	Allows connection of Temperature Sensor (TG W) for use with all 700 HD Series™ units.	A 10' extension for the Speed Wheel (SW), Temperature/Speed Wheel (TS W) and Temperature Sensor (TC W).	A 10' cable that allows the connection of an Advanced Accessory System unit to a Fishing System product.
Models	1198c SL, 1197c SL, 998c HD SL, 998c SL, 958c HD, 958c SL, 958c HD DL, 958c DL, 898c HD, 898c SL, 898c HD DL, 898c SL, 858c HD, 858c SL, 858c HD DL, 798c HD SL, 788c HD SL, 778c HD	1198c SL, 1197c SL, 998c HD SL, 998c SL, 958c HD, 958c SL, 958c HD DL, 958c DL, 898c HD SL, 898c SL, 858c HD, 858c SL, 858c HD DL, 798c HD SL, 788c HD SL, 778c HD	798c HD SL, 788c HD, 788c SL, 898c HD SL, 898c SL, 858c HD SL, 858c SL, 858c HD DL, 778c HD	798c HD SL, 788c HD, 788c SL, 898c HD SL, 898c SL, 858c HD SL, 858c SL, 858c HD DL, 778c HD	Use with 1100, 900, 800, 700 and Matrix Series™ Models	Use with 1100, 900, 800, 700 and Matrix Series™ Models



Power Cable
PC-10 PC-11



Serial Port Splitter Cable
AS DPS Y



SystemLink
AS SYSLINK



PC Connection Kits
AS PC 2 AS PC 3



Handheld GPS Connection Kit
AS HNGPS



Video Output Cable
VC1

Description	Features plug on one end and soldered bare leads on opposite. Comes in standard 6' length, but can be extended with 18awg multi-strand wire. Connect power to a fuse panel, or through inline fuse holder (not included) if hooked directly to the battery.	Add two serial accessories, such as an AIS transceiver and a supported third-party GPS. Simply connect this Y cable to the secondary serial port tower on the back of your Humminbird® unit.	Connects (2) units to (1) GPS receiver. Does not share waypoints, routes or tracks.	Upgrade software on models not equipped with an SD card reader. Also store waypoints, routes and other navigational data on your PC. AS PC 2 includes: PC serial port cable, power cable and instructions. AS PC 3 includes: USB cable, power cable and instructions. Both require PC serial port, 8-AA batteries and HumminbirdPC™ Software.	Kit includes: NMEA connection cable, Y cable and detailed instructions. This connection kit requires the handheld GPS manufacturers NMEA data cable to complete the connection to your handheld GPS.	Cable is approximately 6' long with two standard male RCA connectors on the output side and one connector that is standard to the 1100 and 800 Series™ products for hook up.
Models	PC-10 - Series: 900, 800, 700, 500, 300; Matrix & PiranhaMAX PC-11 - 1198c SL, 1197c SL, 1158c SL, 998c HD SL, 998c SL, 958c SL, 958c HD, 958c SL, 958c HD DL, 958c DL, 898c HD SL, 898c SL, 858c SL, 858c HD DL, 798c HD SL, 788c HD SL, 778c HD SL, 597c HD SL, 596c HD DL, 581c HD DL, 571c HD DL, 561c DL	1198c SL, 1197c SL, 998c HD SL, 998c SL, 958c HD, 958c SL, 958c HD DL, 958c DL, 898c HD SL, 898c SL, 858c HD SL, 858c SL, 858c HD DL, 798c HD SL, 788c HD SL, 778c HD SL, 597c HD SL, 596c HD DL, 581c HD DL, 571c HD DL, 561c DL	Series: 1100, 900, 800, 700, Matrix	Series: 700, 500, 300 & Matrix	Use with 1100, 900, 800, 700 and Matrix Series™ Models	1198c SL, 1197c SL, 998c HD SL, 998c SL, 958c HD, 958c SL, 958c HD DL, 958c DL, 898c HD SL, 898c SL, 858c HD SL, 858c SL, 858c HD DL, 798c HD SL, 788c HD SL, 778c HD SL, 597c HD SL, 596c HD DL, 581c HD DL, 571c HD DL, 561c DL



Fishfinder Switch
US3



Transducer Switch
TS3



Speed Sensor
SW*



Speed/Temp. Sensor
TS-W*



Paddle Wheel Repair Kit
540158-1



Temperature Sensor
TC-W*

Description	Connect two fishfinders to one transducer. Ideal for directing output from one transducer to a bow station or a second helm.	Connect two transducers to one fishfinder. Ideal for switching between the standard transducer and accessory transducer such as WideSide™.	Provides digital readings of speed through water. Activates the triplog feature that shows time, distance and average speed. Readings are from 2 to 70 mph. 20 ft cable and hardware included.	Combines two of the most popular accessory inputs into one compact transom mount unit. Monitors temperature from 25°F to 99°F and speed from 2 to 70 mph. 20 ft cable and hardware included.	Repair kit for TS-W and SW. Includes wheel and axle clip.	Accurately monitor temperature of water surface or live well.
Models	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax	Series: 1100, 900, 800, 700 HD*, 700, 500, 300, Matrix & PiranhaMax

May require purchase of adaptor cable for use with SW, TS W or TG-W

Unit Mounts & Hardware		Description	Mount Systems	In-Dash Mounting Kit	RAM® Windshield	RAM® ATV	Dual Beam Trolling Motor Station Kit	Mounting Knobs	Cable Management Hardware
Image	Part Number								
	GM-3	Use for a second mounting location on your boat or as a great replacement for a worn original.	Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	GM-2		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	700 Series		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	700 HD Series		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	All Matrix (except 97)		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	Matrix 97		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	300 Series		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	PiranhaMAX (96ci, 195ci, 176ci, 175ci)		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	Piranha & PiranhaMAX (153, 143 and legacy)		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	ICE 35, 45, 55		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.
	110, 120, 130 and 140ci Fishin Buddy		Mount Systems	Rugged in-dash mounting kits let you panel mount your Humminbird® for a fully integrated appearance. Includes all mounting hardware.	RAM® 1100	RAM 900	This kit includes trolling motor transducer XTM 9-20-T, quick disconnect mounting system and a power cable.	Quick Disconnect Mount	Used for gimbal bracket units.

Features and specifications subject to change without notice.

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance





Controls/ Steering

Motor Access.

Camping

Cutlery

Humminbird Accessories

Trolling Motors			AGM Battery Kit		
Audio/ Instruments			AGM Battery		
Depth Finders/GPS			Trolling Motor Choke		
Vests/ Cushions			Float Tube Strap		
Water Sports			Portable Case Conversion Kit		
Safety/ Optics			Carrying Cases		
Boat Access.			Unit Cover		
Mooring/ Docking			Mount Cover		
Hardware					
Lighting					
Boat Seats					
Boat Covers					
Fuel					
Trailers/ ATV Access.					
Pumps					
Electrical					
Maintenance					
Controls/ Steering					
Motor Access.					
Camping					
Cutlery					
Covers, Cases & Other Accessories					
Description					
1100 Series [*]	MC-W		UC-6 (hard cover)	-	-
900 & 800 Series [*]	MC-W		UC-5 (hard cover)	-	-
700 & 500 Series	MC-W		UC-3 (hard cover)	PTC U or PTC U NB	-
700 HD Series	MC-W		UC-3 (hard cover)	PTC U or PTC U NB	-
All Matrix (except 97)	MC-W		UC-M (neoprene)	PTC U or PTC U NB	-
Matrix 97	-		-	-	-
300 Series	MC-W		UC-4A (hard cover)	CC ICE	PTC U or PTC U NB
Piranha & PiranhaMAX	-		UC-7 (neoprene)	-	PTC U or PTC U or PTC U NB
ICE 35, 45, 55	-		-	CC ICE	PTC U or PTC U NB
110, 120, 130 and 140c Fishin Buddy	-		UC-7 (neoprene)	BCC 1	BFT 1

* Only for units with MMC/SD [Card Readers]

Features and specifications subject to change without notice

HUMMINBIRD ACCESSORY CHART CROSS REFERENCE

In Dash Depth Finder Series

5026202 407860-1 HDR 650

Transducers

Transom Mount Transducers

5001115 710002-1 SHS 7W
5001167 710043-1 XT WS
5025110 710199-1 XNT 9 QB 90 T
5025111 710212-1 XNT 9 QB 90
5025112 710198-1 XNT 9 20 T
5025113 710214-1 XNT 9 20
5026873 710187-1 XHS 9 SI 160 T
5025115 710201-1 XHS 9 HDSI 180 T
5025116 710200-1 XNT 9 SI 180 T
5026284 710226-1 XNT 9 DI T

In-Hull Transducers

5025117 710202-1 XP 9 QB 90 T
5023001 710164-1 XP 9 20
5023005 710147-1 XP 9 20 T
5026285 710225-1 XIH 9 DI T
Angled Puck Transducers
5026872 710165-1 XAP 9 20
Trolling Motor Transducer
5022742 710160-1 XTM 9 20 T
5001077 710011-1 XTM WS
5025118 710203-1 XTM 9 QB 90 T
5025119 710205-1 XTM 9 HDSI 180 T
5025120 710204-1 XTM 9 SI 180 T
5026877 710234-1 XTM 9 DI 25 T
5026878 710235-1 XTM 9 WIDE DI 20 T

Portable Transducer

710161-1 XPT 9 20 T
5026880 710208-1 XPT 9 QB 90 T

Bronze Thru Hull Transducers

5026881 710005-1 STH 7W
5025121 710207-1 XBTH 9 QB 90 T
5023003 710166-1 XTH 9 20
5024691 710191-1 XTH 9 DB 35 KW T

Bronze Thru Hull 3 in 1 Transducers

5025122 710206-1 XTD 9 QB 90

Plastic Thru Hull Transducers

5025123 710209-1 XPTH 9 QB 90 T
5025355 710167-1 XTH 9 20 P
5026882 710181-1 XFM 9 20
5025124 710210-1 XPTH 9 HDSI 180 T

Stick-On Transducer

5025163 710196-1 XSO 9 20 T

Ice Transducers

5026883 710211-1 XI 9 20
5026884 710215-1 XI 9 19

Trolling Motor Filter for Side Imaging

5025704 790050-1 TMC 1

Second Station Transducer Station

5026885 700039-1 DBK2

Transducer Mounting Hardware

Trolling Motor Adapters

5001211 740006-3 AD STM 7
5025126 740087-1 AD XTM 9

Transom Mounting Hardware

5001298 740011-1 MHX HS
5025127 740093-1 MHX XNT
5025128 740091-1 MHX XNTF

Order # Mfg. # Model

Kayak Transducer Mounting Kit

5025703 740103-1 MHX XMK
5026932 740125-1 MHX XMK DI

Portable Mounting Hardware

5027157 740011-2 MHX PT
5026886 740090-1 MHX XNPT

Unit Mounting Systems

Quick Disconnect Mounts

5022996 740077-1 MS M
5027158 740119-1 MS 700E

In-Dash Mount

5025705 740110-1 IDMK PM
5024023 740080-1 IDMK M
5025132 740084-1 IDMK700
5026224 740121-1 IDMK700E
5025133 740086-1 IDMK300
5025432 740094-1 IDMK900
5025431 740098-1 IDMK 1100

Gimbal Mount & Unit Mounting Knobs

5025706 740106-1 MS PM
5024239 740083-1 GM 2
5024240 740082-1 MKH 2
740065-1 GM 1
740075-1 MKH L
5025429 740099-1 GM 3
5025430 740100-1 MKH 3
5025707 740101-1 MKH 4

RAM Mount

5026216 740116-1 RM-ATV
5026217 740117-1 RM-Auto

Sensors

Speed/Temp Sensors

730001-1 TS WFM
5001081 730000-1 TS W

Temperature Sensor

5001080 730010-1 TG W

Speed Sensors

5024241 730021-1 SW

Cables

Transducer Extension Cables

5001079 720003-1 EC W10

5001180 720003-2 EC W30

Temp/Speed Extension Cable

5001179 720004-1 EC TS10

Power Cables

5001023 720002-1 PC 10

5025438 720057-1 PC 11

Transducer Adapter Cables

760017-1 AD 629

5025129 760020-1 AD 926

5025433 720055-1 AS SIDB Y

5025434 720056-1 AS SILR Y

Video Cable

5025435 720054-1 VC 1

Ethernet Cables

5026218 720073-1 AS EC 2E

5026219 720073-2 AS EC 10E

5026874 720073-5 AS EC 15E

5026220 720073-3 AS EC 20E

5026221 720073-4 AS EC 30E

5026222 720074-1 AS EC QDE

760025-1 AS ECX 30E

Order # Mfg. # Model

Switches

Transducer Switch

5026213 720069-1 TS3

Fishfinder Switch

5026214 720070-1 US3

Advanced Fishing System Modules & Cables

Order # Mfg. # Model

Advanced Fishing System Modules & Cables

5025130 406820-1 AS INTERLINK

5023106 405130-1 AS BP

5025985 407480-1 AS GR50

5023107 700035-1 AS PC2

5026871 700051-1 AS PC3

5023108 700030-1 AS HHGPS

5023109 720051-1 AS YC

5023111 720050-1 AS EC10

700037-1 AS CR

5025336 720052-1 AS SYSLINK

5026215 720071-1 AS SW Y

5026876 720076-1 AS DPS Y

5026875 720075-1 AS T Y

5026870 408390-1 AS ETH NMEA2K

5026869 408200-1 AS ETH 5PS

5027164 408450-1 AS ETH 5PXG

5026930 408550-1 AS 12RD2KW

5026931 408560-1 AS 21RD4KW

Humminbird Fishfinder Accessories

Unit Covers

5022995 780007-1 UC M

5025983 780010-1 UC 3

780018-1 UC 4A

5025436 780012-1 UC5

5025437 780014-1 UC6

5025708 780016-1 UC7

Portable Configurations

405480-1 PTC P

740072-1 MS PPM

406900-1 PTC U

406900-1NB

PTC UNB

770027-1 GCB

770028-1 GCBK

Fishin' Buddy Accessories

5025409 740097-1 BRH 1

5025410 780013-1 BCC 1

5025411 740095-1 BMB 1

5025412 740096-1 BFT 1

Options

740036-1 MC W

740078-1 MBCC M

5026223 740120-1 MBCC 700E

5026887 740129-1 MBCC 900

5026888 740130-1 MBCC 1100

Humminbird Flasher Accessories

5026889 760021-1 AD ICE 1

780015-1 CC ICE

5026890 740105-1 MHX ICE

Trolling

Motors

Audio/

Instruments

Depth

Finders/GPS

Vests/

Cushions

Water

Sports

Safety/

Optics

Boat

Access.

Mooring/

Docking

Hardware

Lighting

Boat Seats

Fuel

Trailers/

ATV Access.

Pumps

Electrical

Maintenance

Controls/

Steering

Motor

Access.

Camping

Cutlery

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

**HUMMINBIRD®
TRANSDUCERS & ACCESSORIES**

Order #	Mfg. #	Type	Sugg.Ret.
TRANSOM MOUNT TRANSDUCERS			
5001115	710002-1	SHS-7W Six Beam, 53°, 455kHz, 3D Sonar	\$129.99
5025111	710212-1	XNT-9-QB-90 Single/Dual Beam, 20°/60°, 200/83kHz, Temp.	109.99
5025116	710200-1	XNT-9-SI-180-T Compact Side Imaging, Dual Beam PLUS, 20°/60°/180°, 200/83/455kHz	199.99
5001298	740011-1	MHX HS - Transom Mt. Hardware	19.99
5026284	710226-1	XNT 9 DI T Single/Down Imaging, 200kHz+455/800kHz, Temp	154.99
5025110	710199-1	XNT 9 QB 90 T - Transom Mt. Transducer (w/20' cable & hardware)	119.99
5025113	710214-1	XNT 9 20 - Transom Mt. Transducer. Single/Dual Beam, 20/60 Degree, 200/83 kHz, 20' cable. More secure, especially at high force of waves. Improved running angle and optional lock down screw to override the kick up	69.99
5025115	710201-1	XHS 9 HDSI 180 T - Transom Mt. Transducer. Dual/HD Side Imaging Transom, 20/60/86/55 Degree, 200/83/455/800 kHz with built in temperature. 20' cable.	269.99
IN-HULL MOUNT TRANSDUCERS			
5026285	710225-1	XIH 9 DI T Dual/Down Imaging, 16°,25°,45°,75°/455,200,800,455kHz, Temp.	159.99
PLASTIC THRU-HULL TRANSDUCERS			
5026882	710181-1	XFM 9 20 - Dual Beam, 20/60 Degree, 200/83kHz, Flush Mount Bottom: 3.0" diameter Depth: 0.200", Shaft: 2.0" diameter	119.99
5025124	710210-1	XPTH 9 HDSI 180 T - Dual hi-Def Side Imaging, 20/60/86/55-degree, 200/83/455/800 kHz w/built-in temp. 30 ft. cable. Dimensions: 5.95" Lx3" W. Shaft: 1.0" diameter. Fairing block included. For use with: 1197c SI Combo, 1198c SI Combo, 998c SI, 997c SI Combo, 898c SI Combo, 797c2 SI Combo, 798c SI Combo	279.99
5025123	710209-1	XPTH 9 QB 90 T - Plastic Thru-Hull Transducer. Quadra Beam, 20/60/90 Degree, 200/83/455 kHz with built in temperature. 30' cable. Transducer Dimensions: 3.9" Lx2.5" Wx1.2" D. Shaft diameter: 1.0". Fairing block included.	159.99
5025124	710210-1	XPTH 9 HDSI 180 T - Plastic Thru-Hull Transducer. Dual/HD Side Imaging, 20/60/86/55 Degree, 200/83/455/800 kHz with built in temperature. 30' cable. Transducer dimensions: 5.95" Lx3" W. Shaft diameter: 1.0". Fairing block included.	279.99
BRONZE THRU-HULL TRANSDUCERS			
5025121	710207-1	XBTH 9 QB 90 T	299.99
TROLLING MOTOR TRANSDUCER			
5025120	710204-1	XTM 9 SI 180 T - Troll. Mtr. Trans.	199.99
5026877	710234-1	XTM 9 DI 25 T - Down Imaging, Dual Beam, 200/455	149.99
5026878	710235-1	XTM 9 WIDE DI 20 T - Down Imaging, Dual Beam, 200/455	149.99
5025118	710203-1	XTM 9 QB 90 T - Trolling Motor Mount Transducer. Quadra Beam transducer, 200/83/455 kHz. 20/60/90/ degrees with built-in temperature. 15' cable. Includes a hose clamp for securing to the trolling motor.	119.99
5025119	710205-1	XTM 9 HDSI 180 T - Trolling Mtr. Transducer. Dual/HD Side Imaging Transom 20/60/180 Degree, 200/83/455/800 kHz with built in temperature. 15' cable.	269.99
TRANSDUCER - ICE			
5026883	710211-1	XI 9 20 - Single/Dual Beam, 20/60 Degree, 200/83kHz	94.99
OPTIONAL WIDE SIDE			
5001077	710011-1	XTM-WS Trolling Motor - All Wide 2D Units	94.99
PUCK TRANSDUCERS			
5023005	710147-1	XP-9-20-T Single/Dual Beam, 20°/60°, 200/83kHz, Temp Pigtail	89.99
ANGLED PUCK TRANSDUCERS			
5026872	710165-1	XAP 9 20 - Single/Dual Beam, 20/60 Degree, 200/83kHz Compatible Units: All PMAX (except 240); All 100 & 300 Series; Matrix 10, 12, 15, 17, 20, 27, 67, 77, 87, 97, 515, 525, 535, 550, 560, 565, 570, 580, 581, 585, 586, 587, 595, 596, 597; All 700, 800, 900 & 1100 Series (except 3D models)	69.99
ADAPTERS			
5001211	740006-3	AD STM7 Trolling Motor - DIM 3	24.99
5025126	740087-1	AD-XTM-9 Trolling Motor	24.99
5026870	408390-1	AS ETH NMEA2K - NMEA2000 Black Box Ethernet Connection - Distributes system info via Ethernet to multiple Humminbird sonar models	199.99
CABLES-ETHERNET			
5026218	720073-1	AS EC 2E 2ft. Ethernet Cable	44.99
5026219	720073-2	AS EC 10E 10ft. Ethernet Cable	54.99
5026874	720073-5	AS EC 15E 15ft. Ethernet Cable	59.99
5026220	720073-3	AS EC 20E 20ft. Ethernet Cable	64.99
5026221	720073-4	AS EC 30E 30ft. Ethernet Cable	74.99
5027163	760025-1	AS ECX 30E - 30' Ethernet Ext. Cable	74.99
CABLES-ADAPTER			
5025129	760020-1	AD-926 Converts 7 Pin on Transducer to 2 Pin on Unit	29.99

continued next page

Humminbird Accessory Chart Cross Reference

97

HUMMINBIRD® TRANSDUCERS & ACCESSORIES

			continued from previous
Order #	Mfg. #	Type	Sugg.Ret.
CABLES-ADAPTER			
5025433	720055-1	AS SIDB Y Splitter Cable - Side Imaging & Dual Beam	\$29.99
5025434	720056-1	AS SILR Y Splitter cable - Side Imaging into Left & Right Beams	44.99
5026875	720075-1	AS T Y 1 - Y-Cable to enable temperature on 700 Series Ethernet models	39.99
5026876	720076-1	AS DPS Y - Y-Cable allows Linux 1100 Series units to have Dual Serial Ports from one available serial port tower on back of unit.	34.99
5026889	760021-1	AD ICE 1 - 12V Cigarette Lighter Adapter Cable. Compatible Units: ICE 35 , 45, & 55.	19.99
CABLES-EXTENSION - TRANSDUCER			
5001179	720004-1	EC TS10 10' Cable For Temp/Speed All Wide Units	49.99
5023111	720050-1	AS EC10 10' Accessory System Extension Cable	34.99
5026222	720074-1	AS EC QDE Adds extra length to standard transducer cable (Compatible with ALL ethernet capable models)	29.99
5025433	720055-1	AS SIDB Y Splitter Cable - Side Imaging & Dual Beam. Allows you to use two transducers on one unit without the use of a transducer switch. For use with Side Imaging products only, in conjunction with a dual beam transducer only. For improved high speed performance	29.99
CABLES-VIDEO			
5025435	720054-1	VC 1 Video Cable - 1100 Series	29.99
CABLES-POWER			
5025438	720057-1	PC 11 - 6' Power Cable	19.99
CONNECTION KITS			
5023107	700035-1	AS PC2 PC Connection Cable	29.99
5026871	700051-1	AS PC3 - USB cable, Power Cable & Instructions Included	59.99
5023108	700030-1	AS HHGPS Fishing System Bare Wire GPS/NMEA Connection Cable	34.99
5025336	720052-1 EACH	SystemLink- Connects (2) Units to (1) GPS Receiver	39.99
FILTER			
5025704	790050-1	TMC 1 For Trolling Motor - For use w/Side Imaging Units (Choke Filter)	64.99
HARDWARE			
5026887	740129-1	MBCC 900 - Cable Management Hardware - Replacement hardware for managing your power, transducer & other accessory cables through the mounting system. For 900 & 800 Series.	24.99
5026888	740130-1	MBCC 1100 - Cable Management Hardware - Replacement hardware for managing your power, transducer & other accessory cables through the mounting system. For 1100 Series.	24.99
5025703	740103-1	MHX XMK - Allows Flush Mounting in Bottom of Kayak	49.99
5026932	740125-1	MHX XMK-DI - Down Image Transducer Mount Kit for Canoe/Kayak Designed for use w/the XNT 9 DI T transducer	49.99
5025128	740091-1	MHX-XNTF - Transom Mount Hardware	19.99
5027157	740011-2	MHX PT - Portable Transducer Mounting Hardware. For models: 967C 3D, 947c 3D, Matrix 47 3D	24.99
MOUNTING KITS			
5025431	740098-1	IDMK 1100 - In-Dash Mount Kit	39.99
5025432	740094-1	IDMK 900 - In-Dash Mount Kit	29.99
5026224	740121-1	IDMK700E 700 Series In-Dash Mounting Kit - Ethernet Models	39.99
5026885	700039-1	DBK2 - 2nd Station Kit includes: XTM 9 20 T (Single/Dual Beam, 20/60 Degree, 200/83kHz, Temp) MS M (Quick Disconnect Mounting System) PC 10 (Power Cable) Compatible Units: All 300 (includfding ICE), 500, & 700 Series (except HD Series)	104.99
5026886	740090-1	MHX XNPT - Mounting Hardware for Portable XNT Transducer	24.99
5026890	740105-1	Compatible Units: XNT 9 20, XTN 9 20 T, XNT 9 QB 90 T, XNT 9 QB 90, XNT 9 SI 180 T MHX ICE - Mounting Hardware for Transducer & Unit. Compatible Units: ICE 35 , 45, & 55.	34.99
MOUNTING KNOBS & LOCKS			
5024240	740082-1	MKH 2 - Mounting Knobs For 900 Series	16.99
5025430	740100-1	MKH 3 Mounting Knobs for 1100 Series	24.99
5025707	740101-1	MKH 4 - Mounting Knobs For Piranhamax™ 230 Portable	17.99
MOUNTS - GIMBAL			
5024239	740083-1	GM 2 - Gimbal Mount	39.99
5025429	740099-1	GM 3 - Gimbal Mount	59.99
NMEA2000 ADAPTERS			
5026870	408390-1	AS ETH NMEA2K - NMEA2000 Black Box Ethernet Connection - Distributes system info via Ethernet to multiple Humminbird sonar models	199.99
QUICK DISCONNECT MOUNTING SYSTEMS			
5027158	740119-1	MS-700E - 700 Series Ethernet models. Use for a second mounting location on your boat or as a great replacement for a worn original	34.99
5022996	740077-1	MS M - Quick Disconnect Mounting System. Tilts and swivels.	34.99
5025706	740106-1	MS PM - Tilt & Swivel Mt. System	29.99
SWITCH - ETHERNET			
5027164	408450-1	AS ETH 5XP - 5-Port Ehternet Switch. For Models: 1198c SI, 1197c SI, 998c SI, 958c, 958c DI, 898c SI, 858c, 858c DI, 798ci HD SI, 788ci HD, 788ci HD DI, 778c HD	269.99
SWITCH - TRANSDUCER			
5026213	720069-1	TS3-W Connects 2 transducers to 1 fishfinder (Compatible Series: 1100, 900, 800, 700, 500, 300Matrix, PiranhaMax)	89.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

continued next page

continued from previous

Trolling
Motors

HUMMINBIRD® TRANSDUCERS & ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
SWITCH - FISHFINDER			
5026214	720070-1	US3-W Connects 2 fishfinders to 1 transducer (Compatible Series: 1100, 900, 800, 700, 500, 300Matrix, PiranhaMax)	\$89.99
UNIT COVERS			
5025436	780012-1	UC-5 - Hard Cover	24.99
5025437	780014-1	UC 6 - Unit Cover	34.99
5025708	780016-1	UC 7 - Unit Cover	19.99

Vests/
Cushions

LOWRANCE®

Seize the Day

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting



LOWRANCENET™

NMEA 2000 NETWORKING SYSTEM

• **ABOUT NMEA 2000® :** World standard in marine electronics data protocol, established by the National Marine Electronics Association, for networking multiple instruments on a boat • Compatible device (sensor, sonar, GPS, multi-function gauge) regardless of brand, will share & display user-selectable data w/any or all other display instruments installed in NMEA 2000® network LowranceNet™ offers: owners of small to large boats a series of affordable & easy-to-install intelligent sensors (Electronic Probes-EPs) to monitor an array of vital engine & boating functions

LOWRANCE®

LOWRANCENET™

• Backbone cable is the data communications "pipeline" that runs the length of the boat, & capped at each end w/120 Ohm Terminator • Available in a variety of lengths up to 25', the backbone is interspersed w/T-Connectors for linking to (and data sharing between) all sensors & display devices • LowranceNet™ Power Cable connects to boat's 12-V supply to power devices like the EP-35 Temp Sensor, EP-10 Fuel Flow Sensor, LGC-2--- GPS Module, as well as display devices like a Lowrance® Multi-Function Gauge

Order #	Mfg. #	Model	Description	Sugg. Ret.
POWER CABLE				
5025217	119-75	NK2-PWR-RD	For use w/Red NMEA network	\$49.99
NMEA NETWORK ADAPTER CABLE				
5025221	127-05	NAC-FRD2FBL	Adapts male Red connector to male Blue connector	39.99
NMEA2000 4-WAY JOINER				
5027497	000-10996-001	N2K 4-WAY T	Connect 4 NMEA2000 Micro-C Devices to the NMEA2000 Network	51.99
ENGINE INTERFACE CABLE - RED NETWORK				
5025193	120-62	EVINRUDE	Between an Evinrude engine and NMEA network to display engine data.	79.99
5025194	120-37	YAMAHA	Between a Yamaha engine and NMEA network to display engine data.	89.99
EXTENSION CABLE				
5025215	119-83	N2KEXT-25RD	25' cable for use w/LGC-3000 and Red NMEA network	69.99
5025214	119-86	N2KEXT-15RD	15' cable for use w/LGC-2000 and Red NMEA network	49.99
5026267	000-00127-53	N2KEXT-6RD	6' NMEA 2000® cable for network extension or connection to additional network device	39.99
Pumps				
5025216	119-88	N2KEXT-2RD	2' cable for use w/LGC-3000 and Red NMEA network	26.99
5025534	127-29	ETHEXT-15YL	15' Ethernet extension cable	49.99
5025535	127-30	ETHEXT-24YL	24' Ethernet extension cable	69.99
5025537	127-37	ETHEXT-50YL	50' Ethernet extension cable	99.99
Electrical				
5026266	000-00127-52	TR-120-KIT	Set of 1 Male & 1 Female 120 ohm NMEA 2000 Terminators	19.99
FUEL PROBES				
5025205	120-39	EP-60R Fuel Flow	Flow probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	199.99
5025206	120-41	EP-65R Fuel Level	Level probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
SPEED PROBES				
5025207	120-49	EP-70R Speed Sensor	Speed sensor electronic probe. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
TEMPERATURE SENSOR ELECTRONIC PROBES				
5025208	120-51	EP-80R Temp. Sensor	Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
5025209	120-53	EP-80R TH Temp. Sen.	Thru-hull. Includes N2K-T-RD(119-79) and 10' cable. Red network	99.99
WATER PRESSURE SENSOR				
5026257	000-00120-29	EP-90R (NMEA 2000)	Water Pressure Sensor w/10ft. Cable. Includes N2K-T-RD (119-79).	99.99
T-CONNECTOR				
5025218	119-79	N2K-T-RD	T-connector. For use w/Red NMEA network	19.99
NMEA STARTER KIT				
5025915	124-69		Network starter kit. Includes (2) terminating resistors (TR-120M-RD, TR-120F-RD), (2) T-connectors (N2K-T-RD0), (1) 2' extension cable (N2KEXT-2RD), (1) 15' extension cable (N2KEXT-15RD) & a power node (N2K-PWR-RD). For use with all Red network devices.	69.99

Camping

Cutlery



Seize the Day

**LOWRANCE®
LMF-200 MULTIFUNCTION
IN-DASH GAUGE**

•Provides precision & versatility in real-time delivery of vessel & engine data •User custom screens of up to 4 different data readings in analog graphics or alpha/numeric •13 customizable screen types, up to 16 page views in static, manual & timer screen rotation •Displays imperial or metric fuel economy readings using EP-60R Fuel Flow Sensor & speed sensor: EP70R Speed, EP90R Pressure or speed over ground from GPS •1.4" 65x65 pixel Film SuperTwist 4-level grayscale display, superb viewing in direct sunlight •Advanced white LED screen backlighting •Sealed & waterproof to IPX-7 •Fits standard 2-1/8" diameter hole

Order #	Mfg. #	Sugg. Ret.
5026837	000-0049-551	\$169.99


**LOWRANCE®
SONARHUB**

•High performance sonar module including both StructureScan HD plus CHIRP sonar •Identical performance as current StructureScan HD •CHIRP w/Airmar TM 150 & B150 transducers for optimal sonar performance •Broadband dual frequency - single frequency sonar (83, 50, 200kHz) & DownScan Imaging also works with HDI transducers or use any of the existing 50/200kHz & 83/200kHz Lowrance/Simrad/Airmar 7 pin blue transducers for excellent single frequency performance •CHIRP Sonar: Improved target resolution •Improved noise rejection •Wide angular transducer coverage allows for perfect fish arch detection •StructureScan HD: Only scanning system w/ dedicated DownScan Imaging components to provide a crystal clear image beneath your boat •Best in class range & resolution Side Scan Imaging •View DownScan Imaging, Side Scan Imaging plus a single frequency 50, 83 or 200kHz all at one time w/single SonarHub •While using CHIRP sonar - Side Scan & DownScan will not be available and this view is possible w/any StructureScan HD transducer plus a TM 150 or any 83/200kHz transducer •To view CHIRP & StructureScan HD displayed at the same time either two SonarHubs are needed or the display or another module must be connected directly to a StructureScan HD •3 Ethernet ports for convenient networking



Order #	Mfg. #	Model	Sugg. Ret.
5103555	000-11142-001	SonarHub Module Only	\$599.99
5103554	000-11141-001	SonarHub w/LSS HD Transom Transducer	799.99
5103557	000-11300-001	SonarHub w/TM 150	799.99
5103558	000-11301-001	SonarHub w/TM 150 & LSS HD Transducer	999.99
5103559	000-11304-001	SonarHub w/SpotlightScan Transducer	999.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
TRANSDUCERS			
5103556	000-11303-001	Spotlight Scan Transducer	\$499.99

**LOWRANCE®
STRUCTURESCAN® HD
SONAR IMAGING**

•For HDS® Gen2 and HDS® multifunction displays •Improved transducer design & module enhancements •Delivers the widest sonar imaging range to reveal targets at farther distances than ever before, with extended side-to-side coverage of 600 ft./183 m •Delivers the highest level of definition •In depths to 50 ft./15 m, it sees twice as far as before with the greatest imaging resolution possible of structure, fish, thermoclines & more •With HDS® Gen2 multifunction displays, anglers & boaters can easily overlay StructureScan® HD images on traditional charting for real-time views of all underwater structure and their precise location on the map •Plus, you can create and save StructureMap™ charts of scanned areas for a complete & detailed underwater view all around the boat •Networkable with up to 3 HDS multifunction displays or high-speed ethernet sensors •Rugged, low-drag Skimmer® imaging transducer with kick-up bracket for transom mounting, or direct flush-mount to transom step bottom or under the engine jackplate



Order #	Mfg. #	Model	Sugg. Ret.
5027007	000-10800-001	LSS-2 System	\$599.99
5027008	000-10801-001	LSS-2 Module Only	529.99
5027009	000-10802-001	LSS-2 Transducer Only	299.99
5027208	000-11029-001	LSS-2 Plastic Thru Hull Trans.	499.99
5027495	000-10946-001	LSS-2 Bronze Thru Hull Trans. (Single)	799.99
5027496	000-10947-001	LSS-2 Bronze Thru Hull Trans. (Pair)	1,299.99

ACCESSORIES	
5027312	000-0127-54
5026067	99-006
5027209	000-11040-001

LOWRANCE® HDS GEN2 TOUCH

•Powerful touchscreen w/redesigned menus & 5 push-button controls simplify operation without sacrificing features •Dedicated StructureScan HD signals for left-, right- and down-looking images, plus award-winning Broadband Sounder •Real-time StructureMap™ capability allows you to overlay StructureScan™ Sonar Imaging data onto your favorite chart for a life-like underwater view w/greater perspective of your boat's position to nearby structure •Overlay DownScan Imaging™ onto your BroadBand Sounder view for the ultimate fish-and-structure-finding display •A super-accurate, internal GPS receiver comes standard on all HDS Gen2 Touch models, plus built-in Insight USA™ high-definition mapping w/contour shading •3D perspective view is also available w/both Insight USA maps & optional Navionics charts, plus a dual-view option allows you to simultaneously use 2 maps at once •Create high-definition contours, bottom hardness, & more from personalized sonar log recordings on a powerful, Lowrance web-based map creation tool •Standard on all HDS® Gen2 Touch models, network & share data across all HDS displays for the ultimate flexibility & cost-savings •NMEA 2000®, NMEA 0183 and Ethernet-compatible with up to two Ethernet ports •Compatible with Broadband 4G™ and 3G™ Radar, LWX-1 SIRIUS® satellite radio and weather receiver, LGC-4000 external GPS antenna, SonicHub™ marine audio server, AIS collision-avoidance system, engine interface cables, plus video camera inputs on 9" & 12" models •Up to 2 waterproof SD card slots to load Insight™ HD, Navionics® map options, Fishing HotSpots PRO®, backup waypoints, routes, trails & settings, and create personalized Insight Genesis™ maps and StructureMap™ from recorded sonar log recordings •Go-Free WiFi-1 module compatible via Ethernet, when combined with a GoFree Wireless app provides remote viewing and control of HDS Gen2 Touch on the iPhone, iPad & Android devices •Supported by Lowrance Advantage Service program and 2-year warranty

continued next page

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

100 Depth Finders, Fish Finders, GPS Navigation & Radar

continued from previous page

LOWRANCE®

Seize the Day



**LOWRANCE®
HDS-7 GEN2 TOUCH
FISHFINDER/CHARTPLOTTER**

- High definition 7" widescreen color display w/touchscreen functionality for fast & easy operation
- Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight & wider angle viewing
- Single Ethernet port & full size SD card slot
- **000-10761-001:** HDS-7M Gen2 Touch w/Insight USA™
- **000-10764-001:** HDS-7 Gen2 Touch w/Insight USA™, no transducer
- **000-10765-001:** HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz
- **000-10766-001:** HDS-7 Gen2 Touch w/Insight USA™ 50/200 kHz
- **000-10778-001:** HDS-7 Gen2 Touch w/Insight USA™ 83/200 kHz & SS transducer

CHARTPLOTTER ONLY

Order #	Mfg. #	Type	Sugg. Ret.
5027179	000-10764-001		\$1,579.99
5027180	000-10765-001		1,599.99
5027181	000-10766-001		1,699.99
5027189	000-10778-001		1,799.99
5027178	000-10761-001		1,299.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	\$29.99
5027313	000-11050-001	Flush Mount Kit	14.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

TRANSDUCERS

Order #	Mfg. #	Type	Sugg. Ret.
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	94.99
5023159	106-89	Trolling Motor Mt. 20° Pod-Type w/Remote Temp. Sensor to fit Blue units	79.99

Order #	Mfg. #	Type	Sugg. Ret.
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99

CHARTPLOTTER ONLY

Order #	Mfg. #	Type	Sugg. Ret.
5027179	000-10764-001		\$1,579.99
5027180	000-10765-001		1,599.99
5027181	000-10766-001		1,699.99
5027189	000-10778-001		1,799.99
5027178	000-10761-001		1,299.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	\$29.99
5027313	000-11050-001	Flush Mount Kit	14.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

TRANSDUCERS

Order #	Mfg. #	Type	Sugg. Ret.
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	94.99
5023159	106-89	Trolling Motor Mt. 20° Pod-Type w/Remote Temp. Sensor to fit Blue units	79.99

Order #	Mfg. #	Type	Sugg. Ret.
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99

CHARTPLOTTER ONLY

Order #	Mfg. #	Type	Sugg. Ret.
5027179	000-10764-001		\$1,579.99
5027180	000-10765-001		1,599.99
5027181	000-10766-001		1,699.99
5027189	000-10778-001		1,799.99
5027178	000-10761-001		1,299.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	\$29.99
5027313	000-11050-001	Flush Mount Kit	14.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

TRANSDUCERS

Order #	Mfg. #	Type	Sugg. Ret.
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	94.99
5023159	106-89	Trolling Motor Mt. 20° Pod-Type w/Remote Temp. Sensor to fit Blue units	79.99

Order #	Mfg. #	Type	Sugg. Ret.
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99

CHARTPLOTTER ONLY

Order #	Mfg. #	Type	Sugg. Ret.
5027179	000-10764-001		\$1,579.99
5027180	000-10765-001		1,599.99
5027181	000-10766-001		1,699.99
5027189	000-10778-001		1,799.99
5027178	000-10761-001		1,299.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	\$29.99
5027313	000-11050-001	Flush Mount Kit	14.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

TRANSDUCERS

Order #	Mfg. #	Type	Sugg. Ret.
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024597	106-77	Transom Mt., DF Skimmer w/ Built-in Temp.	94.99
5023159	106-89	Trolling Motor Mt. 20° Pod-Type w/Remote Temp. Sensor to fit Blue units	79.99

Order #	Mfg. #	Type	Sugg. Ret.
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99

CHARTPLOTTER ONLY

Order #	Mfg. #	Type	Sugg. Ret.
5027179	000-10764-001		\$1,579.99
5027180	000-10765-001		1,599.99
5027181	000-10766-001		1,699.99
5027189	000-10778-001		1,799.99
5027178	000-10761-001		1,299.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027204	000-11019-001	Gimbal Bracket (HDS7 Touch)	\$29.99
5027313	000-11050-001	Flush Mount Kit	14.99
5027314	000-11115-001	Dash Mount Adapter	19.99
5027315	000-11033-001	Bezel & Card Door	26.99
5027316	000-11030-001	Sun Cover	19.99

TRANSDUCERS

Order #	Mfg. #	Type	Sugg. Ret.

</



Seize the Day

LOWRANCE® HDS GEN 2

- Fastest HDS® ever
- Lightning-fast chart updates
- Real-time StructureMap™ capability for overlaying StructureScan™ Sonar Imaging data and maps to create a more life-like underwater view (requires separate purchase of StructureScan™ Sonar Imaging Module)
- Award-winning Broadband Sounder™ – Standard on all HDS® fishfinder models
- Mark & display everything underwater at higher speeds and at greater depths to 3,000 ft.
- Super-accurate, internal GPS antenna – standard on all HDS® chartplotter models
- Reliable position accuracy in navigation with high-sensitivity GPS receiver with WAAS corrections
- Insight USA™ High-Definition Mapping – standard on most HDS® chartplotter models
- Dynamic contour relief shading produces a life-like presentation of underwater topography
- Advanced Memory – up to two waterproof SD card slots to load Nautic Insight™ HD or Navionics® map options
- You can also record and save vital sonar & navigation data, and upload future HDS software feature updates
- The StructureMap™ tool allows anglers to view & create detailed underwater images of their favorite fishing areas
- Overlay StructureScan™ sonar images on top of traditional charts to provide a unique view into underwater structure & its location on the map
- Use StructureMap™ in live mode or scan an area to create a detailed map for on or off the water viewing
- Compatible w/Lowrance® Enhanced Basemap, pre-loaded Insight cartography & Insight HD, plus Navionics® & other third party mapping options
- StructureScan™ Sonar Imaging required to create chart-overlay images
- Full chart capabilities - Scrollback on sonar or chart screen & mark waypoints w/out losing valuable sonar information.

LOWRANCE® HDS-5 GEN 2 FISHFINDER/GPS CHARTPLOTTER



- Brilliant 5" SolarMAX™ PLUS display for excellent viewing in bright sunlight
- Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing
- Built-in, exclusive Lake Insight™ or Nautic Insight™ mapping model choices
- StructureScan™ Sonar Imaging required to generate StructureMap™ images
- 000-10515-001: HDS-5 Gen 2 83/200 kHz with Lake Insight™ coverage for continental US inland waters
- 000-10519-001: HDS-5 Gen 2 50/200kHz transducer, Nautic Insight™ coverage for all coastal Nauticpath USA content, including new contour data for the western seaboard & northern Bahamas
- 000-10520-001: HDS-5m Gen 2 GPS CHARTPLOTTER ONLY
- 000-10868-001: HDS-5 Gen 2 Lake Insight™ 83/200 kHz w/LSS-2 System

Order #	Mfg. #	Sugg. Ret.
5026935	000-10515-001	\$649.99
5026939	000-10519-001	749.99
5027010	000-10868-001	1,149.99
5026940	000-10520-001	549.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026841	000-0124-61	Protective Cover	\$25.99
5025917	124-57	Gimbal Bracket	28.99
5001237	51-83	Gimbal Bracket Swivel Adapter	19.99
5025916	124-65	Flush Mounting Kit	15.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches	
5026838	000-0051-45	2 Transducers to 1 SONAR Unit	149.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

Order #	Mfg. #	Type	Sugg. Ret.
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low-Profile Skimmer® Transducer	14.99
5027490	000-11061-001	Portable Cover (Blue)	99.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99



LOWRANCE® HDS-5x GEN 2 FISHFINDER

- Big color definition in a space-saving size, with an exclusive high-resolution 5" color SolarMAX™ PLUS display with adjustable screen and keypad backlighting
- Plug-and-play compatible with Lowrance® Ethernet and NMEA 2000® networks
- Expandable for picture-like viewing with optional StructureScan™ Sonar Imaging
- 000-10526-001: HDS-5x Gen 2 w/83/200 kHz transducer
- 000-10527-001: HDS-5x Gen 2 w/o transducer

Order #	Mfg. #	Sugg. Ret.
5026942	000-10526-001	\$549.99
5026943	000-10527-001	499.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026841	000-0124-61	Protective Cover	\$25.99
5025917	124-57	Gimbal Bracket	28.99
5001237	51-83	Gimbal Bracket Swivel Adapter	19.99
5025916	124-65	Flush Mounting Kit	15.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches	
5026838	000-0051-45	2 Transducers to 1 SONAR Unit	149.99
5027490	000-11061-001	Portable Cover (Blue)	99.99
TRANSDUCERS			
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



LOWRANCE®

Seize the Day

**LOWRANCE®
HDS-7 GEN 2
FISHFINDER/GPS
CHARTPLOTTER**

- Brilliant SolarMAX™ PLUS display for excellent viewing in bright sunlight
- Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing
- Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices
- **000-10531-001:** HDS-7 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps
- **000-10530-001:** HDS-7 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- **000-10529-001:** HDS-7, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- **000-10869-001:** HDS-7 Gen 2 Insight™ USA 83/200 kHz w/LSS-2 System

Order #	Mfg. #	Sugg. Ret.
5026947	000-10531-001	\$979.99
5026946	000-10530-001	999.99
5026945	000-10529-001	1,069.99
5027011	000-10869-001	1,499.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026842	000-0124-62	Protective Cover	\$29.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low- Profile Skimmer® Transducer	14.99

Part Number	Item Description	Unit Price
5026843	Protective Cover	29.99
5025916	Flush Mounting Kit	15.99
5026084	Gimbal Bracket	33.99
5025914	Power/Data Cable	29.99
5026157	6' Ethernet Cable	29.99
5024106	Speed/Temp. Probe	79.99

5024100	99-97	Speed/ Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 2 Transducers to 1 SONAR Unit	149.99
5026828	000-0051-15	TMID-S Trolling Motor Mount	

5026636 000-0031-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low- Profile Skimmer® Transducer	14.99
TRANSDUCERS		

5024098	106-72*	Transom Mt., 20° Skimmer w/Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99

5024097	106-73 ^a	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99

LOWRANCE®

**LOWRANCE®
HDS-8 GEN 2
FISHFINDER/CHARTPLOTTER**

- High-definition 8.4" super VGA color viewing •Brilliant, enhanced SolarMAX™ PLUS display for superior sunlight and wider-angle viewing •Pure-white LED screen/keypad backlighting fully adjusts to zero-dim for night viewing •Programmable and soft keys controls •Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices
- 000-10538-001:** HDS-8 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10537-001:** HDS-8 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10536-001:** HDS-8 Gen 2, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10870-001:** HDS-8 Gen 2 Insight™ USA w/LSS-2 System

Order #	Mfg. #	Sugg.Ret.
5026952	000-10538-001	\$1,679.99
5026951	000-10537-001	1,699.99

Order #	Mfg. #	Sugg.Ret.
5026950	000-10536-001	1,769.99
5027012	000-10870-001	2,199.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026843	000-0124-63	Protective Cover	\$29.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low- Profile Skimmer® Transducer	14.99
5025916	124-65	Flush Mounting Kit	15.99
5026083	124-59	Gimbal Bracket	39.99
5025914	127-49	Power/Data Cable	29.99
5026157	127-51	6' Ethernet Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches 3 Transducers to 1 SCNAR Unit	149.99

TRANSDUCERS		2 Transducers to 1 SONAR Unit	149.99
5024098	106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp.	58.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru- Hull, 20° Pod Type	79.99
5026840	000-0106-94	PTI-WBL - Ice Transducer	69.99



LOWRANCE® HDS-10 GEN 2 FISHFINDER/ CHARTPLOTTER

- High-definition 10.4" super VGA color viewing
- Brilliant, enhanced Solar-MAX™ PLUS display for superior sunlight and wider-angle viewing
- Pure-white LED screen/keypad back-lighting fully adjusts to zero-dim for night viewing
- Programmable and soft keys controls
- Built-in, exclusive Insight USA™ mapping or Enhanced US basemap model choices
- 000-10543-001:** HDS-10 Gen 2, no transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10542-001:** HDS-10 Gen 2, 83/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10541-001:** HDS-10 Gen 2, 50/200kHz transducer, Insight™ USA coverage combines Lake & Nautic maps
- 000-10871-001:** HDS-10 Gen 2 Insight™ USA w/LSS-2 System

Order #	Mfg. #	Sugg.Ret.
5026955	000-10543-001	\$2,279.99
5026954	000-10542-001	2,299.99
5026953	000-10541-001	2,369.99
5027013	000-10871-001	2,799.99

Order # Mfg. # Type Sugg.Ret.
ACCESSORIES



5026844	000-0124-64	Protective Cover	\$29.99
5026838	000-0051-45	TMB-S - Trolling Motor-Mount Bracket for High-Speed, Low- Profile Skimmer® Transducer	14.99
5025916	124-65	Flush Mounting Kit	15.99
5026082	124-60	Gimbal Bracket	28.99
5025914	127-49	Power/Data Cable	29.99
5024106	99-97*	Speed/Temp. Probe	79.99
5024105	99-96*	Speed Probe	65.99
5024104	99-95	Temp Probe for TEMP 1	69.99
5024102	99-94	20' Transducer Extension Cable	39.99
5024100	46-26	Transducer Switch Box - Switches	
		2 Transducers to 1 SONAR Unit	149.99

TRANSDUCERS	
5024098 106-72*	Transom Mt., 20° Skimmer w/ Built-in Temp. 58.99
5024096 106-74*	Trolling Motor Mt., 20° Rod Type

5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Through Hull, 20° Pod Type	79.99

5026840 000-0106-94 PTI-WBL - I

LOWRANCE®

Seize the Day

**LOWRANCE®
sonichub™ MARINE
AUDIO SERVER**

•High-quality marine audio hub & fully waterproof docking station w/full iPod, iPhone & MP3 compatibility, all controlled from compatible Lowrance® HDS® or Simrad multifunction displays •Fully integrate w/HDS® multifunction displays by the use of NMEA 2000® or LowranceNET •Control on-board music components from the steering position or elsewhere on the boat •Features: 4-Channel x 50 watt speaker amplifier & AM/FM stereo tuner; Line-out to subwoofer for added bass; Excellent sound quality; 1-Pair of 6.5" marine-grade, low magnetic speakers w/200W output; Numerous audio source inputs including Apple products along w/other MP3 sources via USB port & flash drive; Stereo AUX line input for CD/DVD/MP3 source; Mono line input for intercom, alarm & emergency override; Music control for up to two individual zones; Built-in module for SIRIUS satellite radio marine weather service (USA only) •Includes: Hardware mounting kit; Installation manual; Warranty •**NOTE:** AM/FM antenna not supplied

Order #	Mfg. #	Sugg. Ret.
5103181	000-10141-001	\$298.99
6.5" MARINE-GRADE SPEAKER SET (200W)		
5103182	000-10142-001	59.99

**NEW****LOWRANCE®
SONIC HUB UNI DOCK**

•Features a 6' USB cable for connection to Sonic Hub •Designed to offer water-resistant security to your smartphone in a marine environment •Improved SS locking mechanism which is easier to use & stronger than previous docking solutions to keep your smartphone/media player safer for longer •Includes 3 adapter cables which support & charge Apple 30 Pin iPhones and iPods, the new generation iPhones and iPods w/Lightning connectors, & a micro USB for selected Android devices (Android charging only) •When bulkhead mounted, it complies with IPX5 water-resistant standards •**NOTE:** Does not support video output from iDevices •Dim: 7-1/16" Lx6-3/16" Wx 2-11/16" H •Mounting depth: 6-1/16"

Order #	Mfg. #	Sugg. Ret.
5027492	000-11256-001	\$129.99

**LOWRANCE®
NAVICO EXPANSION PORT-1**

•A plug-and-play hub for high-speed data-sharing of StructureScan™ imaging system, solid-state BR24 Broadband Radar™, &/or multiple HDS displays across the onboard network •Compatible w/all HDS models, plus 2007 & later LCX, LMS, X & GlobalMap® models w/yellow 5-pin ethernet connector •Waterproof expansion ports resist corrosive marine environments •Unused expansion ports capped for future expansion •100-megabit switch for high-speed data transfer •Transmits sonar graphing display/control on compatible chartplotters when networked w/echosounder-equipped Lowrance® displays & StructureScan™ imaging system option •Rugged & fully waterproof to IPX-7 •Connectivity for up to 4 compatible head units or ethernet performance product options per expansion module •Links w/other Expansion Port-1 modules for added/future expansion

Order #	Mfg. #	Type	Sugg. Ret.
5026272	000-10029-001		\$268.99
ACCESSORIES			
5026157	127-51	6' Ethernet Cable	\$29.99

**LOWRANCE®
X-4 SERIES FISHFINDERS**

•240Vx160H pixel, 4" diagonal display •Film SuperTwist LCD w/4-level gray scale definition. Screen backlighting for low light conditions •Skimmer® w/built-in temp sensor •ASP™ (Advanced Signal Processing) •GRAYLINE® •Advanced Fish I.D.™ fish symbols w/Fish Track™ •Auto depth range tracking w/instant screen updates •Auto/Zoom bottom track •Selectable deep water, shallow water & fish alarm alerts •One-year limited warranty •**X-4:** 200 kHz transom mount transducer •Up to 60° of wider fish-finding coverage •Operates at boat speeds to 70 mph •800W peak-to-peak/100W RMS •Depths to 600' •**X-4 Pro:** Dual frequency 83/200 kHz transom mount transducer •Up to 120° expanded fish-finding coverage •Operates at boat speeds to 70 mph •1500W peak-to-peak/188W RMS •Depths to 1000'

Order #	Mfg. #	Type	Sugg. Ret.
5026234	10227-001	X-4	\$79.99
5026236	10229-001	X-4 Pro	99.99

**LOWRANCE®
MARK-5x FISHFINDER SERIES**

•480Vx480H pixel, 5" diagonal display •High-contrast Film SuperTwist LCD w/16-level gray scale definition •Improved, brighter white LED backlit screen & keypad •1600 watts peak-to-peak/200 watts RMS •Quick release tilt & swivel bracket •Skimmer w/built-in temp sensor •Graphically enhanced menus make operation a breeze •Limited one-year warranty •**Mark-5x Pro:** 83/200 kHz transducer •1000' depth capability •Sonar History Scrollback

Order #	Mfg. #	Type	Sugg. Ret.
5026116	175-001	Mark-5x Pro	\$159.99
ACCESSORIES			
5026271	000-10027-001	Bracket	\$19.99
5026273	000-10050-001	Screen Cover	25.99
5026151	10028-001	Flush Mt. Kit for 5" Models	15.99
5024127	99-91	15' Transducer Extension Cable	29.99
5027490	000-11061-001	Portable Cover (Blue)	99.99

**LOWRANCE®
MARK-5x DSi FISHFINDER**

•DownScan Imaging™ sonar technology •Displays crystal-clear photo-like views of the underwater worlds below the boat •480Vx480H pixel, 5" diagonal display •Film SuperTwist LED w/16-level gray scale definition •Adjustable, bright-white LED backlit screen & keypad •Slim, low profile, high-speed, transom mount 455/800 kHz Skimmer® DSi imaging transducer w/down-looking crystal & built-in temp sensor and trolling motor-mount bracket option •2400W peak-to-peak/300W RMS power •Tested depths to 200 ft. and bottom readings at boat speeds up to 40 mph •Optimum imaging speed of 8 mph & under •Automatic fine tuning or Advanced User Mode for full manual control settings •TrackBack™ feature scrolls-back sonar history •Simplified menu w/text & icons for faster & easier selections •Adjustable tilt & swivel mounting system

Order #	Mfg. #	Type	Sugg. Ret.
5026237	10233-001	Mark-5x DSi	\$199.99
ACCESSORIES			
5026271	000-10027-001	Bracket	\$19.99
5026273	000-10050-001	Screen Cover	25.99
5026243	10261-001	Trolling Motor Transducer Adapter DSi	19.99

Trolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery

continued next page

104 Depth Finders, Fish Finders, GPS Navigation & Radar

Trolling Motors	continued from previous		
LOWRANCE® MARK-5x DSI FISHFINDER			
	Order #	Mfg. #	Type
			Sugg. Ret.
ACCESSORIES			
Audio/ Instruments	5026244	10262-001	Replacement Mount for DSI Skimmer
	5026245	10263-001	15' DSI Skimmer Transducer
Depth Finders/GPS			39.99
	5027490	000-11061-001	Extension Cable
Vests/ Cushions			39.99
	TRANSDUCERS		Portable Cover (Blue)
Water Sports	5026242	10260-001	455/800 kHz Skimmer Transducer
			99.99
Safety/ Optics			w/Temp Sensor
Boat Access.			79.99
Mooring/ Docking			
Hardware			
Lighting			
Boat Seats			
Boat Covers	ELITE-7 HYBRID DUAL IMAGING™ (HDI) SERIES		
Fuel	• 7" widescreen color fishfinders & chartplotters • The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat • Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed • 70% larger display for viewing detail in all conditions • Exclusive technology overlays DownScan Imaging onto Broadband Sounder display for a stunning view that separates & clearly exposes fish targets from surrounding structure • Overlay transparency & color palettes are fully adjustable • TrackBack™ allows you to immediately scroll back in sonar history to review covered areas & pinpoint spots (saves time and fuel trying to re-trace your path) • With chartplotter models, simply mark a waypoint at your cursor location with the press of a button • ASP™ (Advanced Signal Processing) reduces manual adjustments to automatically see fish, structure & bottom detail more clearly • Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO • Works w/high-capacity micro SD cards • Advanced NMEA 2000® networking capability • Multi-Window display lets you choose up to three panels in split-screen mode to view chart, sonar and DownScan Imaging -- all on one screen simultaneously • Page selector allows quick & easy selection of 8 preset page layouts • Page selection does not block live sonar & map while making page decision • Easier to use menu system w/quick access to all features using one-thumb operation • Supported by Lowrance Advantage Service program & limited 1-year warranty		
Trailers/ ATV Access.	LOWRANCE® ELITE-7X HDI FISHFINDER		
Pumps	• 7" widescreen color fishfinder • The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat • Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed • 70% larger display for viewing detail in all conditions • 000-10961-001: Elite-7x HDI 83/200 kHz transducer • 000-10962-001: Elite-7x HDI 50/200 kHz transducer • 000-10965-001: Elite-7x HDI no transducer		
Electrical	Order #	Mfg. #	Sugg. Ret.
	5027190	000-10961-001	\$549.99
	5027191	000-10962-001	649.99
	5027192	000-10965-001	449.99
Maintenance	Order #	Mfg. #	Type
Controls/ Steering	5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz
Motor Access.	5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz
Camping	5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle
Cutlery	5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle
	5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle
	5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR
	5027203	000-10979-001	Flush Mount Kit
	5027328	000-11069-001	Sun Cover



LOWRANCE® ELITE-7 HDI COMBO FISHFINDER/CHARTPLOTTER

• 7" widescreen color fishfinders & chartplotters • The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat • Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed • 70% larger display for viewing detail in all conditions • With chartplotter models, simply mark a waypoint at your cursor location with the press of a button • Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO

• 000-10966-001: Elite-7 HDI 83/200 kHz transducer

• 000-10967-001: Elite-7 HDI 50/200 kHz transducer

• 000-10972-001: Elite-7 HDI Gold 50/200 kHz transducer; Pre-packaged w/Navionics® chartcard featuring US/Canada coastal, Great Lakes & major Canadian lakes detail

• 000-11051-001: Elite-7 HDI Gold 83/200/455/800 transducer; Pre-packaged w/Navionics® chartcard featuring US/Canada coastal, Great Lakes & major Canadian lakes detail

Order #	Mfg. #	Type	Sugg. Ret.
5027193	000-10966-001		\$699.99
5027194	000-10967-001		799.99
5027197	000-10972-001		869.99
5027350	000-11051-001		769.99
Order #	Mfg. #	Type	Sugg. Ret.
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	\$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99
5027328	000-11069-001	Sun Cover	19.99

Ellett.Link
The Retailers Connection

www.ellettbrothers.com



Seize the Day

LOWRANCE®

ELITE-7M CHARTPLOTTER

- 7" widescreen color chartplotter
- 70% larger display for viewing detail in all locations
- Mark a waypoint at your cursor location with the press of a button
- Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO



•000-10968-001: Elite-7M

Order #	Mfg. #	Sugg. Ret.
5027198	000-10975-001	\$669.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	\$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99
5027203	000-10979-001	Flush Mount Kit	14.99
5027328	000-11069-001	Sun Cover	19.99

LOWRANCE® ELITE-7 COMBO FISHFINDER/ CHARTPLOTTER

- 7" widescreen color fishfinders & chartplotters
- The power of 2 award-winning technologies combined to provide the best-possible view beneath your boat
- Broadband Sounder™ -- excellent for marking fish arches and tracking lure action -- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of structure & bottom with no interpretation needed
- 70% larger display for viewing detail in all conditions
- With chartplotter models, simply mark a waypoint at your cursor location with the press of a button
- Highly accurate, built-in GPS antenna plus a detailed U.S. background map, w/optional charting upgrades to Navionics® Gold and HotMaps® Premium, Fishing Hotspots® PRO as well as Lake Insight and Nautic Insight PRO



•000-10968-001: Elite-7 83/200 kHz transducer

•000-10970-001: Elite-7 no transducer

Order #	Mfg. #	Sugg. Ret.
5027195	000-10968-001	\$599.99
5027196	000-10970-001	599.99

ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027500	000-11133-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 0° Tilt Angle	469.99

Order #	Mfg. #	Type	Sugg. Ret.
5027501	000-11134-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 12° Tilt Angle	469.99
5027502	000-11135-001	Bronze HDI Tilted Thru-Hull XDCR 50/200, 455/800 kHz 20° Tilt Angle	469.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5027203	000-10979-001	Flush Mount Kit	14.99
5027328	000-11069-001	Sun Cover	19.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



NEW LOWRANCE® ELITE-5X HDI

- High resolution 5" color display provides visibility & viewing detail in all conditions
- 480x480 resolution 256-color SolarMAX™ PLUS TFT display
- Adjustable screen & keypad
- Hybrid Dual Imaging™ (HDI): Broadband Sounder™ plus Exclusive DownScan Imaging™ - combined to provide the best possible view of the water column and everything in it
- DownScan Overlay™: Exclusive technology overlays DownScan Imaging onto Broadband Sounder display for a view that separates & clearly exposes fish targets from surrounding structure
- Overlay transparency & color palettes are fully adjustable
- Track-Back™: Easily scroll back in sonar history to review covered areas & pinpoint spots (saves time and fuel trying to re-trace your path)
- With chartplotter models, simply mark a waypoint at your cursor location with the press of a button
- Advanced Signal Processing™: Reduces manual adjustments to automatically see fish, structure & bottom detail more clearly
- Reliable sonar is easy to use
- Locate fishing spots faster with HDI
- Easier-to-use menu system w/quick access to all features using 1-thumb operation
- Choose from as many as 8 preset page layouts, including up to 3 panels in split-screen mode to view chart, Broadband Sounder™ & DownScan Imaging™ all on 1 screen simultaneously
- IPx7 waterproof standard

•000-11170-001: No transducer

•000-11143-001: 83/200 + 455/800 kHz transducer

•000-11144-001: 50/200 + 455/800 kHz transducer

Order #	Mfg. #	Sugg. Ret.
5027393	000-11170-001	\$349.99
5027386	000-11143-001	399.99
5027387	000-11144-001	499.99

Order #	Mfg. #	Type	Sugg. Ret.
5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	\$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	15.99
5026151	10028-001	Flush Mt. Kit	15.99
5027490	000-11061-001	Portable Cover (Blue)	99.99



PRICES SUBJECT TO
CHANGE WITHOUT NOTICE

106 Depth Finders, Fish Finders, GPS Navigation & Radar

LOWRANCE®

Seize the Day

NEW

LOWRANCE® ELITE-5 HDI



- High resolution 5" color display provides visibility & viewing detail in all conditions
- 480x480 resolution 256-color SolarMAX™ PLUS TFT display
- Adjustable screen & keypad
- Hybrid Dual Imaging™ (HDI): Broadband Sounder™ plus Exclusive Down-Scan Imaging™ - combined to provide the best possible view of the water column and everything in it
- DownScan Overlay™: Exclusive technology overlays DownScan Imaging onto Broadband Sounder display for a view that separates & clearly exposes fish targets from surrounding structure
- Overlay transparency & color palettes are fully adjustable
- TrackBack™: Easily scroll back in sonar history to review covered areas & pinpoint spots (saves time & fuel trying to retrace your path)
- With chartplotter models, simply mark a waypoint at your cursor location with the press of a button
- Advanced Signal Processing™: Reduces manual adjustments to automatically see fish, structure & bottom detail more clearly
- Highly accurate, built-in GPS antenna plus a detailed US map w/more than 3000 lakes & rivers, as well as coastal contours to 1000'
- Easier-to-use menu system w/quick access to all features using 1-thumb operation
- Choose from as many as 8 preset page layouts, including up to 3 panels in split-screen mode to view chart, Broadband Sounder™ & DownScan Imaging™ all on 1 screen simultaneously
- IPx7 waterproof standard
- **000-11145-001:** 83/200 + 455/800 kHz transducer
- **000-11146-001:** 50/200 + 455/800 kHz transducer
- **000-11173-001:** Combo GPS/Depth Finder - No transducer
- **000-11175-001:** No transducer - Pre-loaded w/Navionics® Gold
- **000-11171-001:** 83/200 + 455/800 kHz transducer - Pre-loaded w/Navionics® Gold
- **000-11172-001:** 50/200 + 455/800 kHz transducer - Pre-loaded w/Navionics® Gold

Order # Mfg. #

Sugg. Ret.

5027388	000-11145-001	\$499.99
5027389	000-11146-001	599.99
5027394	000-11173-001	449.99
5027395	000-11175-001	518.99
5027390	000-11171-001	569.99
5027391	000-11172-001	669.99

Order # Mfg. #

Sugg. Ret.

ACCESSORIES

5027200	000-10976-001	HDI Skimmer XDCR 83/200 455/800 kHz	\$119.99
5027201	000-10977-001	HDI Skimmer XDCR 50/200 455/800 kHz	234.99
5027202	000-10978-001	Troll. Mtr. Adapter for Skimmer XDCR	19.99
5026151	10028-001	Flush Mt. Kit	15.99
5027490	000-11061-001	Portable Cover (Blue)	99.99

NEW

LOWRANCE® ELITE-5M GOLD



- High resolution 5" color display provides visibility & viewing detail in all conditions
- 480x480 pixel display resolution
- 256-color SolarMAX™ PLUS TFT display
- Adjustable screen & keypad backlighting levels
- Easier-to-use menu system w/quick access to all features using one-thumb operation
- Multi-window displays
- World reference basemap & US enhanced basemap w/over 3000 enhanced lake maps w/depth contour & shoreline detail, plus coastal depth contours/shoreline detail & spot depth soundings to 1000'
- Mapping options include Lake Insight™, Nautic Insight™ PRO and HD, Navionics® Gold & HotMaps® Premium, Fishing Hotspots® PRO and Jeppesen C-Map Max-N
- Internal high-sensitivity WAAS + EGNOS + MSAS GPS antenna
- Bundled with a special-issue Navionics® Gold microSD chartcard with US & Canada coastal detail, plus Great Lakes & major Canadian lakes coverage
- Waterproof IPx7 rating

Order # Mfg. #

Sugg. Ret.

5027392 000-11176-001

\$469.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026151	10028-001	Flush Mt. Kit	\$15.99
5027490	000-11061-001	Portable Cover (Blue)	99.99

NEW

LOWRANCE® ELITE-4 HDI COMBO



- 36% larger Elite color display • 4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition
- Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat
- Broadband Sounder™ - excellent for marking fish arches & tracking lure action
- PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed
- DownScan Imaging Overlay
- High accuracy internal GPS antenna
- User-friendly features include quick-release tilt & swivel bracket
- Easier-to-use menu system w/quick access to all features using one-thumb operation
- Page selector does not hide live sonar & map while making page decision
- Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging™ all on 1 screen simultaneously
- Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retracable plot trails/up to 10,000 points per trail
- Compatible w/all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards
- NMEA 0183 output
- Depths to 300' w/DownScan & 1000' Broadband
- View up to 1' of sonar display history w/Trackback™ feature
- IPx7 waterproof standard

• **000-11216-001:** 83/200 + 455/800 kHz transducer

• **000-11288-001:** 50/200 + 455/800 kHz transducer

• **000-11292-001:** 83/200 + 455/800 kHz transducer plus Pre-loaded w/Navionics® Gold

Order #	Mfg. #	Sugg. Ret.
5027479	000-11216-001	\$299.99
5027480	000-11288-001	399.99
5027482	000-11292-001	369.99



LOWRANCE®

ELITE 4 FISHFINDER/CHARTPLOTTER

- Brighter LED color display offers best viewing ability in any boating condition
- Precise internal GPS antenna
- User-friendly features include quick-release tilt & swivel bracket, easy-to-use menu controls for faster, one-hand operation
- Compatible w/Fishing Hot Spots® and Navionics® Premium & Gold via microSD™ cards
- Dual 83/200 kHz operation - up to 120° of fish finding coverage
- 2200 watts peak-to-peak fishfinding; depths to 1000'
- View up to 1' of sonar display history w/Trackback™ feature

• **Elite-4:** Base model

• **Elite-4 Ice Machine:** Includes ice transducer PTI-WSU

• **Elite-4 Gold:** Pre-loaded w/Navionics® Gold

Order #	Mfg. #	Model	Sugg. Ret.
5026857	000-10491-001	Elite-4	\$298.99
5026858	000-10492-001	Elite-4 Ice Machine	398.99
5026859	000-10493-001	Elite-4 Gold	368.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5024512	113-16	Gimbal Bracket	\$24.99
5022955	99-75	Speed/Temp. Probe	79.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover	22.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99



Seize the Day

NEW

LOWRANCE®

ELITE-4M HD CHARTPLOTTER

•36% larger Elite color display •4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition •High accuracy internal GPS antenna •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Display •Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retraceable plot trails/up to 10,000 points per trail •MicroSD card slot for multiple card options •Compatible w/all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards •NMEA 0183 output

•000-11293-001: Elite-4M HD Chartplotter

•000-11294-001: Chartplotter w/Navionics® Gold card w/US & Canada coastal detail

Order #	Mfg. #	Sugg. Ret.
5027483	000-11293-001	\$199.99
5027484	000-11294-001	269.99



LOWRANCE®

ELITE 4 DS1

FISHFINDER/CHARTPLOTTER

•Brighter LED color display offers best viewing ability in any boating condition •DownScan Imaging™ reveals easy-to-understand, photo-like underwater detail •DownScan™ Imaging distinctly marks predator fish and baitfish, while clearly revealing the thermoclines, isolated targets and hard-to-find secondary structure •Ultra-accurate internal GPS antenna •User-friendly features include quick-release tilt and swivel bracket, easy-to-use menu controls for faster, smooth one-hand control •Elite-5 DS1 imaging screens available in a variety of color palettes •Compatible via micro-SD™ with Fishing Hot Spots® and Navionics® Premium and Gold

•000-10487-001: Elite-4x DS1 Color Fishfinder

•000-10494-001: Elite-4 DS1 Color Fishfinder/Chartplotter Combo

Order #	Mfg. #	Model	Sugg. Ret.
5026855	000-10487-001	Color Fishfinder	\$199.99
5026860	000-10494-001	Color FF/Chartplotter Combo	348.99



LOWRANCE®

ELITE 4x FISHFINDER

•Brighter display offers best viewing in any boating condition •View up to 2' of sonar display history w/Trackback™ feature •Includes low-profile, high-speed, transom-mount, 83/200 kHz Skimmer® transducer w/built-in temp sensor, and trolling motor-mount bracket option •User friendly features include quick-release tilt & swivel bracket, easy-to-use menu controls for faster, smooth one-hand control

•000-10484-001: Elite-4x Fishfinder

•000-10486-001: Elite-4x Fishfinder Ice Machine



Order #	Mfg. #	Model	Sugg. Ret.
5026853	000-10484-001	Elite-4x Fishfinder	\$168.99
5026854	000-10486-001	Elite-4x Fishfinder Ice Machine	298.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5024512	113-16	Gimbal Bracket	\$24.99
5022955	99-75	Speed/Temp. Probe	79.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026861	000-10495-001	Sun Cover	22.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

NEW

LOWRANCE®

ELITE-4x HDI

•4.3" 480x272 resolution, 16-bit color TFT LCD color display offers best viewing ability in any boating condition •Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat •Broadband Sounder™ - excellent for marking fish arches & tracking lure action •PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed •DownScan Imaging Overlay •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging all on 1 screen simultaneously •Depths to 300' w/DownScan & 1000' Broadband •View up to 1' of sonar display history w/Trackback™ feature •IPx7 waterproof standard

•000-11212-001: Elite 4x HD w/Broadband 83/200 transducer (DownScan requires HDI transducer - sold separately)

•000-11213-001: Elite 4x HDI FishFinder w/83/200 + 455/800 kHz transducer

•000-11297-001: Elite 4x HDI w/50/200 + 455/800 kHz transducer

Order #	Mfg. #	Sugg. Ret.
5027476	000-11212-001	\$169.99
5027477	000-11213-001	199.99
5027478	000-11297-001	299.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

NEW

LOWRANCE®

MARK-4 HDI COMBO

•36% larger Mark display •4.3" grayscale TFT LCD display offers best viewing ability in any boating condition •Hybrid Dual Imaging (HDI) brings the power of two award winning technologies together to provide the best possible view beneath your boat •Broadband Sounder™ - excellent for marking fish arches & tracking lure action •PLUS DownScan Imaging™ that reveals easy-to-understand, picture-like detail of bait fish, predator fish & structure w/no interpretation needed •High accuracy internal GPS antenna •User-friendly features include quick-release tilt & swivel bracket •Easier-to-use menu system w/quick access to all features using one-thumb operation •Page selector does not hide live sonar & map while making page decision •Multi-Window Displays let you choose up to 3 panels in split-screen mode to view chart, sonar & DownScan Imaging all on 1 screen simultaneously •Saves up to 3000 waypoints, 100 routes/100 waypoints per route & 100 retraceable plot trails/up to 10,000 points per trail •MicroSD card slot for multiple card options •Compatible w/all Lake & Nautic Insight™ PRO & HD, Navionics® Gold & Fishing Hot Spots® via microSD™ cards •NMEA 0183 output •Depths to 300' w/DownScan & 1000' Broadband •View up to 1' of sonar display history w/Trackback™ feature •IPx7 waterproof standard

•000-11214-001: Mark-4 w/Broadband 83/200 transducer

•000-11215-001: Mark-4 HDI w/83/200 + 455/800 kHz transducer

•000-11299-001: Mark-4 HDI w/50/200 + 455/800 kHz transducer



Order #	Mfg. #	Sugg. Ret.
5027485	000-11214-001	\$199.99
5027486	000-11215-001	229.99
5027487	000-11299-001	329.99



Seize the Day

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat

Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

LOWRANCE® MARK 4 FISHFINDER/CHARTPLOTTER

- Brighter LED grayscale display offers best viewing ability in any boating condition
- Ultra accurate internal GPS antenna
- User-friendly features include quick-release tilt and swivelbracket, easy-to-use menu controls for faster, one-hand operation
- Compatible with Navionics® Premium and Gold, Fishing HotSpots®
- Dual 83/200 kHz operation – up to 120' of fishfinding coverage
- 2,200 W peak-to-peak fishfinding; depths to 1,000 ft. View up to 1' of sonar-display history with Trackback™ feature



Order #	Mfg. #		Sugg. Ret.
5026852	000-10483-001		\$198.99
Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5026861	000-10495-001	Sun Cover	\$22.99
5027258	000-10662-001	Flush Mount Kit	14.99
5026839	000-0106-68	PTI-WSU - Ice Transducer	69.99

LOWRANCE® PPP-18I ICE FISHING KIT

- A great way to make your own Lowrance® portable
- Kit comes with all the accessories you need - soft pack, bullet ice transducer, platform, tackle trays, 12 VDC battery & charger
- Works with most Lowrance® and Eagle® w/uniplug connectors, including the Elite™ & Mark™ series



Order #	Mfg. #		Sugg. Ret.
5026846	000-10209-001		\$149.99

LOWRANCE® ELITE-5 PPP-18I ICE FISHING MACHINE™

- Super-bright, 5" TFT color display, 480x480 pixel detail, & superb no-fade viewing detail in sunlight & temps down to -20° F/-28° C
- Powerful 200 kHz operation w/20° sonar coverage down to 1000' w/custom, weighted ice-fishing transducer & unique Ice Transducer Float (included)
- Precision internal 16-channel GPS antenna, built-in basemap with U.S. waters detail, & microSD card slot for LakeMaster® and Navionics® cartography options
- Weatherproof soft-side pack w/zipped front & rear access
- Accessory zippered pockets plus "easy-find" mesh stow pouches
- Adjustable display platform elevates for easier viewing
- Includes tackle trays, rod-holder slots, quick-access lure storage conveniences
- Handy storage for 2 StowAway® utility boxes (included)
- Holds two 12 VDC sealed batteries & charger (one battery & charger included)



Order #	Mfg. #		Sugg. Ret.
5027170	000-10504-001		\$649.99

Order #	Mfg. #	Type	Sugg. Ret.
5027169	000-10442-001	Ice Transducer Float	\$9.99

LOWRANCE® BSM-1 BROADBAND SOUNDER™ MODULE

- Advanced upgrade to the previous LBS-1. Module brings built-in HDS Broadband Sounder™ technology to 2007-2008 Lowrance LCX, LMS, X and GlobalMap® models w/yellow 5-pin ethernet connector
- Enhanced separation of fish targets from structure, baitfish, thermoclines, clutter & bottom
- Improved underwater fish-holding structure identification: channels, rock piles, wrecks, drop-offs & more
- Performs in any water/weather, at any depth or boat speed
- Works w/any compatible transducer: Skimmer®, pod, shoot-thru & Airmar® bolt-thru hull
- Automatic operation at any functional frequency: 50, 83 and 200 kHz
- Tested sounding depths to 5000'



Order #	Mfg. #	Model	Sugg. Ret.
5026150	132-05	BSM-1	\$699.99

LOWRANCE® ENDURA™ SERIES

- FEATURES:** 2.7" color touch screen and physical buttons
- Enhanced GPS+WAAS positioning
- Best-in-class preloaded AccuTerra™ maps w/NAVTEQ® road data for each price range
- MicroSD expansion slot supporting up to 32GB of additional storage for trails, geocaches, waypoints, pictures, etc.
- Mark waypoints using any of over 190 assorted outdoor icons
- Trip computer lets you record trails, map elevation changes, & share online or with your friends
- Quick access to all primary functions using gloves in harsh weather or rugged conditions using physical buttons
- Photo Viewer and Video Player* (*Sierra and Safari models only) are compatible w/standard file formats for digital cameras, trail cameras, etc. using MicroSD cards w/SD adapter
- Waterproof (IPx7) w/rubber armoring
- Mini USB data/power port
- Uses 2 AA batteries (not included)
- Wt. w/o batteries: 5.8 oz.
- Dimensions: 5.1" H x 2.3" W x 1.2" D

LOWRANCE® ENDURA™ OUT&BACK

- Easy-to-use color touch screen, straight-forward menus & "hot key" physical buttons
- Choose your activities & download maps or use plug & play microSD cards
- Expand with routes/trails, POIs, elevation data, etc. in GPX format through drag-and-drop to the device
- Easy to understand basemap w/hillshade, primary roads and key POIs
- Sport-specific trail content available for purchase online: hiking, mountain biking, skiing, snowmobiling, kayaking, offroad/ATV, and many more
- Multiple mounting options w/two lanyard attachment points for lanyard, RAM mount handlebar mounts, etc.



Order #	Mfg. #	Color	Sugg. Ret.
5025906	125-38	Yellow	\$198.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			

5026141	002-033	Mini USB & NMEA Cable IPx4	\$29.99
5026142	002-034	Cradle & Handle Bar Mount	29.99
5026143	002-035	Carrying Case	19.99
5026144	002-036	Cig. Lighter Power Cable	29.99

ENDURA™ MAP CARDS	
5026133	002-014
5026134	002-015
5026135	002-016
5026136	002-017
5026137	002-018
5026138	002-019
5026139	002-020

US -Northeast/ ME,NH,MA,RI,CT, NJ,VT,NY,PA,DE,MD & VA	98.99
US -Southeast/ TN,NC,SC,GA,FL, AL & MS	98.99
US -South/ OK,AR,LA & TX	98.99
US - Great Lakes/ MI,WI,OH,IN, WV,KY & IL	98.99
US - Mid West/ MN,IA,MO,ND, SD,NE & KS	98.99
US -West/ CA,NV,OR & WA	98.99
US - Rockies/ MT,ID,WY,CO,UT, NM & AZ	98.99

LOWRANCE®

Seize the Day




LOWRANCE®

LAKE INSIGHT HD 2013

•High resolution 1- to 3' contours & high-definition shaded relief on more than 650 lakes in Texas, Oklahoma, Kansas, Missouri, Illinois, Iowa, North Dakota, South Dakota, Nebraska, Michigan, Minnesota and Wisconsin, plus Lake of the Woods & Rainy Lake •8000 US lakes plus rivers & the Great Lakes w/detailed contour lines •An additional 100,000 named bodies of water w/shoreline detail

Order #	Mfg. #	Sugg. Ret.
5027324	000-11055-001	\$149.99



LOWRANCE® NAUTIC INSIGHT™ HD

•Two card choices w/superb U.S. coastal & offshore saltwater coverage to find productive marine fishing fast •4X the detail of built-in HDS Insight maps •Loads of free space to save sonar & navigation data •Features: Exclusive coastal & offshore fishing Hotspots® w/ fishery details & fishing tips; Highly-detailed inshore/offshore contour lines w/high resolution shaded (dimensional) relief viewing; 8MP up to canyons & 32MP beyond canyons detail; User-selectable depth contour lines; Accurate navaids & info; Displays tides & currents; Lake Insight™ HD inland lake mapping detail w/fishing Hotspots® lakes data w/in 100mi. of coast •**NOTE:** For use in HDS units

Order #	Mfg. #	Description	Sugg. Ret.
WEST COVERAGE			
5026192	000-10040-001	Inshore/Offshore Coverage from California to Washington & Hawaii	\$98.99



LOWRANCE®

LAKE INSIGHT PRO 2013

•High resolution 1- to 3' contours on more than 650 lakes in Texas, Oklahoma, Kansas, Missouri, Illinois, Iowa, North Dakota, South Dakota, Nebraska, Michigan, Minnesota and Wisconsin, plus Lake of the Woods & Rainy Lake •8000 US lakes plus rivers & the Great Lakes w/detailed contour lines •An additional 100,000 named bodies of water w/shoreline detail

Order #	Mfg. #	Sugg. Ret.
5027325	000-11056-001	\$99.99



LOWRANCE®

TOPO INSIGHT PRO 2013

•Compatible with Lowrance Elite, Mark & HDS products •Topographic chartcard choices including elevation line overlay at 30' intervals •Includes street networks, forests, park information, points-of-interest & other data to aid navigation by ATV or off-road vehicle •Topo lines show elevation in the same way that bathy lines show depth contours •There is room to save routes, waypoints & POIs to the microSD card •**East:** From Texas, up through the Dakotas & all points east •**West:** From New Mexico, up through Montana & all points west - excluding Alaska & Hawaii

Order #	Mfg. #	Type	Sugg. Ret.
5027327	000-11067-001	West	\$99.99



LOWRANCE®

NAUTIC INSIGHT HD 2013

•Superb, higher-definition shaded relief display of U.S. coastal & offshore cartography •Hundreds of improvements to shoreline detail, updated navigation aids, marina detail, and Fishing HotSpots points-of-interest, plus significant software enhancements for higher performance & accuracy •**WEST:** California to Washington, plus Hawaii & Alaska - features Lake Insight™ HD inland detail within 100 miles of coastline •**EAST:** Maine to all of Texas plus Caribbean & Bahamas coverage added - features Lake Insight™ HD inland detail within 100 miles of coastline

Order #	Mfg. #	Type	Sugg. Ret.
5027321	000-11052-001	West	\$149.99
5027322	000-11053-001	East	149.99



LOWRANCE®

INSIGHT PLANNER

•Ultimate PC software for marine navigation planning w/Lowrance chartplotters •Create waypoints, routes, & points of interest (POIs), on a wide variety of supported cartography platforms such as Insight, Navionics, and raster charts using the BSB format •Splitscreen options allow you to view multiple charts from different supported formats at different zoom levels •Plan routes using multiple charts for verification & safety purposes •Transfer waypoints directly to Google Earth or GPX file •Plan & transfer using Lowrance waypoint & POI icons •Use multiple vector & raster charts including: Insight charts including Lake, Nautic, Topo & Genesis; C-MAP by Jeppesen; Navionics® Platinum+, Platinum, Gold+, HotMaps® Premium, & HotMaps Platinum charts; S-57 nautical charts (e.g. NOAA ENC®, Army Corps iENC); S-63 Encrypted ENC charts (requires user permit); BSB Version 1 through 5 raster nautical charts (NOAA RNC™, MAPTECH™, CHS, NDI Digital Ocean, Fugawi, GPS GmbH); NV.Digital (BSB/EAP from Nautische Veröffentlichung Verlagsgesell); TRAK Maps

Order #	Mfg. #	Type	Sugg. Ret.
5027345	000-11092-001	Downloadable Version	\$29.99
5027346	000-11093-001	DVD Version	49.99



LOWRANCE®

NAUTIC INSIGHT PRO 2013

•Superb U.S. coastal & offshore cartography •Improved shoreline detail & ENC data including California Marine Protected Areas •Covers Maine to all of Texas, plus Cuba, Bahamas and Caribbean - and California to Washington, plus Alaska & Hawaii •Features the same coverage area as Nautic Insight HD 2013 - East & West - all on one card, and without shaded relief

Order #	Mfg. #	Sugg. Ret.
5027323	000-11054-001	\$99.99



LOWRANCE®

GOFREE WIFI1 WIRELESS MODULE

•Creates a Wifi hotspot on your boat •Simply connect to a MFD via the yellow-plug Network port •Data from the navigation system is bridged onto Wifi via the MFD •Install anywhere on boat •View & edit WIFI-1 SSID and Passphrase from MFD

Order #	Mfg. #	Sugg. Ret.
5027381	000-11068-001	\$229.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

110 Depth Finders, Fish Finders, GPS Navigation & Radar

LOWRANCE®

Seize the Day



NEW

LOWRANCE® SPOTLIGHTSCAN™ SURROUND-SCAN SONAR TRANSDUCER

- Forward- and surround-scan imaging for your HDS Gen2 or HDS Gen2 Touch display
- Quickly identify key fishing areas before you make the first cast
- Transducer is installed by attaching it to any bow mounted cable-steer, foot-control trolling motor (not electric steer) using a stainless metal hose clamp (included) - no need to drill holes
- SpotlightScan™ NMEA 2000® sensor is connected to trolling motor's foot control
- Through this connection, SpotlightScan™ orientation & rate-of-turn data are communicated to the HDS Gen2 display (**NOTE:** NMEA 2000® Starter Kit required for installation)
- SpotlightScan™ transducer also features DownScan Imaging™ & Broadband Sounder® for the best possible view beneath your boat
- **IMPORTANT:** HDS Gen2 (non Touch) models require the SonarHub™ module for compatibility with the SpotlightScan transducer

Order # Mfg. # Sugg. Ret.
5103556 000-11303-001 \$499.99



LOWRANCE® BROADBAND RADAR

- Unrivaled target separation & detection near and far – with greater range
- Solid-state technology produces an immediate, accurate on screen image, w/o the lengthy warm-up delay of magnetron pulse radars. Ideal for boats of any size
- Proven automatic harbor/marina & offshore modes
- MARPA Target Tracking - up to 10 targets (requires a heading sensor)
- Crystal clear image
- Quick installation
- Safer than any other radar currently on the market & emitting less radiation than a mobile phone
- Can be mounted anywhere
- Select 36 RPM for almost instant updating at less than 2nm
- **Broadband 3G:** 30% more range than BR24
- **Broadband 4G:** 100% more range than BR24, 50% more than 3G

Order # Mfg. # Model Sugg. Ret.
5026799 000-10418-001 3G™ \$1,298.99
5026851 000-10419-001 4G™ 1,898.99



LOWRANCE® LST-3800 IN-DASH DIGITAL DEPTH/TEMP GAUGE

- 1.5" circular, 65Vx65H pixel, sunlight-viewable display
- White LED backlighting
- Water temp capable
- Mounts in 2.25" diameter hole
- With 200 kHz Skimmer transducer, 800W peak-to-peak with built-in temp sensor

Order # Mfg. # Sugg. Ret.
5024340 47-94 \$179.99

Order # Mfg. # Type Sugg. Ret.
TRANSDUCERS

5022949	106-48	Transom Mt., 20° Skimmer w/ Built-in Temp. & Power Cord	\$59.99
5024092	106-69	Trolling Motor Mt., 20° Pod-Type w/Remote Temp. & power Cord	79.99
5022951	106-50	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp. & Power Cord	69.99
5022950	106-52	Trolling Motor Mt. or Shoot-Thru- Hull, 20° Pod Type, Power Cord	79.99



NEW

LOWRANCE® POINT-1 ANTENNA PRECISION GPS/GLONASS RECEIVER w/ELECTRONIC COMPASS

- Provides extremely accurate & rapid boat position and speed updates
- Provides heading for accurate boat direction at any speed & for radar/ chart overlay
- Easily connects to any HDS Gen2, HDS Gen2 Touch or Elite-7 display or any NMEA 2000® network
- Fully waterproof & can be pole or surface mounted on any boat
- NMEA 2000® position & heading sensor
- Supports GPS & GLONASS, Galileo-capable w/ future software update
- Supports SBAS including WAAS/EGNOS/ MSAS
- 10Hz updates for smooth & accurate location
- Integrated electronic compass provides 10Hz heading for chart stabilization & radar overlay, plus accurate course over ground even at low speeds
- Compact, rugged design for all marine environments & fully waterproof
- Includes spat/pole mount
- Not recommended for use with MARPA or Autopilot
- Box contains: Antenna w/4' cable, T-connector, spat/pole mount, mounting hardware, gasket seal & install guide

Order # Mfg. # Sugg. Ret.
5027340 000-11047-001 \$199.99



LOWRANCE® WM-3 SIRIUS SAT WEATHER & RADIO MODULE

- Replaces the original LWX-1 with an integrated antenna with a small tri-cable splitter box that receives subscription data from SiriusXM North America equatorial satellite system
- Professional quality that works with both 12 & 24 volt systems
- Networked over high speed Ethernet 2m (6.5 ft.) output cable
- Dual RCA male audio 2m (6.5 ft.) output cable interfaces direct to Sonic Hub or virtually any marine stereo system
- Cable length to antenna is 10m (33 ft.)

Order # Mfg. # Sugg. Ret.
5027499 000-11076-001 \$799.99



LOWRANCE® & EAGLE® GPS MODULES

- 12 parallel-channel GPS modules
- LGC-16W: Use w/Elite-5 & Elite-5m

Order # Mfg. # Model Sugg. Ret.
5026146 146-001 LGC-16W \$79.99



LOWRANCE® TRANSDUCER KAYAK SCUPPER MOUNT

- Ultimate transducer mounting system for the sit-on-top fishing kayak
- Perfect for all HDS®, Elite™, Mark™ and X-Series Lowrance Skimmer® transducers, both 83/200 kHz and 455/800 kHz DownScan Imaging™ (DSI) models alike, as well as earlier 1" 200 kHz transducers
- Easy to install in most any scupper opening, with few tools & w/out messy adhesives
- Positions the Skimmer® transducer so it's totally submerged in the water

Order # Mfg. # Sugg. Ret.
5026821 000-10606-001 \$39.99



Seize the Day

**LOWRANCE®/EAGLE®
TRANSDUCERS**

Order #	Mfg. #	Description	Sugg. Ret.
DUAL-FREQUENCY - 50 kHz/200kHz			
TRANSOM MOUNT			
5022957	106-49	Transom Mt., DF Skimmer w/Built-in Temp. & Power Cord	\$149.99
5024597	106-77	Transom Mt., DF Skimmer w/Built-in Temp. (X59 DF). Compatible With: HDS-10, HDS-5, HDS-5x, HDS-7, HDS-8, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-525C DF, LMS-527C DF iGPS, X105C DF, X107C DF, X126DF, X136DF, X515C DF, X-515C DF, X59DF	94.99
BLUE CONNECTOR TRANSDUCERS			
TRANSOM MOUNT			
5024098	106-72*	Transom Mt., 20° Skimmer w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & Broadband units.	58.99
TROLLING MOTOR MOUNT			
5023159	106-89	PDRT-WBL - 20° pod-type w/remote temp sensor to fit blue units.	79.99
5024096	106-74*	Trolling Motor Mt., 20° Pod-Type w/Built-in Temp. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	69.99
5024097	106-73*	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type. For use with all Lowrance units with blue connector including X, LCX, HDS & broadband units. Includes expoy.	79.99
2003 UNI-UG SERIES 200kHz			
TRANSOM MOUNT			
5022949	106-48	Transom Mt., 20° Skimmer w/Built-in Temp. & Power Cord.	59.99
5022951	106-50	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod-Type w/Built-in Temp.	69.99
5022950	106-52	Trolling Motor Mt. or Shoot-Thru-Hull, 20° Pod Type. Fits same as HS-WSU.	79.99

**LOWRANCE®/EAGLE®
TRANSDUCER CABLES**

Order #	Mfg. #	Description	Sugg. Ret.
EXTENSION CABLES			
5024102 99-94			
5024127 99-91		20' Transducer Extension Cable. Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X105C DF, X107C DF, X126DF, X128DF, X135, X136DF, X510C, X-510C, X515C DF, X-515C DF, X52, X59DF 15' transducer extension cable. Includes power lead. Compatible With: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 350, Elite-5, Elite-5x, FishEasy 240, FishEasy 245 DS, FishEasy 250 DS, FishEasy 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, LST-3800, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, X-4, X-4 Pro, X47, X47EX, X-50 DS, X67C, X-86 DS, X96	\$39.99
			29.99

**LOWRANCE®/EAGLE®
TRANSDUCER ACCESSORIES**

Order #	Mfg. #	Description	Sugg. Ret.
ADAPTERS			
5026274	000-10052-001	TA-UQ2BL-T - Adapts blue connector 50/200 kHz or 200 kHz transducers to units w/newer black 50/200 or 200 kHz transducer power connector w/the quarter turn connector for Mark & Elite Units	\$34.99
5026778	000-0127-66	TA-BL2U-T - Adapts/Connects Blue Transducer to UniPlug Transducer w/Temperature	34.99
5026256	000-00119-31	NMEA-0183 Output/Adapter Cable. Compatible With: Elite-5, Elite-5 DS, Elite-5m, Elite-5x, Elite-5x DS, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishStrike 1000C, FishStrike 2000C, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS, M56 S/MAP, M68C S/MAP, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 640C DF	29.99
BOXES - SWITCH CABLES - POWER			
5025490	127-08	PC-27BL - LCX-112C, LCX-0113C HD, LCX-27C, LCX-28 HD, LCX-37C, LCX-38C HD, LMS-520C, LMS-522CiGPS, LMS-525C DF, LMS-527C DF iGPS, X510C, X515CDF	49.99
KNOBS - GIMBAL			
5026259	000-00124-56	HDS-10, HDS-5, HDS-7, HDS-8	14.99
5001241	51-81	GK-8-SupraPro ID®, Magna® III (Plus), MagnaView® (Plus), View, X-22A, X-25A, X-25B, X-45, GlobalNav® 200	19.99

continued next page

 Trolling
Motors

 Audio/
Instruments

 Depth
Finders/GPS

 Vests/
Cushions

 Water
Sports

 Safety/
Optics

 Boat
Access.

 Mooring/
Docking

Lighting

Boat Seats

Boat Covers

Fuel

 Trailers/
ATV Access.

Pumps

Electrical

Maintenance

 Controls/
Steering

 Motor
Access.

Camping

Cutlery

112 Depth Finders, Fish Finders, GPS Navigation & Radar

LOWRANCE®/EAGLE® TRANSDUCER ACCESSORIES

continued from previous page

	Order #	Mfg. #	Description	Sugg. Ret.
TRANSDUCER BRACKET				
Audio/ Instruments	5001467	99-06	Replacement SS Transom Mount Bracket for 20° HS-WS transducer. Compatible With: Fish I.D. II Plus, Magna II, Magna II Plus, SeaView 2000, Ultra, Ultra II, Ultra II Plus, Ultra Plus, UltraNav, UltraNav II, X-55, X-70, X-70A	19.99
Depth Finders/GPS	5026066	99-005	Skimmer Mount Transducer Bracket. for LSS-1 StructureScan Sonar Imaging.	49.99
TRANSDUCER MOUNTING ACCESSORIES TROLLING MOTOR MOUNTING				
BRACKET & CLAMP				
Vests/ Cushions	5000893	51-45	Trolling Mtr. Mt. Bracket & Clamp for HS-WS Series Transducers	14.99
SUCTION CUP KIT				
	5001464	51-52	For portable mounting - any 192 kHz Skimmer® Transducer	15.99

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

	Order #	Mfg. #	Description	Sugg. Ret.
CONNECTOR CAPS				
Safety/ Optics	5026260	000-00124-70	CAP-1 Set of Connector Caps for HDS Units: 10, 10m, 5, 5m, 5x, 7, 7m, 8, 8m	\$16.99
FLUSH MOUNT KIT				
Boat Access.	5024492	113-20	Compatible With: Cuda 128, Cuda 168, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, SeaFinder 245DS, X-4, X-4 Pro, X-47, X-50 DS	19.99
GIMBAL BRACKET				
Mooring/ Docking	5022766	101-99	Fits: Cuda168EX, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105C, X107, X125, X126DF, X135, X136DF, X510, X515, LMS-240, LMS320, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, GM2400, GM3200, GM3300, GM3500, GM4800, GM5200, GM5300, GlobalMap Baja 540, FishEasy250, FishMark 160/240/320/480/500/640, FishElite 320/480/500/502/640/642, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500DF, SeaFinder 640DF, SeaCharter 320/480/500/502/640/642, IntelliMap 320/480/500/502/640/642	29.99
Hardware	5022765	101-98	Compatible With: FishEasy 2 (w/Black Connector), FishEasy 2 (w/Gray Connector), SeaFinder 240 DF, Trifinder 2, X51, X52, X58DF, X59DF	29.99
Lighting	5024512	113-16	Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, Cuda 300, Cuda 350, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/Map, M68C S/Map, SeaFinder 245DS, X-4, X-4 Pro, X-47, X-50 DS, X67C	24.99
GIMBAL BRACKET SWIVEL ADAPTER				
Boat Seats	5001237	51-83	Gimbal Bracket Swivel Adapter For Units Ussing GB-8, 10, 13, 14	19.99
	5024043	113-26	Compatible With: Cuda 128, Cuda 168, Cuda 240 S/GPS, Cuda 242, Cuda 250 S/Map, FishEasy 240, FishEasy 245 DS, FishEasy 320, M56 S/Map, M68C S/Map, SeaFinder 245DS, X-4, X-4 Pro, X-50 DS	19.99
GIMBAL KNOBS (SET OF 2)				
Boat Covers	5022508	101-80	Fits: Cuda 168EX, FishEasy 250, FishElite 480/500/502/640/642, FishMark 320/480/500/640, FishStrike 1000/2000, GM3000/35000, GM4000/4800/4900, GM5000/5200/5300/5500, GM6000/6500/6600, GM7000/7200/7300/7500/7600, GM8200/8300, GMBaja, GMBaja480/540, IntelliMap 320/480/500/502/640/642, LCX 15/16/17/18/19/20/25/26/27/28/37/38, LCX 104/110/111/112/113, LMS330, LMS332, LMS335, LMS337, LMS480, LMS520, LMS522, LMS525, LMS527, SeaChamp 1000/2000, SeaCharter 480/500/502/640/642, SeaFinder 250/320/480/500/640, X47EX, X71, X86, X87, X88, X91, X96, X97, X98, X100, X102, X105, X107, X125, X126, X135, X136DF, X510, X515	22.99
Fuel	5026253	000-00113-02	Compatible With: FishEasy 2 (w/Black Connector), FishEasy 2 (w/Gray Connector), SeaFinder 240 DF, Trifinder 2, X51, X52, X58DF, X59DF	22.99
FLUSH MOUNT KIT				
Boat Seats	5022772	113-03	Compatible With: SeaFinder 240DF, Trifinder 2, X51, X52, X59DF	15.99
MOUNTING ACCESSORIES				
Pumps	5002185	101-63	MB-8 - R-A-M® 1-1/2" ball-mounting bracket and arm w/holder. For GlobalMap® 2000	49.99
	5026261	000-00124-78	LWX-1 Spare Parts Kit: Pole mount. w/1"-14 Thread Adapter. SS Hardware & Cover Plugs	89.99
POWER CABLE				
Electrical	5026252	000-0099-83	Compatible With: IntelliMap 320, IntelliMap 480, IntelliMap 500C, IntelliMap 502C iGPS, IntelliMap 642C iGPS	22.99
Maintenance	5022947	99-78	Fits: Cuda 128, Cuda 168, Cuda 168 EX, Cuda 242, Cuda 250 S/Map, FishEasy 245 DS, FishEasy 250 DS, FishElite 320, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishStrike 1000C, FishStrike 2000C, M56 S/Map, M68C S/Map, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C i GPS, SeaFinder 240DF, SeaFinder 245DS, SeaFinder 250DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder640C DF, X-4, X-4 Pro, X-47, X-47EX, X-50 DS, X67C, X-86DS	33.99
Controls/ Steering	5024107	99-98	Compatible With: GlobalMap 3300C, GlobalMap 3500C, GlobalMap 3600C iGPS, GlobalMap 4800, GlobalMap 4900M, GlobalMap 5500C, GlobalMap 6500C, GlobalMap 6600C HD, GlobalMap 7500C, GlobalMap 7600C HD, GlobalMap Baja, GlobalMap Baja C, LCX-110C, LCX-111C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, X125, X126DF, X135, X136DF, X52, X59DF	39.99
Motor Access.	5024106	99-97*	Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-330C, LMS-332C, LMS-334C iGPS, LMS-335C DF, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X100C, X102C, X105C DF, X107C DF, X125, X126DF, X135, X136DF, X52, X59DF	79.99
Camping	SPEED/TEMP. PROBE			
Cutlery				continued next page

continued from previous page

LOWRANCE®/EAGLE® GPS/FISHFINDER ACCESSORIES

Order #	Mfg. #	Description	Sugg. Ret.
SPEED/TEMP. PROBE			
5022955	99-75	Compatible With: Elite-5, Elite-5 DSi, Elite-5x, FishEasy 2 (w/ Black Connector), FishEasy 240, FishEasy 320, FishElite 320, FishElite 480, FishElite 500C, FishElite 502C iGPS, FishElite 640C, FishElite 642C iGPS, FishMark 320, FishMark 480, FishMark 500C, FishMark 640C, FishStrike 1000C, FishStrike 2000C, M56 S/MAP, M68C S/MAP, Mark-5x, Mark-5x DSi, Mark-5x Pro, SeaChamp 1000C DF, SeaChamp 2000C DF, SeaCharter 500C DF, SeaCharter 502C DF iGPS, SeaCharter 642C DF iGPS, SeaFinder 240DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF, SeaFinder 640C DF, X67C, X96	79.99
SPEED PROBE			
5024105	99-96*	Compatible With: HDS-5x, LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	65.99
TEMP. PROBE FOR TEMP. 1			
5024104	99-95	Compatible With: LCX-110C, LCX-111C HD, LCX-112C, LCX-113C HD, LCX-17M, LCX-20C, LCX-25C, LCX-26C HD, LCX-27C, LCX-28C HD, LCX-37C, LCX-38C HD, LMS-332C, LMS-334C iGPS, LMS-337C DF, LMS-339C DF iGPS, LMS-480, LMS-520C, LMS-522C iGPS, LMS-525C DF, LMS-527C DF iGPS, X102C, X107C DF, X125, X126DF, X135, X136DF, X-510C, X-515C DF, X52, X59DF	69.99
TEMP. PROBE FOR TEMP. 2			
5026251	000-0099-77	Fits: X47, FishEasy2 (black conn), FishEasy 240, FishEasy 320C, FishElite 480, FishElite 500C, FishMark 320, FishMark 480, FishMark 500C, FishStrike 1000C/2000C, SeaChamp 1000C DF/2000C DF, SeaCharter 500C DF, SeaFinder 320DF, SeaFinder 480DF, SeaFinder 500C DF	69.99
BEZEL & SD CARD DOOR REPLACEMENTS			
5026262	000-00124-79	For HDS Units: 5, 5m, 5x	22.99
5026263	000-00124-80	For HDS Units: 7, 7m	27.99
5026264	000-00124-81	For HDS Units: 8, 8m	39.99
5026265	000-00124-82	For HDS Units: 10, 10m	32.99

LOWRANCE®/EAGLE® MISCELLANEOUS ACCESSORIES

Order #	Mfg. #	Description	Sugg. Ret.
CIGARETTE PLUG POWER CABLES			
5026250	000-0099-11	8 ft. - Works with: AirMap 100, AirMap 1000, AirMap 2000C, Cuda 168 EX, Eagle Expedition, Eagle Expedition II, Eagle Explorer, Eagle Map Guide, Eagle Map Guide Pro, Eagle View, FishElite 320, GlobalMap 100, GlobalNav units 12, 200, 212 & 310, IntelliMap units 320, 480, 500C, 502C iGPS, 642C iGPS, SeaFinder 320DF, X47 & X47EX	\$38.99
5026255	000-00119-10	Model CA-8 - Power cable w/12 vDC accessory (cigarette lighter) plug compatible w/all Lowrance blue power connector models.	39.99
EPOXY KIT			
5022413	106-98		4.99
LWX-1 INTERFACE MODULE & CABLE KIT			
5026081	127-57	Interface Module & Cable Kit	189.99



NAVIONICS®

NAVIONICS®+

•Flexible coverage selection online •Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more •Choose your coverage area from around the globe & download the charts you want •Plug your chip into your PC/Mac & download from Navionics.com •You choose data from Gold & HotMaps Premium charts •Great for boaters & fishermen who need data from more than one chart



NAVIONICS®
NAVIONICS® UPDATE

•Flexible coverage selection online •Buy a Navionics Update chip & activate with your old chart to get updates and even expand your Navionics coverage w/flexible chart selection online •Get detailed 2D chart content for marine areas & lakes, plus receive a 12 month subscription to Freshest Data™ which includes: free daily chart updates, Community Edits™ (UGC, Community Layer, POI, point objects, Community sourced data), SonarCharts™ (Fishing data, Fish 'N Chip, FNC, Fishing data with community sonar, UGC 3D, UGD etc.), & more •Choose your coverage area from around the globe & download the charts you want •Plug your chip into your PC/Mac & download from Navionics.com •You choose data from Gold & HotMaps Premium charts •Great for boaters & fishermen who need data from more than one chart



Order #	Mfg. #	Format	Sugg. Ret.
5027232	MSD/NAV+NI	Micro SD card	\$179.99
5027233	CF/NAV+NI	Compact Flash card	179.99

Order #	Mfg. #	Format	Sugg. Ret.
5027234	MSD/NAVU-NI	Micro SD card	\$99.99
5027235	CF/NAVU-NI	Compact Flash card	99.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware
Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery


NAVIONICS® MARINE & LAKES USA

•Get the same detailed 2D content as HotMaps Premium and Gold for a single state at one low price, plus 12 months of Freshest Data updates to the Nautical Charts & Community Edits •Includes inland lakes plus Great Lakes within state boundaries & coastal marine coverage for that state out to 3 nautical miles •Plug your chip into your PC/Mac & download coverage from navionics.com •Upgradeable to flexible chart selection online for more coverage •Micro Secure Digital Cartridge •NOTE: CA, TX & FL split into 2 selectable regions

Order # Mfg. # Sugg.Ret.
5026911 MSD/DWL-S \$98.99



NAVIONICS® PLATINUM+™ MULTI-DIMENSIONAL CHARTS



•Includes all of the Navionics Gold marine content, plus 3D view, high resolution photo/chart overlay, port photos, geo-referenced coast pilots, & incredible fishing detail •Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits •High-resolution satellite photo overlay •3-dimensional view. Panoramic port pictures •Geo-Referenced Coast Pilot •Coastal Points-of-Interest •High-definition fishing detail •Highly detailed 2-dimensional charts for coastal marine areas •Paper-like charts •Full seamless & IC™ technology (Intelligent Clarity) •Safety depth contours (user-selectable) •Navaids with XPLAIN™ (navaid description feature) •Port Services (such as fuel, transient berths, repairs, etc., including phone #s where available) •Tides & Currents •TurboView™ compatible (w/select chartplotters)

EXTENDED AREA COVERAGE

•900P+: Michigan, Superior, Huron - Including Lake of the Woods, Rainy Lake, North Channel, Georgian Bay, Green Bay & Lake Winnebago

•901P+: Ontario, Erie and St. Clair, Huron, Ottawa River - Including North Channel, Georgian Bay, Trent Severn Waterway, Rideau Waterway, The Finger Lakes & Lake Champlain

•904P+: Maine, Mass., New York, Hudson River, North Atlantic Canyons from Passamaquoddy Bay & Grand Manan Island to Shark River Inlet, including Hudson River to New York State Barge Canal to Lake Ontario, Oneida Lake, The Finger Lakes, Lake Champlain and bathymetric details of all North Atlantic Canyons from Delaware Bay offshore to Georges Bank and East to 64° West

•905P+: New Jersey, Delaware Bay, Chesapeake Bay, North Carolina from New York Harbor to Cape Romain, including Philadelphia, Norfolk and bathymetric details of all Mid-Atlantic Canyons

•906P+: South Carolina, Florida, Bahamas North from Cape Fear to Long Island to Cedar Keys, including the entire Florida Keys, Dry Tortugas and Cay Sal Bank

•907P+: East, Central & West Gulf of Mexico from Venice, FL to Brownsville, TX

•912P+: Puget Sound, Washington, Oregon, California, Baja, Hawaii from Vancouver, BC to Cabo San Lucas, MX, Cape Flattery and offshore bathymetric data, the entire chain of the Hawaiian Islands, and the Columbia River from the entrance to Lake Wallula/Snake River entrance

AREA DETAIL (numbers begin w/MSD)

•649P+: North to Saginaw Bay, MI; east to Toronto, ON

•630P+: Venice, FL to Biloxi, MS

•642P+: Cape Fear, NC to Melbourne, FL

•646P+: US waters including Green Bay & Lake Winnebago

•644P+: Fort Bragg, CA to Cabo San Lucas, MX

•673P+: West Quoddy Head, ME to Marblehead

•638P+: US waters

•635P+: Baton Rouge, LA to Brownsville, TX

- 643P+: Grays Harbor, WA to Newport Beach, CA
- 632P+: Daytona to Cedar Key, FL incl. Bimini, Keys & Dry Tortugas
- 637P+: NY Harbor to Cape Hatteras, NC & North & Mid Atl. Canyons
- 634P+: Delaware Bay, DE to Norfolk, VA
- 645P+: Chincoteague Inlet, VA to Cape Romaine, SC
- 674P+: Salisbury MA to Shark River Inlet, NJ & North Atl. Canyons
- 651P+: Apalachicola, FL to Baton Rouge, LA
- 647P+: Lake Superior
- 699P+: Ft. Pierce, FL to Long Island Bahamas incl. FL Keys & Cay Sal Bank

Order #	Mfg. #	Type	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026228	MSD/904P+	US Northeast & Canyons	\$398.99
5026230	MSD/906P+	US Southeast - Bahamas	398.99
5026231	MSD/907P+	Gulf of Mexico	398.99
5026232	MSD/912P+	US West Coast	398.99
5026008	MSD/649P+	Lake Erie & Saint Clair	248.99
5026009	MSD/630P+	East Gulf of Mexico	198.99
5026010	MSD/642P+	SC to North Florida	198.99
5026014	MSD/638P+	Puget Sound	198.99
5026015	MSD/635P+	West Gulf of Mexico	198.99
5026017	MSD/632P+	Central & South Florida	198.99
5026020	MSD/645P+	North Carolina	198.99
5026022	MSD/651P+	Central Gulf of Mexico	198.99
5026024	MSD/699P+	North Bahamas	198.99
COMPACT FLASH CARTRIDGES			
5026718	CF/906P+	US Southeast - Bahamas	398.99
5026902	CF/642P+	SC to North Florida	198.99

NAVIONICS® GOLD ALL-IN-ONE 2D CHARTS



•Detailed 2D Charts that set the standard for marine navigation plus navaids, tides, currents, water depth, wrecks, rocks, marinas, & port services •Includes one year of Freshest Data updates to the Nautical Charts and Community Edits

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026030	MSD/1XG	All USA & N. Bahamas	\$198.99
COMPACT FLASH CARTRIDGES			
5026653	CF/1XG	All USA & N. Bahamas	198.99



NAVIONICS® HOTMAPS® PLATINUM MULTI-DIMENSIONAL LAKE MAPS

•Enhances Navionics' extensive library of lake maps with 3D views, including high-resolution satellite imagery & panoramic pictures on the most popular lakes •Includes one year of Freshest Data updates to the Nautical Charts, SonarCharts™, & Community Edits •Panoramic pictures •Satellite photo overlay •3-dimensional view •Structures, reefs, drop-offs, vegetation, boat ramps, marinas •Safety depth contours (user-selectable) •Navaids

Order #	Mfg. #	Area	Sugg.Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026040	MSD/HMPT-N6	North	\$198.99
5026041	MSD/HMPT-S6	South	198.99
5026042	MSD/HMPT-E6	East	198.99
5026043	MSD/HMPT-W6	West	198.99

Ellett Brothers



NAVIONICS® HOTMAPS® PREMIUM 2D LAKE MAPS

- The most detailed 2D lake maps available with 1' contours on over 2,500 High Definition Lakes plus 18,000 lake maps
- Includes one year of Freshest Data updates for the most current Nautical Charts and Community Edits
- Structures, reefs, drop-offs, vegetation, etc.
- Boat ramps, marinas
- Safety depth contours
- Navaids

Order #	Mfg. #	Area	Sugg. Ret.
MICRO SECURE DIGITAL CARTRIDGES			
5026050	MSD/PREM-N6	North	\$148.99
5026051	MSD/PREM-S6	South	148.99
5026052	MSD/PREM-E6	East	148.99
5026053	MSD/PREM-W6	West	148.99

NorCROSS® HawkEye®

NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER w/AIR & WATER TEMP.

- Algorithmic programming
- Instant depth updates
- Water & Air Temperature readings
- Easy Touch Digital programming
- Keel offset
- English & metric readings
- Dual depth alarms
- Advanced Warning System
- Automatic mute control
- Memory retention
- Extended mounting coupler
- Quad face system
- Polarized LCD
- Waterproof fuse housing
- Largest LCD available
- Soft-Glow backlit display
- Plug & Play connectors
- IPX6 waterproof rating
- Transducer exchange
- Patented technology
- 2-Year Warranty

Order #	Mfg. #	Type	Sugg. Ret.
5025961	D10DX.01T	w/Transom Mount Transducer	\$129.99



NORCROSS® HAWKEYE® IN-DASH DIGITAL DEPTH SOUNDER

- Instant depth readings, updated 4 times per second
- Uninterrupted readings at speeds up to 60 MPH
- Digital, easy-touch programming
- Keel offset
- English & metric readings
- Dual depth alarms
- Advanced warning system
- Automatic mute control
- Memory retention
- Dual mount transducer
- Removable transom bracket
- ShootThru Technology
- Quad face system
- Polarized LCD
- Waterproof fuse housing
- SoftGlow backlit display
- Plug & Play connectors
- IPX6 waterproof rating
- Two-year warranty

Order #	Mfg. #	Sugg. Ret.
5025488	D10D	\$109.99



NORCROSS® HAWKEYE® HANDHELD SONAR SYSTEM PX

- SideScan fish sonar
- Algorithmic programming
- Instant depth readings & updates at 60 MPH
- English & metric calculations
- Dry seal battery housing
- Dual temperature readout (water or air)
- SureGrip housing
- Auto & manual readout modes
- ShootThru Technology
- Silverscreen backlit LCD
- Waterproof to 200'
- Floatable
- Integrated wrist strap
- Two-year warranty

Order #	Mfg. #	Sugg. Ret.
5025489	H22PX	\$99.99



Raymarine®



NEW RAYMARINE® a-SERIES MULTIFUNCTION DISPLAYS

- Swipe, Touch & Navigate - powered by Raymarine's intuitive LightHouse user interface
- Includes one year of Freshest Data updates for the most current Nautical Charts and Community Edits
- Structures, reefs, drop-offs, vegetation, etc.
- Boat ramps, marinas
- Safety depth contours
- Navaids
- Optically bonded display provides sharp color & contrast
- Super-fast dual core processor plus a powerful graphics processor
- 50 channel internal GPS sensor
- Easy to use & learn with a simple start up wizard & on-screen user's guide
- Power save mode
- Waypoint management tools
- Fast Raynet Ethernet (SeaTalkhs compatible) port for networking w/up to 6 Raymarine MFDs
- Network support for Raymarine Digital radar, HD Color, & SHD Color radar
- SIRIUS Marine Weather
- "Video over IP" camera support
- Fuel monitoring w/ range, time-to-empty calculations & fuel range ring overlaid on navigation charts
- Fuel calibration & tank level indicators
- NMEA2000 & SeaTalkng connectivity
- Fusion 700 Series audio control
- Connect w/your smartphone & control your MP3 music remotely using Bluetooth
- Value Packs:** Contains unit plus RD418D Digital Radar w/10M RayNet cable
- a67 & a77 Multifunction Touch Displays:** Feature fully automatic digital sonar, ideal for coastal fishing & the occasional offshore venture
- a68 & a78 Multifunction Touch Displays:** Feature exclusive CHIRP DownVision for photo realistic images of structure & fish targets

Order # Mfg. # Model Sugg. Ret.

a67 MULTIFUNCTION/SONAR DISPLAY (5.7" SCREEN)			
5027262	T70149	Value Pack	\$1,999.99
5027554	T70189	Value Pack w/Gold Charts	2,069.99

a68 MULTIFUNCTION/SONAR DISPLAY (5.7" SCREEN) w/CPT-100 TRANSOM MT. TRANSDUCER

5027561	T70200-GLD	w/N. American Gold Bundle	1,364.99
5027562	T70201-GLD	w/WiFi & N. American Gold Bundle	1,464.99

a75 MULTIFUNCTION DISPLAY (7" SCREEN)

5027555	T70212	Value Pack	2,149.99
5027557	E70164-GLD	w/N. American Gold Bundle	1,099.99
5027558	E70166-GLD	w/WiFi & N. American Gold Bundle	1,199.99

a77 MULTIFUNCTION/SONAR DISPLAY (7" SCREEN)

5027559	E70165-GLD	w/N. American Gold Bundle	1,199.99
5027560	E70167-GLD	w/WiFi & N. American Gold Bundle	1,299.99

a78 MULTIFUNCTION/SONAR DISPLAY (7" SCREEN) w/CPT-100 TRANSOM MT. TRANSDUCER

5027556	T70213	Value Pack	2,499.99
5027563	T70202-GLD	w/N. American Gold Bundle	1,549.99
5027564	T70203-GLD	w/WiFi & N. American Gold Bundle	1,649.99

TRANSDUCER OPTIONS FOR a68 & a78

5027565	A80270	CPT-100 Trans. Mt.	89.99
5027566	A80277	CPT-110 Plastic Thru-Hull	269.99
5027567	A80271	CPT-120 Bronze Thru-Hull	329.99

Ellett.Link
The Retailers Connection

www.ellettbrothers.com

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Raymarine®




RAYMARINE® e7 & e7D NETWORK MULTIFUNCTION DISPLAY

- Super bright 7" widescreen, sunlight viewable MFD
- Sport Optic Friendly technology allows you to view the e7 screen from any angle while wearing your favorite sport sunglasses
- Transform your Apple iPod Touch, iPhone, or iPad into a remote e7 viewer
- Using the e7's built-in Wi-Fi & the Raymarine Viewer app you can view the entire e7 display simultaneously, thanks to the e7's video streaming capability
- View charts, sonar, radar, & thermal night vision from anywhere onboard, right in the palm of your hand
- Connecting to the e7 is easy - just go to the Apple iTunes App store and download the free Raymarine Viewer to get started
- Enjoy your favorite tunes right from the helm using Bluetooth technology to remotely control the music functions on your iPod Touch, iPhone, or iPad
- Exclusive LightHouse User Interface intuitively places frequently used navigation functions right at your fingertips
- LightHouse takes full advantage of Raymarine HybridTouch™ technology, giving you a choice between touch screen operation or full keypad control when seas are rough
- Helm friendly industrial design offers a clean, unobtrusive display solution that looks great on any helm
- "Buttonless" buttons and a hidden memory card door along the right hand side
- A UniController offers precision control of the joystick cursor, rotary adjustments, & menu commands
- Equipped with three processors in the form of a dual core main processor & a third dedicated graphics processor
- Built-in high sensitivity 48 channel GPS sensor and high quality Navionics® ready-to-navigate charts on an included microSD card
- Instantly synchronize waypoint locations, favorite fishing spots and route plans between the e7 and the Navionics® Mobile app
- See at night w/thermal night vision
- Built-in dual frequency HD Digital™ sonar capable of depths down to 3,000'
- **E62354:** e7 Network MFD w/out cartography.
- **T70000:** e7 Network MFD w/USA cartography.
- **T70003:** e7 Network MFD w/USA Inland cartography.
- **E62355:** e7D Network MFD w/Sonar & no cartography.
- **T70005:** e7D Network MFD w/Sonar & USA cartography - No transducer.

dedicated graphics co-processor for speed & performance

- Offers robust wired networking including SeaTalkhs, SeaTalkng, NMEA2000, NMEA 0183 & (1) composite video input
- Network up to 6 displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more
- Includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM
- Size: 11.4" x 6.8" (not including mounting bracket)
- **NOTE:** HD Digital Sounder (C97 MFD Only) is capable of imaging fish & bottom structure at depths to 3000ft

Order #	Mfg. #	Description	Sugg. Ret.
C95 MFD			
5027019	T70026	Includes U.S. Inland Charts	\$1,999.99
C97 MFD w/BUILT-IN HD DIGITAL SOUNDER			
5027020	T70027	Includes U.S. Inland Charts	2,199.99
Order #	Mfg. #	Description	Sugg. Ret.
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	\$49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9" C90W/E90W Displays	149.99
5027029	R70009	Fits 12" C120W/E120W Displays	149.99



RAYMARINE® e-SERIES HYBRIDTOUCH MULTIFUNCTION DISPLAYS (MFD)

- Features ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting
- Resolution: 800x480 pixels WVGA (E97), 1280x800 WVGA (E127)
- HybridTouch user interface w/LightHouse offers full touch screen or button-based control
- Equipped w/built-in high-sensitivity GPS receiver & HD Digital Sounder that is capable of imaging fish & bottom structure at depths to 3000ft.
- Dual chart reader slots for Navionics® charts on microSD cards
- Wi-Fi (802.11 b/g) video streaming & waypoint synchronization w/iPhone & iPad or Android Tablets & Smartphones
- Bluetooth connectivity (AVCRP 2.1+ EDR power class 1.5) for optional RCU-3 remote control & multimedia control
- Dual core main processor & dedicated graphics co-processor for speed & performance
- Offers robust wired networking including SeaTalkhs, SeaTalkng, NMEA2000, NMEA 0183 & (1) composite video input
- Get expanded video capability w/additional composite input & high resolution video output using the optional e-Series Video Accessory Cable (sold separately)
- Network up to 6 displays together & match them w/your choice of Raymarine HD Color radar scanners, thermal imaging cameras, SIRIUS weather receivers, AIS transceivers, marine cameras & more
- Includes rubberized protective sun cover, flush mounting hardware, power/data/video cable, installation guide and multi-language handbook on CD-ROM
- Size (without mounting bracket): 11.4" x 6.8" (E97), 13.9" x 8.7" (E127)



RAYMARINE® C-SERIES MULTIFUNCTION DISPLAYS (MFD)

- Features 9.0" (diagonal) ultra-sunlight viewable (16x9 widescreen) TFT 18-bit color display w/LED backlighting
- Resolution: 800x480 pixels (WVGA)
- LightHouse User Interface offers fast, easy control using keypad/UniController
- Equipped w/built-in high-sensitivity GPS receiver
- Dual chart reader slots for Navionics® charts on microSD cards
- Wi-Fi (802.11 b/g) video streaming & waypoint synchronization w/iPhone & iPad or Android Tablets & Smartphones
- Bluetooth connectivity (AVCRP 2.1+ EDR power class 1.5) for optional RCU-3 remote control & multimedia control
- Dual core main processor and

Order #	Mfg. #	Description	Sugg. Ret.
E97 MFD w/9.0" DIAGONAL DISPLAY			
5027021	E70022	No Cartography	\$3,099.99
5027113	T70041	Includes U.S. Coastal Charts	3,199.99
E127 MFD w/12.1" DIAGONAL DISPLAY			
5027022	T70051	Includes U.S. Coastal Charts	3,699.99
Order #	Mfg. #	Description	Sugg. Ret.
TRUNION MOUNTING BRACKETS			
5027025	R70001	C9X/E9X for C90W/E90W	\$49.99
5027026	R70002	C12X/E12X for C120W/E120W	54.99
WIDESCREEN EASY-FIT BEZEL UPGRADE KITS			
5027028	R70008	Fits 9" C90W/E90W Displays	149.99
5027029	R70009	Fits 12" C120W/E120W Displays	149.99

Raymarine®

NEW

RAYMARINE® DIGITAL RADOME RADAR ANTENNAS

- 4kW power • 48 NM range • Combine with "a", "c", "e" or "G" Series Multifunction Displays for a complete radar system • Also compatible w/previous E Classic, C or E Widescreen Multifunction Displays, however you will need to use an A55076D, A55077D, A55078D or A55079D digital cable • Includes 10M RayNet Cable



Order #	Mfg. #	Model	Diameter	Sugg. Ret.
5027568	T70166	RD418D	18"	\$1,049.99
5027570	T70167	RD424D	24"	1,499.99

NEW

RAYMARINE® HD DIGITAL RADOME RADAR ANTENNAS

- Combines the power & clarity of HD Digital signal processing w/an ultra-compact scanner suitable for all types of vessels • Compatible with a, c, e or G Series Multifunction Displays, these radomes offer a 256-color radar display & the clearest, most lifelike radar presentation • Also compatible w/previous E Classic, C or E Widescreen Multifunction Displays, however you will need to use an A55076D, A55077D, A55078D or A55079D digital cable • Adaptive digital receiver automatically adjusts to changing environmental & sea conditions for a dramatically clearer picture • High speed (48rpm) target tracking • Fast digital receiver processor • 256 color multi-level display w/selectable color palettes • Bird Mode automatically optimizes the receiver for detecting sea birds above schools of fish • Automatic harbor, coastal, offshore & buoy operating modes • Dual-range mode allows you to monitor both long & short ranges simultaneously with a single scanner & display • Includes 10M RayNet Cable • **NOTE:** Target Tracking & Bird Mode not available when used w/E Series Classic & C Widescreen Displays



Order #	Mfg. #	Model	Diameter	Sugg. Ret.
5027569	T70168	RD418HD	18"	\$1,699.99
5027571	T70169	RD424HD	24"	2,499.99

RAYMARINE® RD418HD & RD424HD DIGITAL RADOMES

- Superior display & simple, intuitive controls • Easily accessed auto modes • Broad compatibility across MFD range • Works with new C, E & G • All physical parameters same as NGS (except cable) • Mounting bolt pattern remains unchanged from current design • Re-designed antenna • Narrow horizontal beam angle - 5.1° for 18" and 3.9° for 24" • Custom designed LNC (Low Noise Converter) • Lowest noise on the front end of the system, superior sensitivity & weak target acquisition • Greatest number of pulse lengths, pulse repetition frequencies and IF bandwidths • Optimizes radar performance for every range scale • Better resolution & target detection • Quiet belt drive operation • Superior auto functions • User friendly • Thin (12.3mm) digital cable, same as digital scanners • 5, 10, 15, 25m cables with 2.5, 5 & 10m extensions • Simplified installation w/plug - no requirement to open dome housing



Order #	Mfg. #	Model	Sugg. Ret.
5026088	E92142	RD418HD	\$1,649.99

RAYMARINE® HS5 SEATALK^{hs} NETWORK SWITCH

- 12V or 24V DC - Direct connect (wires - ST^{ng} power spur) • 5 port - watertight RayNet connection • Supported Network Speeds: 10MB/sec., 100 MB/sec., 1 GB/sec. (5th port only) • Allows higher speed across switches should a second switch be necessary

Order #	Mfg. #	Sugg. Ret.
5027034	A80007	\$269.99

RAYMARINE® SEATALK hs CROSSOVER COUPLER


- Provides a secure connection between any 2 SeaTalk hs devices • Commonly fitted on networks consisting of a single E-Series display with DSM300, or 2 E-Series displays with no DSM300 • For networks with 3 to 8 devices, please choose the SeaTalk hs Network Switch



Order #	Mfg. #	Model	Sugg. Ret.
5024581	E55060	SeaTalkhs for connecting 2 devices with no network switch	\$49.99

RAYMARINE® SEATALKNG BACKBONE KIT

- Contains everything you need to construct and wire a basic SeaTalkng navigation backbone on board your vessel
- Contains the following components: (2) A060031 SeaTalkng Terminators, (1) A06037 20m Backbone Cable, (2) A06036 5m Backbone Cables, (4) A06028 T-Pieces, (1) A06049 Network Power Cable and (1) 81300 SeaTalkng Reference Manual



Order #	Mfg. #	Sugg. Ret.
5025631	A25062	\$251.99

NEW

RAYMARINE® DRAGONFLY™ SONAR/GPS

- CHIRP powered Dual Channel sonar • High resolution, photo like imagery of bottom structure using CHIRP DownVision™ • View structure images & target fish w/CHIRP sonar simultaneously using dual sonar mode • Dual-beam CHIRP transducer with a wide 60°x1.4° fan beam for DownVision™ imagery plus a conical 25° beam for targeting fish • DownVision™ & sonar images down to 600' • High accuracy temp sensor built into transducer • Built-in 50 channel GPS sensor w/fast-acquisition technology • Simple user interface for easy access to menu options & display choices - simple 3-button control • 5.7" Ultra-bright 1500 nit optically bonded sunlight display for max readability in all conditions • Tilt/Swivel quick-release drop-in base can be secured w/optional Thule lock core for added security



Order #	Mfg. #	Model	Sugg. Ret.
5027332	E70085-SLV	w/Navionics® Silver US Coastal & Lake Charts	\$669.99
5027354	E70085-GLD	w/Navionics® Gold Charts	719.99

Order #	Mfg. #	Type	Sugg. Ret.
5027333	A80223	Flush Mt. Kit	\$19.99
5027334	A80206	Carrier Pouch	24.99
5027335	R70134	Sun Cover	14.99
5027337	A80207	Trans. Trolling Mtr. Bracket	24.99
5027338	A80195	CPT-60 Transom Mt.	89.99

RAYMARINE® p70 AUTOPILOT CONTROL HEADS

- LightHouse user interface is simple and quick to use • Start up wizard helps you configure the pilot quickly and easily • Anti-reflective coating for improved visibility in bright sunlight • Four times brighter than previous generation product while consuming 27% less power • Supported autopilot modes: Auto; Standby; Pattern; Track; Wind Vane; Power Steer (p70R only) and Jog Steer • Simple system and group dimming/illumination • Support for multiple data sources • SeaTalkng/NMEA2000 and SeaTalk1 connectivity (no bridging required) • **p70 Keypad Control:** Simple Autohelm style 1 and 10 degree course change controls • **p70R Rotary Control:** Dial through menus or take control w/Power Steer Mode



Order #	Mfg. #	Model	Sugg. Ret.
5026833	E22166	Keypad Control	\$534.99
5026834	E22167	Rotary Control	599.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

Raymarine®

NEW

RAYMARINE® CLEARPULSE CHIRP SOUNDER MODULE CP100 DOWNSIGHT SONAR



- Coupled w/the intuitive LightHouse user interface, the CP100 can connect to a, c, e, and gS series Multifunction Displays
- Will provide exceptionally detailed views of structure & objects on the bottom, as well as fish close to the bottom and in the water column
- Use conventional CHIRP sonar to further ID fish & bottom-track at high speeds

Order #	Mfg. #	Model	Sugg. Ret.
5027572	E70204	Module Only	\$519.99
5027573	E70205	Module w/CPT-100 Transom Mount Transducer	609.99
ACCESSORIES			
5027575	A80273	CP100 4M Transducer	27.99
		Extension Cable	
TRANSDUCER OPTIONS			
5027565	A80270	CPT-100 Trans. Mt.	89.99
5027566	A80277	CPT-110 Plastic Thru-Hull	269.99
5027567	A80271	CPT-120 Bronze Thru-Hull	329.99

NEW

RAYMARINE® CP300 CLEARPULSE SOUNDER MODULE



- Re-design of the ClearPulse high definition sonar technology
- Provides high performance fish-finding & bottom tracking for all of the MFD ranges including E Classic, E & C Wide, G Series & the LightHouse platform used in a, c, & e series products, as well as future products using the LightHouse platform
- Because the unit uses all of the current nonbroadband transducers, it makes a plug-and-play retrofit to a DSM30 or DSM300

Order #	Mfg. #	Model	Sugg. Ret.
5027574	E70154	Module Only	\$699.99
ACCESSORIES			
5027575	A80273	CP100 4M Transducer	27.99
		Extension Cable	

RAYMARINE® DSM30 DIGITAL SOUNDER MODULE



- Digital Sounder Module adds HD Digital technology to Raymarine® E-Series and C-Series multifunction displays
- 600 watt operation
- Dual frequency 50/200 kHz
- Designed for 12VDC electrical systems only

Order #	Mfg. #	Sugg. Ret.
5025375	E63074	\$499.99

RAYMARINE®

RS130 GPS RECEIVER



- Compact & accurate
- STng/NMEA 2000 (certified) connectivity
- Space Based Augmentation System (SBAS) enabled
- Satellite differential type: WASS, EGNOS, MSAS and GAGAN
- <9.84 ft. (3m) accuracy typical, <16.4 ft. (5m) accuracy guaranteed
- Very high sensitivity: -162dBm
- 48 channel GPS receiver
- Low power: 50mA (1 LEN)
- 12 or 24V DC
- Pole mounting adapter included

RS130 + ST1-STng Converter Retro Pack: Consists of E32153 RS 130 GPS Receiver & E22158 ST1 ti STng Converter kit

Order #	Mfg. #	Sugg. Ret.
5027260	E32153	\$348.99
CONVERTER RETRO PACK		
5027551	T70133	389.99

RAYMARINE®

STng STARTER KIT



- Consists of A06064 STng 5-way connector, A06031 STng Backbone Terminator (X2), A06040 STng Spur Cable (3M), & A06049 STng Power Cable (2M)

Order #	Mfg. #	Sugg. Ret.
5027370	T70134	\$99.99

NEW

RAYMARINE® EV-100 POWER PILOT



- A complete autopilot-in-a-box
- Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance
- No calibration required
- Built-in trolling patterns
- Ideal for small, hydraulically steered powerboats
- For 12V DC power systems
- Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-100 (Autopilot Control Unit), 12V Type 0.5 Hydraulic Pump, & Evolution Cable Pack

Order #	Mfg. #	Sugg. Ret.
5027576	T70154	\$1,499.99

NEW

RAYMARINE® EV-200 SPORT PILOT



- A complete autopilot-in-a-box
- Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance
- No calibration required
- SeaTalkng Network compatible
- ACU-200 Auxiliary power to SeaTalkng network
- Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-200 (Autopilot Control Unit) which includes M81105 Rotary Rudder Reference, Wheel Mount Sport Drive, & Evolution Cable Pack
- Hydraulic steering - max. 7000 lbs.; Mechanical steering - max 4400 lbs.

Order #	Mfg. #	Sugg. Ret.
5027577	T70159	\$2,099.99

NEW

RAYMARINE® EV-200 HYDRAULIC PACK



- A complete autopilot-in-a-box
- Evolution AI™ enables autopilots to perceive their environment & then calculate and evolve steering commands to maximize performance
- No calibration required
- Includes Type 1 Hydraulic Drive Unit
- SeaTalkng Network compatible
- ACU-200 Auxiliary power to SeaTalkng network
- Box contains P70R Autopilot Control Head, EV-1 Unit only, ACU-200 (Autopilot Control Unit) which includes M81105 Rotary Rudder Reference, Type 1 Hydraulic Pump, & Evolution Cable Pack

Order #	Mfg. #	Sugg. Ret.
5027578	T70157	\$2,899.99

Raymarine®

RAYMARINE®

HIGH PERFORMANCE DSM300 TRANSDUCER

•Depth only •1 kW. For in-hull or transom mounting •Dual frequency 200/50 kHz •1000 watts w/30' cable •Includes in-hull mounting kit

Order #	Mfg. #	Sugg. Ret.
5025321	A66089	\$1,049.99

RAYMARINE®

RCU-3 STEERING WHEEL REMOTE CONTROL

•Gives you simple access to frequently used functions while underway •Change range scales, control your music, switch between apps, and even mark a waypoint •You can also attach the RCU-3 to the supplied lanyard & transform the RCU-3 into a convenient handheld remote control for the e7 •Bluetooth wireless technology makes configuring the RCU-3 remote easy and gives wireless control of the e7 from up to 15' from the display



Order #	Mfg. #	Sugg. Ret.
5026830	E62351	\$134.99

RAYMARINE®

SMARTPILOT™ ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5024861	E15022	Rotary Rudder Reference	\$349.99

RAYMARINE®

SEATALK CABLE ACCESSORIES

Order #	Mfg. #	Type	Sugg. Ret.
5022822	D284	SeaTalk Cable	\$31.99
5022821	D244	SeaTalk Junction Box	26.99
5024613	E55049	SeaTalkhs 1.5m Network Cable	54.99
5024614	E55050	SeaTalkhs 5m Network Cable	109.99
5024959	E55051	SeaTalkhs 10m Network Cable	154.99
5024960	E55052	SeaTalkhs 20m Network Cabe	239.99
5026091	A55077D	SeaTalkhs 10m Digital Cable	169.99

RAYMARINE®

FISH FINDER ACCESSORIES

Order #	Mfg. #	For	Sugg. Ret.
5024968	E66066	Transducers B117 (E66014) & B744VL (A66092)	\$79.99

TRANSDUCER - THRU-HULL

5025316	E66085	(B60)Bronze, 200kHz, Depth 20° Tilted Element, DSM300	289.99
5025854	E66087	(B60) Bronze, 200/50kHz, Depth & Temp, 20°Tilted Element, For A50D,A57D,A70D & DSM25	269.99

5027037	E66088	Bronze B60-12° Tilted Element™ - 50/200kHz, Compatible Hull Material: Fiberglass or Wood, 33 ft. Cable, Fits vessels w/hull deadrise of 5° to 8°, Compatible w/DSM25, A50D, A57D & A70D Sounders	269.99
---------	--------	--	--------

5027036	E66073	(P74) Dual Freq. Single Ceramic Element - 50/200kHz, Compatible Hull Material: Fiberglass, 25 ft. Cable, Compatible w/DSM25, A50D, A57D & A70D Sounders	109.99
---------	--------	---	--------

5024356	E66054	Plastic, DSM250, DSM300, L770, L1260	149.99
---------	--------	--------------------------------------	--------

5024091	A66091	DSM300, Includes Fairing	429.99
5024898	A102138	DS400X, DS500X & DS600X	99.99

NEW

RAYMARINE® RAYNET TO ST^{hs} SOCKET CABLE ADAPTER



•Allows you to fit the existing waterproof, locking SeaTalk^{hs} cables used with G-Series, E-Wide, C-Wide & E-Classic MFDs to new generation RayNet multifunction displays •15" length

Order #	Mfg. #	Sugg. Ret.
5027268	A80160	\$54.99

NEW

RAYMARINE® RAYNET(PINS) TO RAYNET (PINS) CABLE JOINER ADAPTER



•Lets you connect 2 standard RayNet networking cables together in instances where you need to extend the length of the cable run •3.9" length

Order #	Mfg. #	Sugg. Ret.
5027267	A80162	\$54.99

RAYMARINE® ADAPTER CABLES



Order #	Mfg. #	Description	Sugg. Ret.
5027027	A62363	1m MinnKota Adapter Cable	\$59.99
5027032	A62360	1m RayNet to RJ45 Male Cable	49.99
5027033	A62361	1m RayNet to RayNet Cable	54.99

RAYMARINE® ALARM AUDIO OUT & VIDEO INPUT/OUTPUT CABLE

•Use for adding three additional video input sources as well as an HD compatible VGA output to external LCD monitors & TVs •For use w/E-Series Widescreen Multifunction Displays

Order #	Mfg. #	Sugg. Ret.
5026985	A62158	\$79.99



RAYMARINE® COMPACT FLASH TO MICRO-SD CARD ADAPTER

Order #	Mfg. #	Sugg. Ret.
5026289	A62311	\$29.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

120 Depth Finders, Fish Finders, GPS Navigation & Radar

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

SIMRAD

SIMRAD® NSS NETWORK NAVIGATION SYSTEMS

- For recreational boaters who require a reliable, high-quality, fully integrated, extensible navigation platform, Simrad NSS Sport is a networked MFD that provides: touch-screen control, superior screen brightness, & compatibility with all Simrad Performance Modules
- Unlike other touch-screen devices, NSS delivers touch user interface with an assimilated keypad & rotary controller, internal Broadband Sounder™ technology on NSS-7 and NSS-8 and internal GPS, and full network compatibility with all NSS Series displays, devices & accessories
- High brightness bonded screen with LED LCD
- Pre-loaded Insight USA™ cartography, including inland lake and coastal coverage for the US, as well as the Great Lakes - with background reference mmap for the rest of the Americas region, such as Canada & Latin America
- Displays include bezel, sun cover, mounting bracket & knobs, flush mount kit, power cable, Data/Video cable, installation and operation documentation, and a cleaning cloth
- NSS-8: 8.0" SVGA screen
- NSS-12: 12" XGA screen



NSS PACKAGES

- NSS-8 Navigation Pack: Includes NSS-8 and Broadband 3G™ Radar
- NSS-12 Navigation Pack: Includes NSS-12, Broadband 3G™ Radar and BSM-1 Broadband Sounder® Module

Order #	Mfg. #	Model	Sugg. Ret.
MULTIFUNCTION DISPLAYS			
5026974	000-10196-001	NSS-8	\$2,299.99
5026975	000-10197-001	NSS-12	3,299.99
NSS PACKAGES			
5026980	000-10629-001	NSS-7 Navigation Pack	2,799.99
5026981	000-10630-001	NSS-8 Navigation Pack	3,599.99
5026982	000-10631-001	NSS-12 Navigation Pack	4,999.99
ACCESSORIES			
5026971	000-10029-001	NEP-2 Network Exp. Port	\$269.99

SIMRAD® NSE NETWORK NAVIGATION SYSTEMS

- Engineered for anyone serious about navigation capabilities & offers best-in-class multifunction performance
- Lightning fast charplotter
- Superior brightness w/LED backlit display
- Easy Simrad control interface w/rotary controller
- Elegant design, rugged construction
- Integrate everything w/Simrad performance modules
- Pre-loaded Insight HD with shaded relief contour overlays
- Displays include bezel, sun cover, mounting bracket & knobs, flush mount kit, power cable, Data/Video cable, SimNet starter kit: power cable, installation and operation documentation, and a cleaning cloth
- NSE-8: 8" display
- NSE-12: 12" display



Order #	Mfg. #	Model	Sugg. Ret.
MULTIFUNCTION DISPLAYS			
5026983	AA010146	NSE-8	\$2,899.99
5026984	AA010148	NSE-12	3,999.99

Order #	Mfg. #	Model	Sugg. Ret.
NSE PACKAGES			
5026977	000-10342-001	NSE8 Fishing Package	3,597.99
5026978	000-10343-001	NSE12 Fishing Package	4,697.99

Order #	Mfg. #	Type	Sugg. Ret.
ACCESSORIES			
5027171	000-10613-001	RC42N Rate Compass, Micro-C Needed to do Radar Overlay	\$645.99
5027177	000-10760-001	Micro-C Backbone Kit	119.99
5027168	000-127-45	SIMNET to NMEA2000 Adptr. Kit	99.99
5026971	000-10029-001	NEP-2 Network Exp. Port	269.99
5026969	000-0125-25	GS15 Antenna w/13' Micro-C to SimNet Cable	339.99

SIMRAD® BROADBAND SOUNDER MODULE (BSM-1)

- High-speed Ethernet-based system delivers peerless echo clarity & the highest underwater definition
- Plug & play compatible w/Simrad NSO, NSE8 and NSE12 navigation systems
- Penetrate deep waters & canyons over 3,000'
- Clearly defines underwater structure w/"optimizer" technology in shallow & mid water
- "Whisper" into the water to find more fish using exceptionally low power combined w/efficient long pulses to make the perfect "low-noise" Sonar
- Supports 50/200Khz transducer frequency capabilities for optimal water column performance
- Includes: BSM-1 module, power cable, Ethernet cable yellow 5 Pin 6.5' (000-0127-51)
- Ethernet Yellow 5 Pin male to RJ45 female (000-0127-56) adapter required for NSO and is not included
- Transducer to be ordered separately



Order #	Mfg. #	Sugg. Ret.
5026970	000-0132-05	\$699.99

Order #	Mfg. #	Type	Sugg. Ret.
TRANSDUCERS			
5026963	000-00021-001	B60 Bronze 600W Thru-Hull 50/200kHz Depth/Temp (20° Tilt), 12 m	\$269.99
5026968	000-0106-82	B260 Bronze 1kW In-Hull 50/200kHz Depth/Temp w/ HS Fairing Block, 12 m	949.99

SIMRAD® STRUCTURESCAN® HD

- System delivers more side-to-side coverage as well as greater target & bottom definition, allowing users to cover more water faster w/ unprecedented clarity & detail
- Offers a new dimension in underwater, picture-like displays for more productive fishing, diving and search & recovery
- Includes an enhanced transducer design that features 3 dedicated signals for best-in-class crisp, clear views to the left, right & directly beneath the boat
- Full-panoramic, picture-like returns are more impressive w/sharper images of structure, fish, thermoclines & more
- Greater side-scanning range with no loss in resolution
- In depths less than 50', it can generate sidescan views that are twice as far w/greater resolution
- When paired with the Lowrance HDS Gen2, it also supports StructureMap™ view — a powerful, innovative tool that allows users to overlay & save sidescan sonar images directly on a chart in real-time, or create StructureMap charts for a complete and detailed underwater view all around the boat
- Compatible w/Navionics® cartography, users can easily create & view StructureMap detail on or off the water - without the aid of a computer
- Also allows anglers to position the cursor anywhere on the screen to receive information on distance from boat & target depth
- Synchronized TrackBack™ function, which features simultaneous scroll-back in the recorded history of sonar & mapping windows, allows anglers to find spots & set waypoints, so they can easily return to desired fishing locations
- System allows users to add, edit & delete waypoints from the multifunction display's database
- Sonar imaging system consists of a processing module, transducer and easy-to-connect Ethernet cable
- The module features three additional Ethernet ports for viewing StructureScan HD images on up to 3 multifunction displays



Order #	Mfg. #	Model	Sugg. Ret.
5027078	000-10801-001	LSS-2 StructureScan® HD	\$499.99

continued next page

SIMRAD® STRUCTURESCAN® HD

continued from previous page

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5027076	000-10946-001	StructureScan® HD Bronze	
5027077	000-10947-001	Thru-Hull Single	\$799.99
		StructureScan® HD Bronze	
5027079	000-10948-001	Thru-Hull Pair	1,299.99
5027080	000-10949-001	StructureScan® HD Bronze	799.99
		Thru-Hull Port (Repl. Part)	
		StructureScan® HD Bronze	
		Thru-Hull Strbnd (Repl. Part)	799.99
ACCESSORIES			
5026965	000-00099-006	LSS-1 Trans. Ext. Cable 10'	69.99

SIMRAD® WM-2 WEATHER/SIRIUS RADIO MODULE

- See the best current & future weather in real-time and in high-resolution
- Enjoy sports & music in high quality digital stereo
- All in a compact & affordable smart antenna module package
- Compatible w/NSO and NSE navigation systems via ethernet w/complete control from any networked display
- Easy flush-mount to boat deck or pole-mount
- Latest weather forecasting w/5-day tabular weather feed for major US cities
- Interfaces to onboard sound system via dual male red/white RCA molded connectors
- Internal memory saves up to 30 minutes of weather/environmental data for power interruptions & power off during refueling
- Provides important directional information of weather fronts & storm cells
- Roadside retail fuel prices are now available
- Includes: Sirius module, antenna, antenna & power cable
- Ethernet Yellow 5-Pin male to RJ45 female (000-0127-56) adapter is not included
- Ethernet cable yellow 5 Pin 6.5' is included (000-0127-51)
- 7 Pin 7' audio cable w/2 (M) RCA connectors (000-10032-001)



Order #	Mfg. #	Model	Sugg.Ret.
5026972	000-10036-001	WM-2	\$699.99



UNIDEN® ACCESSORIES

Order #	Mfg. #	Type	Sugg.Ret.
TRANSDUCERS			
5001578	650-2406	QT-206 Transom Mount	\$44.99

MOUNTS & BRACKETS



ANGERLERS PAL MULTI-MOUNTS

- Offers the flexibility to mount a fishfinder/depth sounder anywhere in the boat for easy reading
- 360° full hemisphere of possible positions
- Universal ball locking device with a "select position" locking knob makes it virtually vibration free
- Easily removed for security or storage



Order #	Mfg. #	OAL	Sugg.Ret.
STAINLESS STEEL/BLACK HARD ANODIZED ALUMINUM			
5204553	AP-MT10	10"	\$95.99
5204554	AP-MT14	14"	98.99
5204555	AP-MT17	17"	99.99
NYLON REINFORCED COMPOSITE			
5027507	AP-MT4NYL	4"	41.99

Johnny Ray LLC
New Ideas for Better Fishing !!



JOHNNY RAY TRANSDUCER MOUNTING BRACKET

- Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor
- Brackets offset the transducer to the side of the motor to protect it from damage
- Also allows for easy cone angle adjustments to make the unit perform to its true potential
- The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90° to the lake bottom
- Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware
- **Model JR-1:** Fits 1" dia. shaft: MotorGuide, Evinrude, Johnson, OMC
- **Model JR-2:** Fits: Minn Kota

Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	\$16.99
5000632	JR-2	JR-2	16.99



JOHNNY RAY SPEED REEDER UNIVERSAL TRANSOM MOUNTED TRANSDUCER BRACKET

- Eliminates your high speed depth sounder reading problems
- Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/ stainless steel hardware
- Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering
- Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface
- Keeps the transducer in clean (non-turbulent) water at speed or when cornering
- "Kick-up" design protects your transducer from floating or hidden objects under water

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	\$34.99



JOHNNY RAY JR-400HLP-M COMPLETE SWIVEL MOUNT ASSEMBLY

- Machined from durable 6/6 Nylon for corrosion resistance & long life
- Features the JR-400 swivel mount top already installed w/HLP Plate & hardware, & JR-300B swivel base
- Simply locate your unit's base onto the plate, & drill the electronics pattern accordingly into the HLP Plate
- Smaller Humminbird models like PiranhaMAX, can be drilled & reverse bolted from underside to match Electronic hole pattern
- Nuts and washers exposed at top

Order #	Mfg. #	Sugg.Ret.
5026893	JR-400HLP-M	\$41.99

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

122 Depth Finders, Fish Finders, GPS Navigation & Radar

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

JOHNNY RAY

PATENTED SWIVEL MOUNTS

- Features simple, one-handed operation to adjust the viewing angle
- Securely holds the unit in place, no matter the boating conditions
- No knobs to tighten or multiple joints to move
- Mounts keep the electronic units close to the boat, not "out-on-a-limb" where vibration and rough water can make viewing the unit virtually impossible
- Every model features a fully rotational swivel top that automatically locks in its turned position and can be removed by using its patented top removal feature to allow for storage of the unit
- Mounts are injection molded from DuPont® 6/6 Nylon material and assembled w/stainless steel springs and screws



5000634

5001128

5002259

5026986

5001031

5025398

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance



ABOUT RAM MOUNT®

- RAM is the revolutionary universal ball and socket mounting system that allows mounting of practically anything anywhere
- Its unique design provides easy installation, mobility, strength, versatility, vibration protection & durability, all at a low cost
- RAM is backed by NPIs renowned Lifetime Warranty which makes it the mounting system of choice
- To provide light weight strength & corrosion resistance, RAM is made of marine grade aluminum w/powder coated finish, stainless steel hardware & rubber balls
- Recognized & accepted by the U.S. Patent Office, RAM is the only universal ball-and-socket system that holds tremendous amounts of weight in high vibration applications for military, commercial & private use

RAM®

COMPONENTS & MOUNTING SYSTEMS

- Allows mounting of anything anywhere
- Over 160 interchangeable accessories offers solutions to most challenging mounting problems
- Reposition or remove electronics for viewing or safe keeping

Order #	Mfg. #	Included Components & Description	Sugg.Ret.
MISCELLANEOUS COMPONENTS			
BASES			
5024571	RAM-B-107-1BU	Unpacked Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20)	\$24.99
5025602	RAM-202	2.5"Dia. Base w/1.5" Ball	15.99
5022326	RAM-B-202	2-6/17"Dia. Base w/1" Ball	11.99
5027247	RAM-D-202U	3.68" Dia. Base w/2.25" Ball	25.99
BASE KITS			
5024572	RAM-B-108B	1"-2.1" Rail-Accomodating Base w/1" Ball. Includes (1) 6" L & (1) 8" Metal Clamp Strap, & (1) 5.5" Rubber Strip.	25.99
DOUBLE SOCKET ARMS			
5027237	RAM-201	Accommodates 1.5" Ball Bases. OAL: 5.625". Socket-to-Socket length: 4.5".	25.99
5027238	RAM-201-D	Accommodates 1.5" Ball Bases. OAL: 9.125". Socket-to-Socket length: 8.75".	42.99
5027241	RAM-B-201	Accommodates 1" Ball Bases. OAL: 3.69". Socket-to-Socket length: 3".	14.99
5027242	RAM-B-201-A	Accommodates 1" Ball Bases. OAL: 2.38". Socket-to-Socket length: 2".	14.99
5027243	RAM-B-201-C	Accommodates 1" Ball Bases. OAL: 6". Socket-to-Socket length: 5.1875".	23.99

continued next page

**RAM®
COMPONENTS & MOUNTING SYSTEMS**

continued from previous page

Order #	Mfg. #	Included Components & Description	Sugg. Ret.
DOUBLE SOCKET ARMS			
5027245	RAM-D-201-U	Accommodates 2.25" Ball Bases. OAL: 8.375". Socket-to-Socket length: 6.5625".	68.99
5027246	RAM-D-201-U-C	Accommodates 2.25" Ball Bases. OAL: 5.0625". Socket-to-Socket length: 3.1875".	45.99
ARM EXTENSIONS			
5022314	RAM 109-1A	Bent, 6" L Arm Extension for RAM 109 Series. Includes 4" L Bolt, Washers, & Tightening Knob	35.99
ADAPTER MOUNTS/PLATES			
5025644	RAM-338U	Double (Sonar/GPS) Adapter Plate. Mount Satellite Radio Receiver & Antenna on Single Platform. Stack Devices for Convenient Accessibility	14.99
5027240	RAM-202U-LO11	Adapter base w/1.5" dia. rubber ball & inserts directly to the back of Lowrance Elite 5 & Mark-5 fishfinders. Acts as quick release mechanism.	13.99
MOUNTING SYSTEMS			
5027236	RAM-101	RAM-202U Two 2.5" Dia. Bases w/1.5" Balls with RAM-201U Double Ball Socket Arm. Universal AMPS hole pattern.	47.99
5025394	RAM101G2	RAM-101U (Two 2.5" Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. For Garmin Fishfinder & GPSMAP models.	47.99
5026915	RAM101-G4	RAM-101U (Two 2.5" Dia. Bases & 1.5" Balls w/RAM Double Socket Arm. Mount Ht.: 7.35" tall @ max. extension & is collapsible. Includes hardware used to attach Garmin Echo to the Mount.	52.99
5026916	RAM-101-LO11	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball) & RAM-202U (2.5" Dia. Base w/1.5" Ball). For Lowrance Elite-5 & Mark-5 Series fishfinders.	47.99
5027252	RAM-B-101-LO11	RAM-B-201U Double Socket Arm for 1" Ball & RAM-B-202U 2-7/16" dia. Base w/1" Ball for Lowrance Elite-4 & Mark-4 Fishfinders.	31.99
5022315	RAM 109H	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109H-BU (Horizontal Swing Arm Mount Bracket). Hardware included.	70.99
5022316	RAM 109V	RAM-111BT (Flat 6.25"x2" Rect. Universal Base w/Tightening Knob) connects to RAM-109V-BU (Vertical Swing Arm Mount Bracket). Hardware included.	69.99
5022318	RAM-B-107	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball) connects to RAM-B-202U (2-6/17" Dia. Base w/1" Ball).	38.99
5503308	RAM-B-138-AQ2U	RAM-B-101U (Two 2.5" Dia. Bases w/1" Balls & RAM Double Socket Arm) & RAM-HOL-AQ2U (6.5" Hx4" Wx2" D Aqua Box 2). Hardware included.	60.99
5022322	RAM-B-138-GA1	RAM-B-138U (Two 2.5" Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-GA1U (RAM Cradle for Garmin GPS 12, 12CX, 12XL, 12MAP, 38). Hardware included.	38.99
5022323	RAM-B-138-GA2	RAM-B-138U (Two 2.5" Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-GA2U (RAM Cradle for Garmin GPS II, II+, III, III+, V, V Deluxe). Hardware included.	38.99
5022325	RAM-B-138-MA1	RAM-B-138U (Two 2.5" Dia. Bases w/1" Balls & RAM Double Socket Arm), & RAM-HOL-MA1U (RAM Cradle for Magellan GPS 12, 310, 315, 320, GPSMAP 330 & 330M). Hardware included.	37.99
5503305	RAM-B-138-UN4	RAM-B-138U (Two 2.5" Dia. Bases & 1" Balls w/RAM Double Socket Arm), & RAM-HOL-UN4U (RAM Composite Universal Finger Grip™ Holder). Hardware included.	42.99
5025301	RAM137U	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5" Dia. Base w/1.5" Ball), & RAM-137BU (3"x11" Rect. Base w/1.5" Ball). Hardware included.	65.99
5022319	RAM-B-111	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17" Dia. Base w/1" Ball), & RAM-B-111BU (Flat 6.25"x2" Rect. Electronics Base w/1" Ball for Garmin GPSMAP 162, 168, 175, 180, 180C, 182, 185, 188, 232, & 238). Hardware included.	31.99
5022317	RAM 111	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5" Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	45.99
5025601	RAM-B-107-1	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17" Dia. Base w/1" Ball), & RAM-B-107-1BU (Base w/1" Ball for Cuda Piranha MAX 10, 15, & 20). Hardware included.	36.99
5022313	RAM 107	RAM-201U (Double Socket Arm [O.A.L.: 5.63"] for 1.5" Ball), RAM-202U (2.5" Dia. Base w/1.5" Ball), & RAM-107BU (Base w/1.5" Ball for Hummingbird Series 700, 500, 300, 100, Matrix [excl. Matrix 97], & Ray Marine Apelco Fishfinder w/Matching Pattern Hole). Hardware included.	53.99
5025600	RAM-B-101-235U	RAM-B-201U (Double Socket Arm [O.A.L.: 3.69"] for 1" Ball), RAM-B-202U (2-6/17" Dia. Base w/1" Ball), & RAM-B-235U (Double U-Bolt Base w/1" Ball). Hardware included.	38.99
5025188	RAM-D-111U	RAM-D-201U (Double Socket Arm [O.A.L.: 8.375"] for 2.25" Ball), RAM-D-202U (3.68" Dia. Base w/2.25" Ball) & RAM-D-111BU (3"x11" Rect. Base w/2.25" Ball) Hardware included.	138.99
5025625	RAM-D-111UC	RAM-D-201U-C (Double Socket Arm [O.A.L.: 5.06"] for 2.25" Ball), RAM-D-202U (3.68" Dia. Base w/2.25" Ball) & RAM-D-111BU (3"x11" Rect. Base w/2.25" Ball) Hardware included.	106.99
5025892	RAM-111U-B	RAM-201U-B (Double Socket Arm [O.A.L.: 3.5"] for 1.5" Ball), RAM-202U (2.5" Dia. Base w/1.5" Ball), & RAM-111BU (Flat 6.25"x2" Rect. Electronics Base w/1.5" Ball). Hardware included.	45.99

See Following Page For Artwork On These Items!

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

R-A-M® COMPONENTS & MOUNTING SYSTEMS

continued from previous page

Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery



5204571



5025602



5022326



5027247



5024572



5027237



5027238



5027241



5027242



5027243



5027245



5027246



5022314



5025644



5027240



5027236



5025394



5026915



5026916



5027252



5022315



5022316



5503308



5022322



5022323



5022325



5503305



5025301



5022319



5022317



5025601



5022313



5025600



5025188



5025625



5025892



RAM® MOUNTS AQUA BOX™ PRO w/SUCTION CUP MOUNTS

•Consists of a 2.75" twist lock suction cup base, double socket arm, diamond adapter base and Aqua Box™ Pro case •Suction cup, twist lock base is designed to have a strong hold on glass & non-porous plastic surfaces, including RAM adhesive disks •Mount is designed with a RAM 1" dia. patented rubber ball & socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles •Aqua Box™ Pro case features a storage area which provides buoyancy & is perfectly sized for a driver's license or credit card •Weather resistant/splash proof •Unique patented design allows access to all side buttons on the phone while in case •Replaceable PVC Vinyl screen offers a clear view of the screen, allowing easy operation of the touch screen while in the case •Lanyard, belt clip, belt clip button & cradle included •Small fits Smartphones up to 4.58" H x 2.46" W x 0.47" D (depth will flex) •Large fits Smartphones up to 5.38" H x 2.8" W x 0.55" D (depth will flex)

Order #	Mfg. #	Style	Sugg. Ret.
5027248	RAP-B-166-2-AQ7-1	Small	\$53.99
5027250	RAP-B-166-2-AQ7-2	Large	54.99



RAM® MOUNTS AQUA BOX™ PRO w/HANDLEBAR MOUNTS

•Consists of a zinc coated U-bolt base, double socket arm, and Aqua Box™ Pro case •Mount is designed with a RAM 1" dia. patented rubber ball & socket system that has adjustment points at both ends of the double socket arm; this allowing for almost infinite adjustment and perfect viewing angles •Included in this package is hardware that will accommodate rails from 0.50" to 1.25" in diameter •Base includes black cover caps to be placed over exposed ends of the u-bolt •Included composite rail adapter can narrow the rail to a minimum width of 0.5". Aqua Box™ Pro case features a storage area which provides buoyancy & is perfectly sized for a driver's license or credit card •Weather resistant/splash proof •Unique patented design allows access to all side buttons on the phone while in case •Replaceable PVC Vinyl screen offers a clear view of the screen, allowing easy operation of the touch screen while in the case •Lanyard, belt clip, belt clip button & cradle included •Small fits Smartphones up to 4.58" H x 2.46" W x 0.47" D (depth will flex) •Large fits Smartphones up to 5.38" H x 2.8" W x 0.55" D (depth will flex)

Order #	Mfg. #	Style	Sugg. Ret.
5027249	RAM-B-149Z-AQ7-1	Small	\$65.99
5027251	RAM-B-149Z-AQ7-2	Large	66.99



NEW

RAM® MOUNTS HANDLE WRENCH FOR "D" SIZE BALL ARMS & MOUNTS

•Designed to be used with the knob found on the "D" size ball arms & mounts •Matches the shape of the knob found on the side of "D" arms, & lets you give the arm an extra tight grip •Powder coated Marine Grade aluminum •Ball size: 2.25"

Order #	Mfg. #	Sugg. Ret.
5027339	RAM-KNOB9HU	\$19.99



Trolling
Motors

Audio/
Instruments

Depth
Finders/GPS

Vests/
Cushions

Water
Sports

Safety/
Optics

Boat
Access.

Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
Steering

Motor
Access.

Camping

Cutlery

NEW

T-H MARINE SHOCK-LOCK™ SUPER DUTY ELECTRONICS MOUNT

•Swivel head electronics mount is designed to securely hold the heaviest electronics in place under any condition •Tested in the most severe conditions •Anodized aircraft aluminum & SS for strength & durability •Designed for universal use from the smallest to largest screens •Two 180° pivot points allow for max location adjustment •Easy On/Off w/spring-loaded release mechanism

Order #	Mfg. #	Sugg. Ret.
5027475	RMC-501ES-DP	\$149.99



LOG BOOK & WETNOTES

RITCHIE® NAVIGATION



RITCHIE® WETNOTES®

•Ideal for work or play •For boaters, divers, naturalists, campers, engineers •Completely waterproof •Use under water •Opens flat for easy writing •Plastic ring allows easy removal of pages •International Safety Yellow vinyl cover •Uses regular soft lead pencil (not included)

Order #	Mfg. #	Style	Sugg. Ret.
5100523	W-50	WetNotes®. 45 pgs., 4-1/2" x 7-1/4"	\$21.99

NOTESTrolling
MotorsAudio/
InstrumentsDepth
Finders/GPSVests/
CushionsWater
SportsSafety/
OpticsBoat
Access.Mooring/
Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/
ATV Access.

Pumps

Electrical

Maintenance

Controls/
SteeringMotor
Access.

Camping

Cutlery